## HP 9000 Series 500 Computers Pricing Information\*



Effective date: September 1, 1987

\* All data and prices are subject to change without notice. All prices include factory base plus freight in U.S.A.

### **System Configurations**

The HP 9000 Series 500 is available in three configurations: the Model 520 (9020) integrated workstation, the Model 550 (9050) modular system, and the Model 560 (9060) bundled system.

The Series 500 computers offer choices of BASIC and HP-UX operating systems. HP-UX and its associated languages and compilers, FORTRAN 77, C, Pascal and HP Technical BASIC are supported on the Models 550 and 560. In addition to HP-UX, the Model 520 supports the BASIC language system.

The Models 520 and 550 are available in both base and bundled system configurations, while the Model 560 is available as a bundled system only. The base system includes all standard features. The bundled system includes the base system plus several factory-installed options or software offered at a discounted price.

This pricing guide contains only HP part numbers, option numbers, and corresponding prices. See your HP sales representative or the HP 9000 Series 500 Configuration Guide for information on how to configure your system.

HP offers various hardware and software support services. This pricing information guide lists the hardware support

services with the prices of system configurations. Billing on all monthly maintenance charges can be made annually, semiannually, or on a quarterly basis. Software support services are listed separately.

#### **Monthly Maintenance Charges**

Category	Place of Service	Response Time
Field (FMMC)	Return to HP. Shipping at user's expense.	
Product (PMMC)	Flat charge within Zone 1 (0–100 mile radius from the HP maintenance source).	Next Day
Basic (BMMC)	Flat charge within Zone 1 (0–100 mile radius from the HP maintenance source).	Next Day
Standard (SMMC)	Flat charge within Zone 1 (0-100 mile radius from the HP maintenance source).	Four Hours

#### Series 500 Base Systems

Product No./ Option No.	Description	Price	вммс	SMMC
9020A	Model 520 Workstation Computer base system with standard 12.2-inch, color CRT display, 2 Mbyte RAM, 51/4" Flexible Disc, ASCII Keyboard and single I/O Processor.	\$35,200.	\$ 84.	\$ 91.
Opt. 241	Second IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 242	Third IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 246	2 Mbytes additional RAM (two 1 Mbyte boards)	7,140.	15.	19.
Opt. 590	Internal Thermal Printer for 8½ x 11" paper	4,990.	22.	27.
Opt. 591	Internal Thermal Printer for 210 mm paper	4,990.	22.	27.
Opt. 500†	One floating point CPU	N/C	3.	4.
Opt. 600†	One additional floating point CPU (2 total)	4,590.	3.	4.
Opt. 700†	Two additional floating point CPUs (3 total)	8,670.	3.	4.
Opt. 605‡	5¼" 256 Kbyte Flexible Disc	N/C	N/C	N/C
Opt. 610‡	20 Mbyte Fixed Disc Drive plus 51/4" 256 Kbyte Flexible Disc	4,630.	24.	30.
9020B	Model 520 Workstation Computer base system with a 12.2-inch, high-performance monochrome CRT display, 2 Mbyte RAM, 5¼" Flexible Disc, ASCII Keyboard and single I/O Processor.	35,700.	80.	99.
Opt. 241	Second IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 242	Third IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 246	2 Mbytes additional RAM (two 1 Mbyte boards)	7,140.	15.	19.
Opt. 590	Internal Thermal Printer for 8½ x 11" paper	4,990.	22.	27.
Opt. 591	Internal Thermal Printer for 210 mm paper	4,990.	22.	27.
Opt. 775	Light Pen	1,620.	N/C	N/C
Opt. 500†	One floating point CPU	N/C	3.	4.
Opt. 600†	One additional floating point CPU (2 total)	4,590.	3.	4.
Opt. 700†	Two additional floating point CPUs (3 total)	8,670.	3.	4.
Opt. 605‡	5¼" 256 Kbyte Flexible Disc	N/C		N/C
Opt. 610 <sup>‡</sup>	20 Mbyte Fixed Disc Drive plus 51/4" 256 Kbyte Flexible Disc	4,630.	24.	30.

Series 500 Base Systems (cont'd)

Product No./ Option No.	Description	Price	ВММС	SMMC
9020C	Model 520 Workstation Computer base system with a 13-inch, high-performance color CRT display, two 1 Mbyte RAM boards, 51/4" Flexible Disc, ASCII Keyboard and single I/O Processor.	\$51,000.	\$207.	\$258.
Opt. 241	Second IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 242	Third IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 246	2 Mbytes additional RAM (two 1 Mbyte boards)	7,140.	15.	19.
Opt. 590	Internal Thermal Printer for 8½" x 11" paper	4,990.	22.	27.
Opt. 591	Internal Thermal Printer for 210 mm paper	4,990.	22.	27.
Opt. 775	Light Pen	1,620.	N/C	N/C
Opt. 500 <sup>†</sup>	One floating point CPU	N/C	3.	4.
Opt. 600†	One additional floating point CPU (2 total)	4,590.	3.	4.
Opt. 700 <sup>†</sup>	Two additional floating point CPUs (3 total)	8,670.	3.	4.
Opt. 605‡	5¼" 256 Kbyte Flexible Disc	N/C	N/C	N/C
Opt. 610 <sup>‡</sup>	20 Mbyte Fixed Disc Drive plus 51/4" 256 Kbyte Flexible Disc	4,630.	24.	30.
9050A	Model 550 Modular Computer base system with two 1 Mbyte RAM boards, diagnostic display panel, and single I/O processor. Suitable for installation in the 92211L mobile mini-rack.	21,200.	40.	49
Opt. 246	2 Mbytes additional RAM (two 1 Mbyte boards)	7,140.	15.	19.
Opt. 249	Second IOP (requires one 97098A expander)	2,060.	1.	2.
Opt. 500†	One floating point CPU	N/C	N/C	N/C
Opt. 600 <sup>†</sup>	One additional floating point CPU (2 total)	4,590.	3.	4.
Opt. 700 <sup>†</sup>	Two additional floating point CPUs (3 total)	8,670.	3.	4.
<b>9050AU</b> Opt. U01	Model 550 Modular Computer Shell. Does not include CPU, IOP, or RAM. Upgrade from Model 520, 530, or 540 to Model 550. This option provides the 550 Computer Shell plus the instructions for using the finstrates and I/O cards removed from Models 520, 530, or 540. (Requires the return of the 520, 530, or 540 shell.)	10,200. -2,500.	15	19

<sup>†</sup> Either Opt. 500, 600 or 700 must be specified at time of order.

## Series 500 Bundled Systems

Product No./ Option No.	Description	Price	вммс	SMMC
9020AS	9020A Base System, plus 20 Mbyte Fixed Disc, Thermal Printer, BASIC Language System and 2D/3D Graphics.	\$42,050.	<b>\$</b> 150.	\$176.
Opt. 241	Second IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 242	Third IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 246	2 Mbytes additional RAM (two 1 Mbyte boards)	7,140.	15.	19.
Opt. 500 <sup>†</sup>	One floating point CPU	N/C	3.	4.
Opt. 600 <sup>†</sup>	One additional floating point CPU (2 total)	4,590.	3.	4.
Opt. 700 <sup>†</sup>	Two additional floating point CPUs (3 total)	8,670.	3.	4.
Opt. 591	Replace 8½" Thermal Printer paper with 210 mm paper	N/C	N/C	N/C
9020AT	9020A Base System, plus Thermal Printer; 27110B HP-IB Interface; single-user HP-UX Operating System; FORTRAN 77, C, and HP Pascal Compilers; Starbase Graphics Library; and GRAPHICS/9000 DGL/AGP.	46,150.	149.	178.
Opt. 241	Second IOP (requires 97098A expander)	2,060.	1.	l 2.
Opt. 242	Third IOP (requires 97098A expander)	2,060.	1.	2. 2.
Opt. 246	2 Mbytes additional RAM (two 1 Mbyte boards)	7,140.	15.	19.
Opt. 500†	One floating point CPU	N/C	1	4.
Opt. 600 <sup>†</sup>	One additional floating point CPU (2 total)	4,590.	3.	4.
Opt. 700 <sup>†</sup>	Two additional floating point CPUs (3 total)	8,670.	3.	4.
Opt. 591	Replace 8½" Thermal Printer paper with 210 mm paper	N/C	N/C	N/C
Opt. 610 <sup>‡</sup>	Add 20 Mbyte Fixed Disc (not system disc)	4,630.	24.	30.
Opt, 022§	Software on ¼-inch tape cartridge	. N/C	N/C	N/C
9050AM	9050A Base System plus 27110B HP-IB Interface; 27130B 8-channel Multiplexer; 16-user licensed HP-UX Operating System; FORTRAN 77, C, and HP Pascal Compilers; GRAPHICS/9000 DGL/AGP, and Starbase Graphics Library.	28,500.	95.	118.
Opt. 249	Second IOP (requires 97098A expander)	2,060.	1.	2.
Opt. 246	2 Mbytes additional RAM (two 1 Mbyte boards)	7,140.		19.
Opt. 500 <sup>†</sup>	One floating point CPU	N/C	N/C	N/C
Opt. 600 <sup>†</sup>	One additional floating point CPU (2 total)	4,590.	3.	4.
Opt. 700 <sup>†</sup>	Two additional floating point CPUs (3 total)	8,670.		4.
Opt. 022§	Software on ¼-inch tape cartridge	N/C	N/C	N/C

<sup>†</sup> Either Opt. 500, 600 or 700 must be specified at time of order. ‡ Either Opt. 605 or 610 must be specified at time of order.

<sup>‡</sup> Either Opt. 605 or 610 must be specified at time of order.

# HP Computer Museum www.hpmuseum.net

For research and education purposes only.

#### Series 500 Bundled Systems (cont'd)

Product No./ Option No.	Description	Price	вммс	SMMC
9050AT	9050A Base System plus 27110B HP-IB Interface; 27128A RS-232C Interface with female cable; single-user HP-UX Operating System; FORTRAN 77, C, and HP Pascal Compilers; GRAPHICS/9000 DGL/AGP, and Starbase Graphics Library.	\$27,900.	\$ 88.	\$109.
Opt. 246	2 Mbytes additional RAM (two 1 Mbyte boards)	7,140.	15.	19.
Opt. 249	Second IOP (requires one 97098A expander)	2,060.	1.	2.
Opt. 500†	One floating point CPU	N/C		
Opt. 600 <sup>†</sup>	One additional floating point CPU (2 total)	4,590.	3.	4.
Opt. 700 <sup>†</sup>	Two additional floating point CPUs (3 total)	8,670.	3.	4.
Opt. 022§	Software on ¼-inch tape cartridge	N/C	N/C	N/C
9060AM	Model 560. Similar to 9050A but includes three CPUs; 8 Mbytes RAM; 27140A 6-channel Multiplexer; 27110B HP-IB interface; one IOP; 16-user licensed HP-UX Operating System; FORTRAN 77, C, and HP Pascal Compilers, GRAPHICS/9000 DGL/AGP, and Starbase Graphics Library.	49,050.	89.	113.
Opt. 022§	Software on ¼-inch tape cartridge (option must be specified)	N/C		

<sup>†</sup> Either Opt. 500, 600 or 700 must be specified at time of order.

## **Series 500 Accessories**

#### **RAM**



Field Install Product No.	Description	Price	вммс	SMMC
97046A	2 x 1 Mbyte RAM, field installable (for HP-UX 5.1 or later)	\$ 7,140.	<b>\$</b> 15.	\$19.
Opt. 001	<b>Loader ROM</b> for operation of 97046A/48A with HP-UX 4.0 or later and BASIC 2.0, field installable for older Model 520 only	235.	N/C	N/C
97046P	Package of 25 pairs of 1 Mbyte (50 Mbyte total) RAM boards	102,000.	N/A	N/A
97048A	2 Mbyte RAM Board, field installable	7,140.	15.	19.
97048P	Package of 25 2 Mbyte RAM boards	115,000.	N/A	N/A

#### **IOPs**

Field Install Product No.	Description	Price	вммс	SMMC
97041A	Second IOP for 9020. Requires one 97098A expander for each IOP added.	\$ 2,060.	\$ 1.	\$ 2.
97042A	Third IOP for 9020. Requires one 97098A expander for each IOP added.	2,060.	1.	2.
97049A	First or second IOP for 9050A/AM/AT. Requires one 97098A expander if ordered as second IOP.	2,060.	1.	2.
97049P	Package of 25 IOPs (first or second, for Model 550 only).	48,450.	N/A	N/A

#### **CPUs**

Field Install Product No.	Description	Price	вммс	SMMC
97043A	One additional CPU	\$ 5,100.	\$ 3.	\$ 4.
97043B	One floating point CPU	4,590.	3.	4.
97043P	Package of 25 floating point CPUs	71,400.	N/A	N/A

#### Miscellaneous

Field Install Product No.	Description	Price	вммс	SMMC
97090A	Internal Thermal Printer for 9020 for 81/2" x 11" paper	\$ 4,990.	\$22.	\$27.
Opt. 591	For 210 mm paper for 9020	N/C	N/C	N/C
97093A	20 Mbyte Fixed Disc Drive for 9020	4,630.	24.	30.
97098A	I/O Expander	3,760.	8.	10.
98775A	Light Pen (9020B or C, BASIC)	1,620.	N/C	N/C

<sup>§</sup> Opt. 022 must be specified for all HP-UX software at time of order.

**Keyboard Options for Model 520** 

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
Opt. 820 Opt. 830 Opt. 840	French Keyboard and Character Set Spanish Keyboard and Character Set German Keyboard and Character Set Katakana Keyboard and Character Set Swedish/Finnish Keyboard and Character Set	N/C N/C N/C N/C N/C	N/A N/A	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A

#### **Interface Products for Series 500**

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
27110B	HP-IB Interface (includes 2m cable)	\$ 1,030.	N/A	N/A	<b>\$</b> 3.	\$ 4.
<b>27112A</b> Opt. 001	<b>GP-IO Interface</b> (includes 5m unterminated cable) 50-pin cable for 9885M or 97060A	715. 51.	N/A N/A	N/A N/A	4. N/A	5. N/A
27116A	HP-CIO Extender Card	410.	N/A	N/A	N/A	N/A
27122A	RJE Interface (includes 5m cable)	2,155.	N/A	N/A	7.	9.
27125B	LAN/500 Link (includes 28641A ThinMAU and "T" connector*, 0.7m IEEE 802.3 card connector cable; requires network services software)	2,600.	N/A	N/A	10.	13.
Opt. 001	Deletes 802.3 cable and MAU; substitutes Ethernet™ card connector cable	-350.	N/A	N/A	N/A	N/A
Opt. 241	Deletes ThinMAU (order 92254x AUI cable and 30241A MAU from Computer User's Catalog)	-350.	N/A	N/A	N/A	N/A
27128A	Asynchronous Serial Interface (includes 5m RS-232C cable with female connector)	930.	N/A	N/A	3.	4.
Opt. 001	5m terminal emulation cable (male connector)	N/C	N/A	N/A	N/A	N/A
27130B	8-channel Multiplexer Interface MUX – Asynchronous Terminal Multiplexer, 8 direct-connect RS-232C ports	2,100.	N/A	N/A	10.	12.
Opt. 019 Opt. 550	Mounting bracket for 19-in. EIA rack Mounting bracket for 92211R cabinet rack	41. 41.	N/A N/A	N/A N/A	N/A N/A	N/A N/A
27140A	6-channel Multiplexer Interface (modem supported)	2,450.		N/A	5.	6.
Opt. 001	10 meter extension cable	355.	1 /	N/A	N/A	N/A
Opt. 019 Opt. 550	Mounting bracket for 19-in. EIA rack Mounting bracket for 92211R cabinet rack	41. 20.	N/A N/A	N/A N/A	N/A N/A	N/A N/A
50961A	SRM Coax Interface (Must order option)	2.445	N/A	N/A	7. 7.	9. 9.
Opt. 500	SRM Coax Interface for Series 500 use	2,445.		N/A	/.	9

<sup>\*</sup> See the Computer User's Catalog for ThinLAN cable and terminators (92227x).

Ethernet<sup>TM</sup> is a trademark of Xerox Corporation.

## Series 500 BASIC Language and Operating System

-	<del></del>		ice			
Due deset No. /		Part Number Suffi				
Product No./ Option No.	Description	"A/B"	"M & R"			
97050B Opt. 042 <sup>†</sup> Opt. 001 <sup>‡</sup>	BASIC Language System Software on 5½" Flexible Disc Previous Revision Upgrade Discount	\$ 2,550. N/C -1,000.	\$ 1,275. -500.			
97052B Opt. 042 <sup>†</sup> Opt. 001 <sup>‡</sup>	2D-3D Graphics Software on 5¼" Flexible Disc Previous Revision Upgrade Discount	1,225. N/C -480.	610. -240.			
97053B Opt. 042† Opt. 001	IMAGE/QUERY 9000 (BASIC) Software on 5¼" Flexible Disc Previous Revision Upgrade Discount	1,225. N/C -480.	610. -240.			
<b>97056A</b> Opt. 042 <sup>†</sup>	BASIC Asynchronous Terminal Emulator Software on 54" Flexible Disc	515. N/C	250.			
<b>97058A</b> Opt. 042 <sup>†</sup>	Shared Resource Management software (requires 27123A or 50961 #500 interface) Software on 5 4" Flexible Disc	204. N/C	100.			

<sup>\*</sup> A/B = initial copy; M = right to reproduce 1 copy without right to sublicense; R = right to reproduce 1 copy with right to sublicense. Software provided with 520AS system does not qualify as "A/B" product purchase which is a prerequisite for purchase of "M" or "R" product.

<sup>†</sup> Opt. 042 must be specified at time of order.

<sup>‡</sup> Opt. 001 = Discount for owners of previous revision of 970XXX.

## Series 500 HP-UX Operating System

HP-UX operating systems include commands libraries, C Compiler, GRAPHICS/9000 DGL, Starbase Graphics Library,

device I/O library, and symbolic debugger. (Also included are asynchronous datacomm (aterm, uucp, uux, cu.)

				Pri	ice	
Product No.				Part Number Suffix*		
Single-	Multi-		Single	Single-user Multi-		
user	user		"C"	"M & R"	"C"	"M & R"
		HP-UX Operating System (Model 520 only)				
97070C		Single-user	\$ 2,060.			
Opt.	022†	Software on ¼-inch tape cartridge	N/C			
Opt.	. 005	Additional copy discount	-1,000			
Opt.	. 001	Previous revision upgrade	-800.	}		<b>,</b>
	. 100	Delete manuals	-200.			
•	97080C	Licensed for 1 to 16 users			\$ 5,100.	
Opt.	. 022†	Software on ¼-inch tape cartridge		'	N/C	
Opt.	. 003§	Single-user to 16-user licensed system upgrade		ļ	-1,500.	1
Opt.	. 005	Additional copy discount			<b>−2,500</b> .	
Opt	. 001	Previous revision upgrade			-2,000.	
Opt	. 100	Delete manuals			-200.	
•	97078C	Licensed for 1 to 32 users			7,140.	
Opt.	. 022†	Software on ¼-inch tape cartridge			N/C	
Opt.	. 003#	16-user to 32-user licensed system upgrade			<i>−</i> 4 <i>,</i> 500.	
<b>O</b> pt	. 005	Additional copy discount			-3,500.	
Opt	. 001	Previous revision upgrade			-2,800.	
	. 100	Delete manuals			-200.	

				Pri	ice	
Produ	ct No.			Part Numb	er Suffix	ī
Single- user	Multi- user		Singl "A/C"	e-user "M & R"	Mult	i-user  "M & R"
97079C		HP-UX Operating System (Model 550/560 only)	\$ 2,060.			
	oaat	Single-user Software on ¼-inch tape cartridge	N/C			
	022† . 005	Additional copy discount	-1,000.	Ï		
Opt.	. 003	Previous revision upgrade	-1,000. -800.			ļ
	. 100	Delete manuals	-200. -200.			
Opt.		Licensed for 1 to 16 users	200.		\$ 5,100.	
Opt	022 <sup>†</sup>	Software on ¼-inch tape cartridge			N/C	
	003§	Single-user to 16-user licensed system upgrade			-1,500.	ļ
Opt.	. 005	Additional copy discount			-2,500.	
	. 001	Previous revision upgrade	_		-2,000.	
	. 100	Delete manuals			<b>–200</b> .	
- 1		Licensed for 1 to 32 users	ter		7,140.	
Opt.	022 <sup>†</sup>	Software on ¼-inch tape cartridge	m		N/C	
Opt.	003#	16-user to 32-user licensed system upgrade	<del>-</del>		<b>-4,500</b> .	
Opt.	. 005	Additional copy discount			-3 <i>,</i> 500.	
Opt.	. 001	Previous revision upgrade			-2,800.	
Opt.	. 100	Delete manuals			-200.	
		Licensed for 1 to 64 users			17,350.	
	. 022†	Software on ¼-inch tape cartridge			N/C	
	. 003	32-user to 64-user licensed system upgrade			-6,500.	
	. 005	Additional copy discount			-7,000.	
Opt	. 100	Delete Manuals			-200.	
		IMAGE/QUERY Database Management				
	97083A		1,020.		2,550.	
	. 022	Software on DC-600 tape cartridge	N/C		N/C	
	. 001	Upgrade discount from previous version	-400.	-200.	-1,000.	I .
Opt.	. 003§	Single-user to multi-user upgrade			-1,000.	-500

<sup>\*</sup> A/C = initial copy, M = right to reproduce 1 copy without right to sublicense; R = right to reproduce 1 copy with right to sublicense. Software provided with 9020AT/9050AT/9050AM systems does not qualify as "A/C" product purchase which is a prerequisite for purchase of "M" or "R" product.
† Opt. 022 must be specified at time of order.
‡ Opt. 001 = Discount for owners of previous revision of 970XXX.

 $<sup>\</sup>$  Opt. 003 = Discount for owners of single-user software. Software provided with 9020AT/9050AT/9050AM does qualify for discount. Opt. 003 cannot be used with Opt. 005.

<sup>#</sup> Opt. 003 = Discount for owners of 16-user software. Software provided with 9020AT/9050AT/9050AM does qualify for discount. Opt. 003 cannot be used with Opt. 005.

			_	Price				
Produ	ıct No.			Part Numl	er Suffix*			
Single- user	Multi- user		Single "A/C"	e-user "M & R"	Multi "A"	-user "M & R"		
Opt. Opt. Opt.	97081C .022 <sup>†</sup> .001 <sup>‡</sup> .003 <sup>§</sup> .100	FORTRAN 77 Compiler Software on ¼-inch tape cartridge Previous revision upgrade Single-user to multi-user software upgrade (97081C only) Delete manuals	\$ 2,060. N/C -800.	\$ 1,030. -400. -40.	\$ 4,590. N/C -1,800. -1,500.	\$ 2,295. -900. -750. -40.		
Opt. Opt. Opt.	97082C .022 <sup>†</sup> .001 <sup>‡</sup> .003 <sup>§</sup> .100	HP Pascal Compiler Software on ¼-inch tape cartridge Previous revision upgrade Single-user to multi-user software upgrade (97082C only) Delete manuals	2,060. N/C -800.	1,030. -400. -40. -40.	4,590. N/C -1,800.	2,295. -900. -40. -40.		
Opt	68A . 022 . 100	HP Technical BASIC Interpreter (BASIC language for HP-UX) Software on ¼-inch tape cartridge Delete Manuals	2,040.	1,020. N/C -90.	2,040.	1,020. N/C -90.		
Opt. Opt.	97085A . 022† . 001‡ . 003§	GRAPHICS/9000 AGP Software on ¼-inch tape cartridge Previous revision upgrade Single-user to multi-user software upgrade (97085A only)	1,630. N/C -640.	815. -320.	4,080. N/C -1,600. -1,600.	2,040. -800. -800.		
	<b>97069A</b>	HP Windows/9000 – Interactive human interface which includes commands to create and manipulate windows, menus, icons and fonts. Requires 98700H Graphics Display Station. Does not support 98710A Graphics Accelerator. Software on ¼-inch tape cartridge	305. N/C		765. N/C			

			Price				
Product No.				Part Numb	er Suffix*	ī	
Single- user	Multi- user		Single "A"	e-user "M & R"	Multi "A"	lti-user "M & R"	
	<b>73A</b> 1. 022	HP-GKS Graphics Library. HP-GKS is a full Level 2b implementation of the ANSI/OSI Graphical Kernel System standard. Software on ¼-inch tape cartridge	\$ 3,060. N/C	N/A	\$ 3,060. N/C	N/A	
	968 <b>A</b> . 022 <sup>†</sup>	RJE Emulator (requires 27122A Interface) Software on ¼-inch tape cartridge	2,550. N/C	N/A	2,550. N/C	N/A	
986	594A	SRM Access Utilities for HP-UX Systems (requires 50961A Opt. 500 or 27123A interface)	510.		510.		
Opt	t. <b>022</b>	Software on ¼-inch tape cartridge	N/C		N/C		
970	086A	<b>Application Migration Package.</b> To assist users in transporting programs from HP 1000 RTE-6/VM to HP-UX.	1,010.		1,010.		
Opt	t. 022	Software on ¼-inch tape cartridge	N/C		N/C		
986	684X	DGL Skeleton Device Handler. Allows the interfacing of non-HP devices to applications based on DGL.	1,020.		1,020.		
Opt	t. 022	Software on 1/4-inch tape cartridge	N/C		N/C		

<sup>\*</sup> A/C = initial copy, M = right to reproduce 1 copy without right to sublicense; R = right to reproduce 1 copy with right to sublicense. Software provided with 9020AT/9050AT/9050AM systems does not qualify as "A/C" product purchase which is a prerequisite for purchase of "M" or "R" product.
† Opt. 022 must be specified at time of order.
‡ Opt. 001 = Discount for owners of previous revision of 970XXX.

<sup>§</sup> Opt. 003 = Discount for owners of single-user software. Software provided with 9020AT/9050AT/9050AM does qualify for discount. Opt. 003 cannot be used with Opt. 005.

# Opt. 003 = Discount for owners of 16-user software. Software provided with 9020AT/9050AT/9050AM does qualify for discount. Opt. 003 cannot be used with

Opt. 005.

Shared Resource Management (SRM)

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
50961A* Opt. 500 98694A Opt. 022	To connect a Series 500 HP-UX Workstation: Resource Management Coax Interface Must order option SRM Access Software for HP-UX (must order option) Software provided on 1/4-inch cartridge tape	\$ 2,445. 510. N/C	N/A N/A	N/A N/A	\$ 7. N/A	\$ 9. N/A
50961A* Opt. 500 97058A Opt. 042	To connect a Series 500 BASIC Language Workstation: Resource Management Coax Interface Must order option SRM Access Software (must order option) Software provided on 51/4-inch floppy	2,445. 204. N/C	N/A N/A	N/A N/A	7. N/A	9. N/A

<sup>\*</sup> Requires coax cable and coax interface in SRM server.

## Local Area Networking (LAN)

#### **LAN Software**

		Pı	rice
Product No./ Option No.		Part Num	ber Suffix*
	Description	"A"	"M & R"
50954A Opt. 022 Opt. 001	NS/9000 Series 500 (must order media option) Software on ¼-inch tape cartridge Previous revision upgrade	\$ 4,080. N/C -1,600.	\$ 2,040. N/C -800.
50950A Opt. 044 Opt. 200 Opt. 300 Opt. 400	Network Services for the DEC VAX MicroVAX RX50 MicroVAX TK50 Mid-range 11/725-85X0 9-track High-end 8600-89X0 9-track	6,120. 6,120. 8,670. 11,200.	4,285. 4,285. 6,070. 7,850.

<sup>\*</sup> A = initial copy; M = right to reproduce 1 copy without right to sublicense; R = right to reproduce 1 copy with right to sublicense. Software provided with 520AS system does not qualify as "A" product purchase which is a prerequisite for purchase of "M" or "R" product.

#### LAN Hardware

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
27125B	LAN/500 Link (requires 50951A or 50952A). Includes LAN interface, 28641A ThinMAU with integrated 1 meter AUI cable, and BNC "T" connector.	\$ 2,600.	N/A	N/A	\$13.	\$18.
Opt. 001	Ethernet card connector cable	-350.	N/A	N/A	N/A	N/A
Opt. 241	Delete ThinMAU and "T" Connector for connecting to backbone LAN cable. (Must order MAU and AUI cable separately.)	-350.	N/A	N/A	N/A	N/A
	LAN Cables and Accessories For connecting to ThinLAN. ThinLAN coax cable (with BNC connectors installed):					
92227A	1-m coax cable	25.	N/A	N/A	N/A	N/A
92227B	2-m coax cable	27.	N/A	N/A	N/A	N/A
92227C	4-m coax cable	29.	N/A	N/A	N/A	N/A
92227D	8-m coax cable	33.	N/A	N/A	N/A	N/A
92227E	16-m coax cable	39.	,	N/A	N/A	N/A
92227F	32-m coax cable	51.	N/A	N/A	N/A	N/A
92227G	64-m coax cable	<b>7</b> 6.	N/A	N/A	N/A	N/A
92227H	128-m coax cable	126.	N/A	N/A	N/A	N/A
	ThinLAN coax cable (without connectors):					
92227J	Cut-to-length, PVC (cost per meter)	.78	N/A	N/A	N/A	N/A
92227K	Cut-to-length, FEP (cost per meter)	3.35	N/A	N/A	N/A	N/A

Product No./ Option No.	Description	Price	FMMC	РММС	ВММС	SMMC
92227L 92227M 92227N 92227P 28641A	ThinLAN Accessories BNC Connector Pair for 92227J/K BNC Connector Tool Kit for 92227J/K BNC "T" Connector ThinLAN Terminator Pair ThinMAU Includes 1 meter AUI cable and BNC T-connector	\$ 22.50 450. 27.50 23. 350.	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A	N/A N/A N/A N/A	N/A N/A N/A N/A N/A
	(included with 27125B)			1		
30241A 92256C	For connecting to Backbone LAN:  Backbone LAN MAU and Tap  LAN MAU and Installation Kit (order once):	400. 39.	N/A N/A	N/A N/A	\$ 9. 9.	\$12. 12.
92254A 92254B 92254C 92254D 92254E 92254F 92254G 92254H	Backbone LAN AUI cables (with connectors attached): 6-m FEP AUI Cable 12-m FEP AUI Cable 24-m FEP AUI Cable 48-m FEP AUI Cable 6-m PVC (11) AUI Cable 12-m PVC AUI Cable 24-m PVC AUI Cable 48-m PVC AUI Cable	135. 200. 345. 635. 85. 110. 160. 250.	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A	N/C N/C N/C N/C N/C N/C N/C	N/C N/C N/C N/C N/C N/C N/C
92255A 92255B 92255C 92256B	Backbone LAN AUI Cables (without connectors attached) and Tools: FEP Cut-to-length AUI Cable (cost per meter) PVC Cut-to-length AUI Cable (cost per meter) LAN AUI Connector kit (order for each 92255A/B connection) LAN AUI Cable Assembly Tool Kit (only order once); requires 92229B Crimp Tool	13. 4.50 47. 900.	N/A	N/A N/A N/A N/A	N/C N/C N/C N/C	N/C N/C N/C N/C
92253A 92253B 92253C 92253D 92253E 92253F 92253G 92253H	Backbone LAN Coax Cable (including connectors and terminators):  23.4-m FEP without connectors attached  23.4-m FEP with connectors attached  117-m FEP without connectors attached  500-m FEP without connectors attached  23.4-m PVC without connectors attached  117-m PVC without connectors attached  117-m PVC without connectors attached  500-m PVC without connectors attached	400. 425. 1,500. 6,000. 200. 225. 500. 2,100.	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A	N/C N/C N/C N/C N/C N/C N/C	N/C N/C N/C N/C N/C N/C N/C
92256A 92229B	Backbone LAN Coax Cable Tools for attaching connectors (order once):  LAN Coax Installation Tool Kit  LAN Coax Crimp Tool	185. 199.	N/A N/A	N/A N/A	N/C N/C	N/C N/C
92223A	For repeatered networks:  Repeater Kit. Includes repeater, two 5-meter repeater AUI cables, and 2 repeater MAUs. For connecting to ThinLAN or Backbone LAN coax segments.	4,080.	N/A	\$24.	N/A	48.
92223C	<b>20-m Repeater FEP AUI.</b> Includes a single 20 meter repeater AUI cable. For extending the distance between the repeater and repeater MAU (up to 50 meters max).	335.	N/A	N/A	N/A	N/A
	Note: For complete information on LAN cables and accessories, see the HP Computer Users' Catalog.					
28645A Opt. 241	ThinLAN Hub. Includes 5m AUI cable and 30241A MAU. Delete AUI Cable and MAU	3,010. -500.	5.	9.	N/A	N/A

## HP 9000 Peripherals, Media and Accessories\*

\* For detailed information on model numbers and operating systems these peripherals are supported with, please refer to the Series 500 Configuration Guide.

#### Data Storage (630 Kbytes - 40 Mbytes)

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
9122D	2 x 630 Kbyte, 3½" flexible dual master disc	\$ 1,415.	\$ 3.	\$ 6.	\$ 9.	\$12.
9122S	630 Kbyte, 3½" flexible single master disc	1,110.	2.	4.	6.	8.
97093A	10 Mbyte disc drive for Model 520	4,630.	N/A	N/A	23.	29.
9153A	10 Mbyte Winchester disc with 3½" 630 Kbyte double-sided microfloppy	1,980.	5.	10.	16.	20.
9154A	10 Mbyte Winchester disc	1,925.	4.	8.	13.	16.
<b>9133L</b> Opt. 001	40 Mbyte Winchester disc with 3½" 630 Kbyte double-sided microfloppy 1 Kbyte sectors for UNIX	4,540. N/C	16. N/C	24. N/C	38. N/C	48. N/C
<b>9134L</b> Opt. 001	40 Mbyte Winchester disc 1 Kbyte sectors for UNIX	4,130. N/C	14. N/C	22. N/C	35. N/C	44. N/C
9153B	20 Mbyte Winchester disc with 3½" 630 Kbyte, double-sided microfloppy	2,795.	3.	6.	N/A	N/A
9154B	20 Mbyte Winchester disc	2,435.	3.	5.	N/A	N/A

#### CS/80 Hard Disc Storage (41 Mbytes to 571 Mbytes)

Product No./ Option No.	Description	Price	FMMC	РММС	ВММС	SMMC
7907A	41 Mbyte fixed/removable drive, 20½ removable, 20½ fixed, CS/80, HP-IB	\$12,750.	N/A	N/A	\$ 80.	\$ 96.
7935H	404 Mbyte removable media device	22,950.	N/A	N/A	103.	130.
7911/12	Call Sales Response Center for information.					
7936H	307 Mbyte fixed disc drive	13,750.	N/A	N/A	33.	42.
7937H	571 Mbyte fixed disc drive	17,950.	N/A	N/A	40.	50.
7957A	81 Mbyte fixed disc drive	5,300.	\$13.	\$20.	32.	40.
7958A	130 Mbyte fixed disc drive	7,850.	14.	19.	33.	43.

#### **Back-up Tape Drives**

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
9144A	1/4-inch Cartridge Tape Drive	\$ 3,570.	\$ 6.	\$11.	\$13.	\$ 17.
<b>7974A</b> Opt. 800	1600 cpi ½-inch Tape Drive Adds 800 cpi capability	14,500. 3,060.	N/A N/A	N/A N/A	80. 14.	100. 17.
7978B	6250/1600 cpi ½-inch Tape Drive	25,000	N/A	N/A	85.	106.
35401A	1/4-inch Cartridge Autochanger Tape Drive	7,640.	N/A	N/A	35.	42.



#### **Printers**

#### **Character Printers**

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
2225A	150 cps Thinkjet™ Printer	<b>\$</b> 495.	<b>\$</b> 2.	<b>\$ 4</b> .	N/A	N/A
<b>2932A</b>	200 cps General-purpose Printer (dot matrix, impact) Replace RS-232 interface with HP-IB (required)	2,595.	7.	13.	\$21.	\$26.
Opt. 046		150.	N/C	N/C	N/C	N/C
<b>2934A</b>	200 cps Business Printer (dot matrix, impact) Replace RS-232 interface with HP-IB (required)	2,995.	8.	15.	24.	30.
Opt. 046		150.	N/C	N/C	N/C	N/C

#### **Line Printers**

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
<b>2563B</b> Opt. 114	300 lpm Impact Line Printer Deletes quietized cabinet, passive stacker, and sound enclosure	\$ 7,490. -1,600.	N/A N/A	N/A N/A	\$ 47. N/A	\$ 59. N/A
Opt. 290 Opt. 850	HP 9000 HP-IB interface and 4m cable Configures the printer for use with SRM	440. 440.	N/A N/A	N/A N/A	N/A N/A	N/A N/A
2564B	600 lpm Impact Line Printer	12,700.	N/A	N/A	47.	59.
Opt. 114	Deletes quietized cabinet, passive stacker, and sound enclosure, and adds non-quietized cabinet	-1,500.	N/A	N/A	N/A	N/A
Opt. 290	HP-IB CIPER interface for use with Series 300/500	545.	N/A	N/A	N/A	N/A
Opt. 850	Configures the printer for use with SRM	545.	N/A	N/A	N/A	N/A
2566B	900 lpm Impact Line Printer	22,200.	N/A	N/A	175.	219.
Opt. 115	Passive paper stacker	375.	N/A	N/A	N/A	N/A
Opt. 290	HP-IB CIPER interface for use with Series 300/500	545.	N/A	N/A	N/A	N/A
Opt. 850	Configures the printer for use with SRM	545.	N/A	N/A	N/A	N/A

**Page Printers** 

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
2686D	8 ppm LaserJet 500 PLUS Laser Page Printer	\$ 4,495.	\$24.	\$47.	N/A	N/A

**HP-HIL Peripherals** 

	• <u> </u>					
Product No./ Option No.	Description		FMMC	РММС	вммс	SMMC
46060A	2-button, HP-HIL Mouse	\$ 148.	N/C	N/C	N/C	N/C
46081A	2.4 meter extension for HP-HIL and Audio	210.	N/C	N/C	N/C	N/C
46082A	15 meter remote extension for HP-HIL audio and RGB video	735.	N/C	N/C	N/C	N/C
46082B	30 meter remote extension for HP-HIL audio and RGB video	1,035.	N/C	N/C	N/C	N/C
46083A	HP-HIL Knob	190.	N/C	N/C	N/C	N/C
46084A	HP-HIL ID Module	185.	N/C	N/C	N/C	N/C
46085A	HP-HIL Control Dial Module		N/C	N/C	N/C	N/C
46086A	<b>HP-HIL button box</b> with 32 user-definable buttons and one user programmable LED	890.	N/C	N/C	N/C	N/C
<b>46087A</b> Opt. 001	HP-HIL digitizer, ANSI A/ISO A4-size Adds the 46089A 4-button cursor with crosshair	810. 265.	N/C N/C	N/C N/C	N/C N/C	N/C N/C
<b>46088A</b> Opt. 001	HP-HIL digitizer, ANSI B/ISO A3-size Adds the 46089A 4-button cursor with crosshair	1,300. 265.	N/C N/C	N/C N/C	N/C N/C	N/C N/C
46089A	4-button cursor with crosshair	265.	N/C	N/C	N/C	N/C
46094A	Quadrature port allows devices using Logitech quadrature signals to be connected to HP-HIL interface		N/C	N/C	N/C	N/C
46095A	3-button mouse interfaces to HP-HIL via 46094A Quadrature port	140.	N/C	N/C	N/A	N/A
35723A	Touchscreen Accessory (for 35731A, 35741A; cable included)	505.	N/C	N/C	N/C	N/C

Plotters and Other Graphic Devices

Product No./ Option No.	Description		FMMC	РММС	вммс	SMMC
<b>7440 A</b> Opt. 002	ColorPro Graphics Plotter; 8-pen, for A4/A-size media Replace RS-232 interface with HP-IB interface (required option)	<b>\$</b> 1,295.	\$ 3. N/C	\$ 4. N/C	N/A N/C	N/A N/C
<b>7475A</b> Opt. 002	AB-size, 6-Pen Plotter Replace RS-232 interface with HP-IB interface (required option)	1,895.	<b>4</b> . N/C	7. N/C	\$11. N/C	\$13. N/C
7550A	AB-size, 8-Pen Plotter, sheet-feed	3,900.	10.	20.	32.	40.
7570A	DraftPro CD size, 8-pen Plotter	5,400.	5.	10.	N/A	N/A
17570A	HP-IB cartridge for 7570A Plotter		N/A	N/A	N/A	N/A
7595A	DraftMaster I AD size, 8-pen Plotter	9,900.	10.	20.	N/A	N/A
7596A	DraftMaster II AE size, 8-pen, Roll-feed Plotter	11,900.	10.	20.	N/A	N/A

Terminals and Displays

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
<b>2393A</b> Opt. 301	Monochrome Graphics Terminal U.S. Modem cable	\$ 2,135. 87.	<b>\$</b> 3.	<b>\$</b> 5.	N/A	\$10.
<b>2397A</b> Opt. 301	Color Graphics Terminal U.S. Modem cable	3,360. 87.	3.	6.	N/A	12.
45610BR	HP 150 Terminal	1,860.	9.	12.	N/A	25.
C1001A C1001G C1001W	HP 700/92 Block-mode Display Terminal, 14-inch screen, 8 pages memory, printer port, 80/132 column. HP 700/92; amber screen HP 700/92; green screen HP 700/92; soft white screen	895. 895. 895.	2.	3. 3. 3.	N/A N/A N/A	5. 5. 5.
C1004A C1004G C1004W	HP 700/22 ANSI DEC VT220-compatible Terminal, 14-inch screen, 4 pages memory, 80/132 column, printer port. HP 700/22; amber screen HP 700/22; green screen HP 700/22; soft white screen	575. 575. 575.	2.	3. 3. 3.	N/A N/A N/A	5. 5. 5.
C1003A C1003G	HP 700/41 Entry-level ASCII Terminal, 14-inch screen, 1 page memory, printer port, 80 column, 9 ASCII terminal compatibility modes. HP 700/41; amber screen HP 700/41; green screen	375. 375.		3. 3.	N/A N/A	5. 5.

Miscellaneous Peripherals

Product No./ Option No.	Description		FMMC	РММС	вммс	SMMC
28641A	ThinMAU and "T" Connector (for ThinLAN)	\$ 350.	N/A	N/A	N/A	N/A
30241A	MAU and Tap (for thick LAN cable)	400.	N/A	N/A	N/A	N/A
37212A	1200 Baud Modem	1,060.	N/A	N/A	\$ 3.	\$ 4.
39800A	Programmable Bar Code Reader	945.	\$ 2.	\$ 4.	5.	6.
<b>39801A</b> Opt. 210 Opt. 222 Opt. 224	<b>Bar Code Reader</b> , 48-66 Hz, 120 Vac 48-66 Hz, 100 Vac 48-66 Hz, 220 Vac 48-66 Hz, 240 Vac	835.	2. N/C N/C N/C	4. N/C N/C N/C	5. N/C N/C N/C	6. N/C N/C N/C
92205A	Hayes Smartmodem™ 1200 (U.S.), 60 Hz, 120 Vac	399.	N/A	N/A	N/A	N/A
92205C	Hayes Smartmodem™ 1200 (Canada), 60 Hz, 120 Vac	660.	N/A	N/A	N/A	N/A

Smartmodem 1200<sup>TM</sup> is a trademark of Hayes Microcomputer Products, Inc.

#### **HP 9000 Accessories**

Product No.	Description	Price
92211L	Taboret Cabinet Rack for Model 550 and 325 mm-wide peripherals	\$ 239.
92211M	Taboret Cabinet Rack for 325 mm-wide peripherals	190.
92211R	HP Design Plus Mobile Mini-rack for 325 mm-wide peripherals	550.

#### HP 9000 Media

Product No.	Description	Price
92192A	Blank 31/2", Double-sided Flexible Discs (box of 10)	\$ 49.
92191A	Blank 31/2", Single-sided Flexible Discs (box of 10)	39.
92190A	Blank 51/4" Flexible Discs (box of 10)	32.
92195A	Blank 8" Flexible Discs (box of 10)	61.
88140LC	Certified, ¼-inch" Tape Cartridges, 600-foot (box of 5)	215.
88140SC	Certified, ¼-inch" Tape Cartridges, 150-foot (box of 5)	160.

98700H Graphics Display Station<sup>†</sup>

Product No./ Option No.	Description	Price	FMMC	РММС	вммс	SMMC
98700H	High-resolution graphics display station includes display	<b>\$15,300</b> .	N/A	\$36.	<b>\$</b> 57.	\$72.
	controller with four planes of graphics memory, 19"					<u> </u>
	high-resolution display (98782A), HP-HIL keyboard (U.S.					
	ASCII version is 46020A), 2.4 meter extension for HP-HIL					
	keyboard and Audio (46081A), and 3 meter RGB cable			ļ		
	(98290A). Other localized version display stations are available;					Ì
	see the following list. Each localized version includes the					
	localized keyboard, power cords and applicable manuals.	15 200	NT /A	26		72
98700HC	Canadian French localized display station	15,300.	N/A	36.	57.	72.
98700HD	German localized display station	15,300.	N/A	36.	57.	72.
98700HE	European Spanish localized display station	15,300.	N/A	36.	57.	72.
98700HF	French localized display station	15,300.	N/A	36.	57.	72.
98700HH	Dutch localized display station	15,300.	N/A	36.	57.	72.
98700HJ	Katakana localized display station	15,300.	N/A	36.	57.	72.
98700HK	Universal English localized display station	15,300.	N/A	36.	57.	72.
98700HL	Canadian English localized display station	15,300.	N/A	36.	57.	72.
98700HM	Latin Spanish localized display station	15,300.	N/A	36.	57.	72. 72.
98700HN	Norwegian localized display station	15,300.	N/A	36.	57.	72.
98700HP	Swiss German localized display station	15,300.	N/A	36.	57.	
98700HQ	Swiss French localized display station	15,300.	N/A	36.	57.	72. 72.
98700HS	Swedish localized display station	15,300.	N/A	36.	57. 57.	72.
98700HU	U.K. English localized display station	15,300.	N/A	36. 36.	57.	72.
98700HW	Belgian Dutch localized display station	15,300. 15,300.	N/A N/A	36.	57.	72.
98700HX	Finnish localized display station	15,300.	N/A	36.	57.	72.
98700HY 98700HZ	Danish localized display station	15,300.	N/A	36.	57.	72.
	Italian localized display station Deletes the local language keyboard and adds the U.S. ASCII	N/C	N/A	N/A	N/A	N/A
Opt. 001	keyboard. (Note: this option does not apply to the U.S. Model 98700H or 98700HK.)	14/0			14/11	14/11
Opt. 050	Display Station Buffer to connect the 98700H and the HP 9000 Model 550. (Must order this option.)	730.	N/A	N/C	N/C	N/C
Opt. 701	Extra four planes of graphics memory	2,795.	N/A	N/C	N/C	N/C
Opt. 710	Graphics Accelerator	7,450.	N/A	11.	18.	22.
Opt. 082	15 Meter Remote Extension	335.	N/A	N/C	N/C	N/C
Opt. 083	30 Meter Remote Extension	635.	N/A	N/C	N/C	N/C

<sup>†</sup> Designed for use on the HP 9000 Model 550 with the HP-UX 5.0 (Suffix 'C') or later operating system only.

98700H Accessory and Upgrade Products

Product No./ Option No.	Description		FMMC	PMMC	вммс	SMMC
46081A*	2.4 meter extension for HP-HIL and Audio	\$ 210.	N/C	N/C	N/C	N/C
46082A	15 meter remote extension for the HP-HIL, Audio and RGB video	735.	N/C	N/C	N/C	N/C
46082B	30 meter remote extension for the HP-HIL, Audio and RGB video	1,035.	N/C	N/C	N/C	N/C
98288A	Display station buffer to connect the 98700H to the HP 9000 Model 550		N/A	N/C	N/C	N/C
98290A*	3 meter RGB cable	190.	N/A	N/C	N/C	N/C
98700A	Graphics Display Controller for use with the 98700H Graphics Display Station		N/A	<b>\$18</b> .	\$28.	\$36.
98701A	Additional four planes of graphics memory for the 98700H	2 <i>,7</i> 95.	N/A	N/C	N/C	N/C
98710A	Graphics accelerator for the 98700H	7,450.	N/A	11.	18.	22.

<sup>\*</sup> Included with the 98700H.

#### **HP 9000 Family Software Support Services**

Hewlett-Packard's software support services span a broad range – from personal, on-site assistance to materials-only services. These levels give great flexibility in choosing the level of HP support to meet changing requirements.

The software support product structure is different for operating systems software and subsystem and applications software.

This guide contains software support information for languages, operating systems and subsystem software. Information on application software can be found in the *HP 9000 Software Pricing Guide*, Pub. No. 5954-7063D.

#### **Operating Systems Support**

The following services are available to support a central system:

Account Management Support (AMS) – Provides a local account SE, on-site assistance, one Response Center caller (a System Manager) and one alternate for telephone assistance, and Software Materials Subscription.

**Response Center Support (RCS)** – Provides one Response Center caller and one alternate for telephone assistance and Software Materials Subscription.

Software Materials Subscription (SMS) – Provides software and manual updates, Software Status Bulletin, and HP communicator magazine. Note: Updates to ROM-based operating systems are not provided.

The following services are available to support an additional system:

**Additional System Coverage** – Extends AMS or RCS coverage on the operating system to one additional system under the same System Manager. All support is delivered through the central system.

**Extended Materials Support** – Extends Software Materials Subscription by providing the right to make one copy of all central system materials for use on one additional system.

The following optional services are also available for central or additional systems:

**Additional Response Center Caller** – Provides one additional caller for access to the HP Response Center.

Manual Update Service (MUS) - Provides one copy of updates to software reference manuals.

Software Notification Service (SNS) - Provides issues of the HP communicator and Software Status Bulletin.

#### Subsystem and Application Software Support

**Software Materials Subscription (SMS)** – Provides software and manual updates, *Software Status Bulletin*, and *HP communicator* magazine. Note: SMS must be ordered for each piece of subsystem and application software on the system.

Extended Materials Support – Extends Software Materials Subscription by providing the right to make one copy of all central system materials for use on one additional system.

Manual Update Service (MUS) – Provides one copy of updates to software reference manuals. Note: MUS for application software is ordered at the software product level. MUS for subsystem software is ordered at the Category level (see tables).

In addition, all HP software, except operating systems, is separated into software support groups. For subsystem software, these groups are referred to as "Categories". For application software, they are referred to as "Families".

If AMS or RCS levels of support are selected for the operating system, Category and Family Support products must be ordered for subsystem and applications software respectively:

Family Support: Central System – Provides local assistance and/or access to the Response Center in accordance with the level of support selected for the family. Entitles customer to a new Response Center caller and an alternate for each family supported.

Family Support: Additional System Coverage – Extends Family Support on the central system to one additional system. All support is delivered through the central system.

#### **Product Numbering for Support Services**

A plus symbol followed by a three character suffix is attached to each software product in the following table. The first letter on the suffix identifies the software support service:

Letter	Software Support Service
C	Category Support
Н	Response Center Support
P	Additional Response Center Caller
Q	Manual Update Service
S	Software Materials Subscription
T	Account Management Support
V	Additional System Coverage
W	Extended Materials Support

The second and third letters designate the media option, if one is required. A media option must always be specified for the operating system on a central system. If the software configuration on an additional system is not the same as, or a subset of, the central system, then a media option must be specified for the additional system.

For example, in the first line from the following list of Series 500 Operating Systems Support Services, the Response Center Support (RCS) is ordered for the BASIC 97050B operating system by specifying 97050B+H42. The 51/4" internal flexible disc is the media selected for material updates. The monthly costs for each service are shown below the three-character suffix.

Series 500 Operating Systems and Subsystem Software Support Services

Software Product No.	AMS	RCS	SMS	Additional System Coverage	Extended SMS	MUS	Additional Caller	SNS
97050B BASIC Operating System				+ V00* \$30/mo	+ W00* \$10/mo	+ Q00 \$5/mo	+ P00 \$100/mo	+ N00 \$8/mo
5¼" internal flexible disc option	+ T42 \$210/mo	+ H42 \$85/mo	+ S42 \$30/mo	+ V42 \$5/mo	+ W42 \$5/mo	N/A	N/A	N/A
97070C HP-UX for 9020, Single-user				+ V00* \$75/mo	+ W00* \$25/mo	+ Q00 \$10/mo	+ P00 \$100/mo	+ N00 \$10/mo
Tape cartridge	+ T22 \$380/mo	+ H22 \$190/mo	+ S22 \$95/mo	+ V22 \$95/mo	+ W22 \$45/mo	N/A	N/A	N/A
97078C for 9020, Multi-user (32 users)				+ V00* \$90/mo	+ W00* \$25/mo	+ Q00 \$10/mo	+ P00 \$100/mo	+ N00 \$10/mo
Tape cartridge	+ T22 \$440/mo	+ H22 \$230/mo	+ S22 \$115/mo	+ V22 \$10/mo	+ W22 \$10/mo	N/A	N/A	N/A
97079C HP-UX for 9050, Single-user				+ V00* \$75/mo	+ W00* \$20/mo	+ Q00 \$10/mo	+ P00 \$100/mo	+ N00 \$10/mo
Tape cartridge	+ T22 \$380/mo	+ H22 \$190/mo	+ S22 \$95/mo	+ V22 \$10/mo	+ W22 \$10/mo	N/A	N/A	N/A
97080C HP-UX for 9020, Multi-user (16 users)				+ V00* \$90/mo	+ W00* \$25/mo	+ Q00 \$10/mo	+ P00 \$100/mo	+ N00 \$10/mo
Tape cartridge	+ T22 \$420/mo	+ H22 \$220/mo	+ S22 \$105/mo	+ V22 \$10/mo	+ W22 \$10/mo	N/A	N/A	N/A
97088C for 9050, Multi-user (32 users)				+ V00* \$90/mo	+ W00* \$25/mo	+ Q00 \$10/mo	+ P00 \$100/mo	+ N00 \$10/mo
Tape cartridge	+ T22 \$440/mo	+ H22 \$230/mo	+ S22 \$110/mo	+ V22 \$110/mo	+ W22 \$45/mo	N/A	N/A	N/A
97089C HP-UX for 9050, Multi-user (16 users)				+ V00* \$85/mo	+ W00* \$25/mo	+ Q00 \$10/mo	+ P00 \$100/mo	+ N00 \$10/mo
Tape cartridge	+ T22 \$420/mo	+ H22 \$210/mo	+ S22 \$105/mo	+ V22 \$95/mo	+ W22 \$45/mo	N/A	N/A	N/A
97051C HP-UX 64-user license				+ V00 \$90/mo	+ W00 \$25/mo	+ Q00 \$10/mo	+ P00 \$100/mo	+ N00 \$10/mo
Tape cartridge	+ T22 \$460/mo	+ H22 \$230/mo	+ S22 \$115/mo	+ V22 \$110/mo	+ W22 \$45/mo	N/A	N/A	N/A

<sup>\*</sup> V00 and W00 provide right to copy. If you require an additional set of software, you must also order the media option.

#### **General Consulting Services**

General Consulting Services					
Field District (ID44)	Regular	After Hours	Weekends or		
	Hours	Weekday	Holidays		
Product Support	51413A	51419A	51422A		
Representative	\$92/Hr.	\$130/Hr.	\$160/Hr.		
Application Engineer (AE)	51414A	51420A	51423A		
	\$115/Hr.	\$160/Hr.	\$200/Hr.		
Specialist	51415A	51421A	51424A		
	\$145/Hr.	\$200/Hr.	\$255/Hr.		

Project Center (ID46)	Regular	After Hours	Weekends or
	Hours	Weekday	Holidays
Product Support	35135G	35135H	35135K
Representative	\$92/Hr.	\$130/Hr.	\$160/Hr.
Application Engineer (AE)	35135C	351351	35135L
	<b>\$115/</b> Hr.	\$160/Hr.	\$200/Hr.
Specialist	35135D	35135J	35135M
	\$145/Hr.	\$200/Hr.	\$255/Hr.

## Travel Charge options for HP 51413A - 51424A Consulting Services and HP 35135C - M Project Services.

Opt. 101	Zone 1 Travel Charge	\$120
Opt. 102	Zone 2 Travel Charge	210
Opt. 103	Zone 3 Travel Charge	280
Opt. 104	Zone 4 Travel Charge	440
Opt. 105	Beyond Zone 4 Travel Charge	Quote

## For Europe and Intercon *only*, the following daily rates apply:

51416A	Product Support Representative Daily Rate	\$	780
51417A	Application Engineer Daily Rate		975
51418A	Specialist Daily Rate	1	,230

#### Series 500 Training

Product	Description	HP Site	Customer Site*
35129B	System Administration for Series 500 (3 days)	\$600	\$4,800

<sup>\*</sup> Courses can be given at suitably-equipped customer facilities. These courses, which carry an "X" suffix, are listed in the HP Corporate Price List.

#### General HP 9000 Training

General III 7000 Italining					
Product	Description	HP Site	Customer Site*		
35128A	Intro to HP-UX (5 days)	\$1,000	\$8,000		
35130A	Programming in C (5 days)	1,000	8,000		
50959A	Using SRM from BASIC and Pascal (1 day)	225	1,600		
51432A	HP-UX Fundamentals for general users (5 days)	1,000	8,000		
51433A	Shell Programming for general users (5 days)	1,000	1,000		
51434A	HP-UX for Programmers (5 days)	1,000	8,000		
51435A	Advanced HP-UX Tools (5 days)	1,000	8,000		
51438A	SCCS and make Utility (2 days)	400	3,200		
51439A	Advanced Editing with vi (1 day)	200	1,600		
51440A	Document Preparation (3 days)	750	6,000		
97005B	HP 9000 BASIC (3 days)	600	4,800		
98501A	BASIC Programming (4 days)	800	6,500		
98502A	9845 Operating and Programming (5 days)	1,000	8,000		
98503A	BASIC I/O Programming (4 days)	900	6,400		
98511B	Pascal Programming	1,000	8,000		
98524A	HPL Operating and Programming (5 days)	1,000	8,000		
98525A	HPL I/O Programming (4 days)	1,000	8,000.		

<sup>\*</sup> Courses can be given at suitably-equipped customer facilities. These courses, which carry an "X" suffix, are listed in the HP Corporate Price List.

For more information on all training courses, contact the local Hewlett-Packard Sales Office.

#### **Purchase Plans**

Contact one of the Hewlett-Packard worldwide Sales and Service offices for specific prices and plans.

#### Service

Hewlett-Packard maintains well-trained and well-equipped service departments at more than 170 offices worldwide to professionally handle our customers' maintenance and service requirements. Contact one of the HP Sales and Service offices for specific prices and plans.

#### **Maintenance Services**

Maintenance agreements are available for all HP computer system products to provide priority service response and a fixed, budgetable annual cost regardless of the amount of service actually required. If a maintenance agreement is not required, Hewlett-Packard also offers service at a Standard Repair Charge (STREP) that allows you to know the actual cost of repair before it is made. If neither a maintenance agreement nor STREP is the best solution, HP offers service on a time-and-materials basis.

Contact one of the HP worldwide Sales and Service offices for more details on these maintenance plans.

#### Warranty and Service

#### **Warranty Statement**

Hewlett-Packard products are warranted against defects in materials and workmanship. For Hewlett-Packard computer system products sold in the U.S.A. and Canada, this warranty applies for ninety (90) days from date of shipment.\*

Hewlett-Packard will, at its option, repair or replace equipment which proves to be defective during the warranty period. This warranty includes labor, parts and surface travel costs, if any. Equipment returned to Hewlett-Packard for repair must be shipped freight prepaid. Repairs necessitated by misuse of the equipment, or by hardware, software or interfacing not provided by Hewlett-Packard are not covered by this warranty.

HP warrants that its software and firmware designated by HP for use with a CPU will execute its programming instructions when properly installed on that CPU. HP does not warrant that the operation of the CPU, software or firmware will be uninterrupted or error free.

NO OTHER WARRANTY IS EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. HEWLETT-PACKARD SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES.



<sup>\*</sup> For other countries, contact your local HP Sales and Service office to determine warranty terms.