

6 4 0 0 0 S O F T W A R E C A T A L O G



(Effective 16 May 83)

PRODUCT DESCRIPTION	SOFTWARE ON TAPE	SOFTWARE ON FLOPPY	REV CODE	TYPICAL DIRECTORY FILE	LAST MODIFY DATE
Operating System	64100-10034	64100-12034	2309	monitor	04Mar83
6805U/R Emulation	64192-10002	64192-12002	2309	em6805	02Mar83
8080 Emulation	64202-10002	64202-12002	2316	em8080	21Apr83
8085 Emulation	64203-10002	64203-12002	2316	em8085	21Apr83
6800 Emulation	64212-10002	64212-12002	2316	em6800	21Apr83
6802 Emulation	64212-10002	64212-12002	2316	em6800	21Apr83
6809 Emulation	64215-10006	64215-12006	2316	em6809	21Apr83
6809E Emulation	64215-10006	64215-12006	2316	em6809	21Apr83
8086 Emulation	64222-10005	64222-12005	2307	emul8086	15Feb83
8088 Emulation	64226-10005	64226-12005	2307	emul8088	16Feb83
Z8001 Emulation	64232-10004	64232-12004	2308	emulZ8001	22Feb83
Z8002 Emulation	64233-10004	64233-12004	2307	emulZ8002	18Feb83
68000 Emulation	64242-10004	64242-12004	2307	emul68000	16Feb83
Z80 Emulation	64252-10002	64252-12002	2316	emZ80	21Apr83
6801/3 Emulation	64256-10001	64256-12001	2309	em6801	02Mar83
8048 Emulation	64262-10002	64262-12002	2216	e8048	21Apr82
Rom Emulation	64272-10000	64272-12000	2243	em_ROM	26Oct82
User Def. Emul.	64274-10001	64274-12001	2310	em_UDE	10Mar83
SW Perf. Analyzer	64310-10006	64310-12006	2310	sw_perf	07Mar83
Prom Programmer	64500-10002	64500-12002	2304	prom	24Jan83
Timing Analysis	64600-10002	64600-12002	2245	timing	10Nov82
State Analyzer	64620-10002	64620-12002	2312	state	22Mar83
8086/8 Pre-Proc	64653-10000	64653-12000	2310	C8086	09Mar83
8080/5 Pre-Proc	64655-10001	64655-12001	2234	C8080	24Aug82
68000 Pre-Proc	64670-10000	64670-12000	2216	C68000	19Apr82
Z8001/2 Pre-Proc	64680-10000	64680-12000	2223	CZ8001	10Jun82
Z80 Pre-Proc	64683-10000	64683-12000	2216	CZ80	19Apr82
8085 Pascal	64810-10006	64810-12006	2249	c08	10Dec82
6800 Pascal	64811-10003	64811-12003	2251	p05	21Dec82
Z80 Pascal	64812-10005	64812-12005	2249	c09	10Dec82
6809 Pascal	64813-10003	64813-12003	2251	p07	21Dec82
8086 Pascal	64814-10005	64814-12005	2311	p86	14Mar83
68000 Pascal	64815-10002	64815-12002	2250	p13	16Dec82
Z8000 Pascal	64816-10005	64816-12005	2303	p10	20Jan83
Host Pascal	64817-10002	64817-12002	2301	host	05Jan83
8086 C Compiler	64818-10001	64818-12001	2312	s12	24Mar83
68000 C Compiler	64819-10000	64819-12000	2305	s13	02Feb83
Z8000 C Compiler	64820-10000	64820-12000	2305	s10	31Jan83
6800 C Compiler	64821-10000	64821-12000	2306	s05	07Feb83
6809 C Compiler	64822-10000	64822-12000	2307	s07	16Feb83
8080/5 Assembler	64840-10009	64840-12009	2234	a8080	24Aug82
6800/02 Assembler	64841-10011	64841-12011	2219	a6800	10May82
Z80 Assembler	64842-10010	64842-12010	2301	aZ80	05Jan83
650X Assembler	64843-10003	64843-12003	2219	a650X	10May82
6805/9 Assembler	64844-10008	64844-12008	2234	a6805	24Aug82
68000 Assembler	64845-10007	64845-12007	2306	a68000	08Feb83

8048 Assembler	64846-10005	64846-12005	2219	a8021	10May82
9900 Assembler	64847-10003	64847-12003	2219	a9900	10May82
1802 Assembler	64848-10006	64848-12006	2219	a1802	10May82
F8/3870 Assembler	64849-10003	64849-12003	2301	aF8	05Jan83
Z8 Assembler	64850-10005	64850-12005	2301	aZ8	05Jan83
Userdf Assembler	64851-10004	64851-12004	2219	aLINK	10May82
1000L Assembler	64852-10002	64852-12002	2219	a1000	10May82
8086/88 Assembler	64853-10008	64853-12008	2308	a8086	25Feb83
Z8001/2 Assembler	64854-10005	64854-12005	2219	aZ8001	10May82
8051 Assembler	64855-10003	64855-12003	2234	a8051	24Aug82
Inv Assembler	64856-10000	64856-12000	2233	aIAL	17Aug82

HOW TO USE YOUR SOFTWARE CATALOG

This catalog should be used to determine the current status of software on tape, floppy disc, or hard disc. Here's a simple direction on how to use it. If you are holding a tape or floppy disc in your hand and want to compare it to this list, look at the top line of the label on the tape or disc. There will be a ten digit part number and a revision code number. If the tape or disc is up to date, these numbers will correspond to the same columns on the catalog. If you are sitting in front of a HP64100A or HP64110A mainframe and want to know if the software resident on the disc connected to that mainframe is current, type in the command "DIRECTORY ALL FILES:HP (RETURN)". As the file names roll by, look for the file name listed under "TYPICAL DIRECTORY FILE" on the catalog. As it appears, you may temporarily stop the display by hitting the reset key once. If the software is current, the dates will be identical. To continue the display, hit any key except the reset key.

HP Computer Museum
www.hpmuseum.net

For research and education purposes only.