

---

HP 9000 Series 700  
Price and Configuration Guide

U.S. Version  
Volume 2

*Effective: May 1994*

---

S  
o  
f  
t  
w  
a  
r  
e

---

HP 9000 Series 700  
Price and Configuration Guide  
U.S. Version  
Volume 2

*Effective: May 1994*

---

**S  
o  
f  
t  
w  
a  
r  
e**





## Table of Contents

|   |          |
|---|----------|
| <b>Introduction</b>                           | <b>i</b> |
| <b>General Software Ordering Instructions</b> | <b>1</b> |
| <b>HP-UX</b>                                  |          |
| HP-UX Instant Ignition                        | 3        |
| HP-UX Software on Media                       | 4        |
| HP-UX Run-Time Environment                    | 4        |
| HP-UX Documentation                           | 7        |
| <b>Enterprise Desktop</b>                     |          |
| HP Ready-to-Wear (RTW) (DBK)                  | 8        |
| HP MPower                                     | 10       |
| HP SharedPrint/UX                             | 11       |
| MPower ScanJet IIcx                           | 11       |
| HP TeleShare U.S. Version                     | 11       |
| HP Wabi 1.1                                   | 12       |
| NetWare for the HP9000                        | 12       |
| HP LAN Manager                                | 13       |
| <b>Software Development Tools</b>             |          |
| HP-UX General Programming Tools               | 14       |
| HP-UX Developer's Toolkit                     | 14       |
| HP-UX C/ANSI C                                | 14       |
| HP C++ 3.0                                    | 15       |
| Fortran/9000                                  | 15       |
| Pascal  | 15       |
| HP Programmer's Toolset                       | 16       |
| HP Apollo Pascal                              | 16       |
| COBOL/HP-UX (Micro Focus)                     | 16       |
| HP Micro Focus Toolbox                        | 17       |
| HP Nihongo COBOL                              | 17       |
| C Softbench 3.3                               | 18       |
| C ++Softbench 3.3                             | 18       |
| SoftBench 3.2 BMS Framework                   | 18       |
| COBOL SoftBench                               | 18       |
| COBOL/C SoftBench                             | 18       |
| C SoftBench 3.3 Japanese                      | 19       |
| C ++ SoftBench 3.3 Japanese                   | 19       |
| Encapsulator 3.3 Japanese                     | 19       |

**HP Computer Museum**  
**[www.hpmuseum.net](http://www.hpmuseum.net)**

**For research and education purposes only.**

|                                  |    |
|----------------------------------|----|
| UIM/X 2.5 Japanese .....         | 19 |
| Encapsulator 3.2 .....           | 20 |
| C ++ Developer .....             | 20 |
| SynerVision .....                | 20 |
| ChangeVision .....               | 20 |
| UIM/X 2.5 .....                  | 21 |
| HP Branch Validator .....        | 21 |
| ClearCase 1.1 .....              | 21 |
| Distributed Smalltalk .....      | 22 |
| HP ALLBASE/SQL Version G.0 ..... | 22 |

### **Distributed Computing**

|                   |    |
|-------------------|----|
| Task Broker ..... | 25 |
| DCE .....         | 25 |

### **System & Network Management**

|                                      |    |
|--------------------------------------|----|
| HP PerfView .....                    | 27 |
| HP GlancePlus .....                  | 28 |
| HP PerfRX Analysis Software .....    | 28 |
| HP OmniBack .....                    | 29 |
| HP OmniStorage .....                 | 31 |
| HP OpenSpool .....                   | 31 |
| HP OpenView .....                    | 32 |
| HP OV Node Manager for NetWare ..... | 34 |
| HP OV SNA Node Manager .....         | 34 |

### **Networking and Communications**

|   |    |
|---|----|
| SNaplus .....                                     | 36 |
| HP Token Ring/9000 .....                          | 37 |
| LAN/9000 .....                                    | 37 |
| Apollo Token Ring (ATR) .....                     | 37 |
| NS/9000 Network Services .....                    | 37 |
| X.25/9000 .....                                   | 38 |
| HP ISDN Link 64kbs .....                          | 38 |
| TCP/IP to ISDN Gateway/Router for ISDN Link ..... | 38 |
| HP ISDN Link 56kbs and 64kbs .....                | 38 |
| TCP/IP to ISDN Gateway/Router .....               | 38 |
| HP OTS/9000 .....                                 | 39 |
| HP MMS/9000 .....                                 | 39 |
| HP X.400/9000 .....                               | 39 |
| HP FTAM/9000 .....                                | 39 |
| STREAMS/UX for HP9000 Series 700 .....            | 39 |
| HP OpenView X.400 Manager .....                   | 40 |
| X.500 Directory .....                             | 40 |

## **Graphics**

|   |    |
|---|----|
| HP PEX .....                                    | 41 |
| PowerShade 3D surfaces rendering software ..... | 41 |
| HP PHIGS .....                                  | 41 |
| HP ARTCore .....                                | 42 |

## **Migration Tools**

|                  |    |
|------------------|----|
| DMX .....        | 43 |
| Passwd/Etc ..... | 43 |

## **HP-RT**

|                                |    |
|--------------------------------|----|
| HP-RT Developer's Kit .....    | 44 |
| VME Backplane Networking ..... | 44 |
| OTSrt .....                    | 44 |
| STREAMSrt .....                | 44 |

## **Miscellaneous**

|  |    |
|--|----|
| HP Visual Editor .....                     | 45 |
| HP VEE .....                               | 45 |
| SICL Instrument Control .....              | 45 |
| EISA High-speed HP-IB interface card ..... | 45 |
| SRM/UX Network Server .....                | 45 |

|                      |    |
|----------------------|----|
| <b>Support</b> ..... | 47 |
|----------------------|----|

## **Appendix A**

|  |    |
|--|----|
| Instant Ignition and Preloaded Software<br>Configuration Guide ..... | A1 |
|--|----|

(This page intentionally left blank)



## **Introduction**

This guide replaces the HP Apollo 9000 Series 700 Price and Configuration Guide (November, 1992) and all supplements.

The complete guide consists of two volumes:

### **Volume 1-Hardware**

The Hardware Volume contains the following product sections:

Series 700 Workstations (New and Mature Products),  
Series 700 Computational Clusters,  
Single Board and Ruggedized Workstations, and  
XStations

Each product section contains the following:

- a product line comparison matrix,
- system overviews containing diagrams and product features,
- a worksheet which provides a simple step-by-step process to configure fully operational workstations, and
- a worksheet for field or customer installable add-on products

This volume also contains sections for Upgrades, Peripherals, Additional Information and Support Products.

### **Volume 2-Software**

The software volume begins with general software ordering instructions. Software products have been classified into the following sections:

HP-UX,  
Enterprise Desktop,  
Software Development Tools,  
Distributed Computing,  
System and Network Management,  
Networking and Communication,  
Graphics,  
Migration Tools,  
HP-RT, and  
Support

The Table of Contents in the beginning of this volume will give a detailed listing of the products contained in each section.

An Instant Ignition Configuration Guide has also been included as an appendix to this volume. This guide contains detailed information on ordering Instant Ignition and Preloaded Software products.

This complete guide is available electronically in PowerTools in a print-ready format, ASCII and Lotus 1-2-3 format.

Please fax any comments relating to this guide to Price Guide Comments  
Fax Number: 508-436-5101.

(This page intentionally left blank)

# General Software Ordering Instructions

## **How HP software is structured**

All HP software is a combination of three components:

- ◆ the license to use the software
- ◆ the media the software is delivered on
- ◆ the documentation on how to effectively use the software

### **License**

The license-to-use the software grants the purchaser the privilege of running the software on a Series 700 workstation.

### **Media**

The software can be delivered to the customer either pre-loaded (instant ignition) on the workstation or on separately loadable media.

#### **CD-ROM disks**

The CD-ROM media offers the advantage of delivering all of the HP software for Series 700 workstations on a set of disks that can be "unlocked" with a codeword that is delivered with the license for the product.

#### **DAT (4mm DDS) tapes**

DAT is used by customers who need to use a single device to install software and perform backups, but it is usually a more expensive way to receive software than CD-ROM.

At least one copy of the separately loadable media should be purchased for every group of workstations.

### **Documentation**

The documentation for each software package is always available in paper form, and is usually available on CD-ROM disks. The CD-ROM documentation product includes all of the manuals (both software and hardware) for Series 700 workstations, on a single CD-ROM disk. Documentation must usually be ordered separately from the other components of the software.

## **How to order the HP-UX operating system**

All Series 700 workstations include a 2-user license to run the latest version of the HP-UX operating system. When a customer chooses to install a previous release of HP-UX, the right to run the latest release (at the time of the workstation purchase) is retained. Multi-user versions (8-user and 32-user) are required for customers with multiple users or customers upgrading to a later release.

HP-UX software may be purchased pre-loaded on the workstation, or as separately purchased media that the customer must install. Ordering instructions for pre-loaded HP-UX are contained in the "Instant Ignition" section of this guide.

To order HP-UX on separate media, you must order the following:

### **Required: Specify HP-UX Release**

Choose which version of the HP-UX operating system is needed and specify the option.

The choices are:           option #APH for the latest release of HP-UX 9.0  
                                  option #APF for the latest release of HP-UX 8.0

### **Required: Select Media Type**

Choose which type of media HP-UX software should be delivered on. The choices are #AAH for DAT (4mm DDS) tape, or #AAU for CD-ROM disks. If ordering the software on CD-ROM, option #AAU will provide a codeword certificate that will unlock the software from the separately ordered CD-ROM media..

**Optional: Select Documentation**

Basic "getting started" documentation for HP-UX is included with every workstation. For advanced user configurations, system administration, and programming, additional documentation is highly recommended. Documentation comes on both CD-ROM and paper and may be ordered separately from the HP-UX software. The documentation on CD-ROM includes all of the manuals (both software and hardware) for Series 700 workstations, on a single CD-ROM disk. The paper documentation must be ordered for each area of interest.

Note: HP-RT products are available only on paper and must be ordered with the media for those products. Please see the HP-RT section in this guide.

**How to order other HP software products**

The licenses to use HP software, other than HP-UX, are not included with the Series 700 workstation and must be ordered separately.

Most HP software may be purchased pre-loaded on the workstation, or as separately purchased media that the customer must install. Ordering instructions for pre-loaded HP software are given in the "Instant Ignition" section of this guide. To order HP software on separate media, you must order the following:

**Required: Select User License (required for products that do not include license in product number)**

Many products include the license-to-use in the product number so that nothing additional needs to be ordered. Other products offer multiple levels of user licensing, so that an option for one of these levels must be ordered.

**Required: Select Media Type**

Choose which media to receive the HP software on. The choices are #AAH for DAT (4mm DDS) tape, or #AAU for CD-ROM disks. If ordering the software on CD-ROM, this option will get you a codeword certificate that will unlock the software from the CD-ROM media that must be ordered separately.

**Required: Specify HP-UX Release (if offered)**

If a version option is offered, choose which version of the HP-UX operating system the software will run on and specify it. The choices are usually option #APH for the latest release of HP-UX 9.0, or option #APF for the latest release of HP-UX 8.0.

**Optional: Select Documentation**

Documentation comes on both CD-ROM and on paper. The documentation on CD-ROM includes all of the manuals (both software and hardware) for Series 700 workstations, on a single CD-ROM disk. The paper documentation must be ordered for each software product as a "zero-B" option (i.e. #0B1, #0BE, #0BJ).

**Optional: Credits**

Some products offer credits for upgrades from previous versions or for products that may have been purchased previously.

**How to get updates to later versions of the software**

The quickest and easiest way to get updates for software is to have a software update service contract for the software product. The update contract provides the customer with new versions of the software whenever a major update is released. If the contract requests that software be distributed on DAT tape, then the updated version of the single products will be sent to the customer. If the contract requests that the software be distributed on CD-ROM, the latest version of the CD-ROM disks will be sent to the customer, including the latest version of all of the software for Series 700 workstations. All that is needed is a codeword for each piece of software the customer wishes to install.

For the HP-UX software, there is an upgrade option (#0CC) for customers who wish to purchase the most recent version of HP-UX, and who do not have an update contract. For most other software products it is necessary to purchase an entirely new version of the software to get an update without an update contract. It is a requirement to purchase a license as well as media when updating from one version of software to a later version.

## Desktop HP-UX Instant Ignition Products

Desktop HP-UX instant Ignition is recommended for commercial desktop client workstations that run, but not develop, applications on X-Window systems. Desktop HP-UX is the only Instant Ignition that may be ordered with a Model 712 with a 260MB disk.

Purchase of Desktop Instant Ignition includes the right to use HP-UX Run-Time if sufficient disk space is available.

|  | Product #      | U.S. List Price |
|--|----------------|-----------------|
| <input type="checkbox"/> English Desktop HP-UX Instant Ignition  | <b>B3530AA</b> |                 |
| <input type="checkbox"/> German Desktop HP-UX Instant Ignition   | <b>B3530AD</b> |                 |
| <input type="checkbox"/> Spanish Desktop HP-UX Instant Ignition  | <b>B3530AE</b> |                 |
| <input type="checkbox"/> French Desktop HP-UX Instant Ignition   | <b>B3530AF</b> |                 |
| <input type="checkbox"/> Japanese Desktop HP-UX Instant Ignition   | <b>B3530AJ</b> |                 |
| <input type="checkbox"/> Korean Desktop HP-UX Instant Ignition   | <b>B3530AV</b> |                 |
| <input type="checkbox"/> Italian Desktop HP-UX Instant Ignition  | <b>B3530AZ</b> |                 |
| <i>Note: all HP-UX Desktop Instant Ignition products feature the option structure listed below. Please refer to this structure when ordering any localized Instant Ignition Product.</i> |                |                 |
| <i>Required: specify HP-UX Release</i>   |                |                 |
| <input type="checkbox"/> HP-UX 9.0 Version   | APH            | \$125           |
| <input type="checkbox"/> Recovery media on CD-ROM. Includes HP-HIL ID module and codeword based on module  | AAB            | \$520           |
| <input type="checkbox"/> Recovery media on CD-ROM. Includes codeword based on workstation hardware ID (for Model 712)  | AJA            | \$520           |
| <i>Optional: Select ONE only</i>   |                |                 |
| <input type="checkbox"/> 100 MB swap space on first disk drive   | ATB            | N/C             |
| <input type="checkbox"/> 200 MB swap space on first disk drive   | ATC            | N/C             |
| <input type="checkbox"/> 500 MB swap space on first disk drive   | ATD            | N/C             |
| <i>Optional: Select ONE only</i>   |                |                 |
| <input type="checkbox"/> 100 MB swap space on second disk drive  | ATE            | N/C             |
| <input type="checkbox"/> 200 MB swap space on second disk drive  | ATF            | N/C             |
| <input type="checkbox"/> 500 MB swap space on second disk drive  | ATG            | N/C             |

## Run-Time HP-UX Instant Ignition Products

Run-Time HP-UX Instant Ignition is required for any Series 700 that runs software development applications, 3D-based graphical applications, is used in a multi-user configuration, or that performs serial (UUCP) communications. It is recommended for any Series 700 to be used as a compute or network server that runs a technical application.

|   |                |       |
|---|----------------|-------|
| <input type="checkbox"/> English Run-Time HP-UX Instant Ignition  | <b>B2910A</b>  |       |
| <input type="checkbox"/> German Run-Time HP-UX Instant Ignition   | <b>B2912A</b>  |       |
| <input type="checkbox"/> Spanish Run-Time HP-UX Instant Ignition  | <b>B3531AE</b> |       |
| <input type="checkbox"/> French Run-Time HP-UX Instant Ignition   | <b>B3485A</b>  |       |
| <input type="checkbox"/> Japanese Run-Time HP-UX Instant Ignition   | <b>B2911A</b>  |       |
| <input type="checkbox"/> Korean Run-Time HP-UX Instant Ignition   | <b>B3531AV</b> |       |
| <input type="checkbox"/> Italian Run-Time HP-UX Instant Ignition  | <b>B3531AZ</b> |       |
| <i>Note: all HP-UX Run-Time Instant Ignition products feature the option structure listed below. Please refer to this structure when ordering any localized Instant Ignition Product.</i> |                |       |
| <i>Required: specify HP-UX Release</i>  |                |       |
| <input type="checkbox"/> HP-UX 9.0 Version  | APH            | \$125 |
| <input type="checkbox"/> Recovery media on CD-ROM. Includes HP-HIL ID module and codeword based on module   | AAB            | \$520 |
| <input type="checkbox"/> Recovery media on CD-ROM. Includes codeword based on workstation hardware ID (for Model 712)   | AJA            | \$520 |
| <i>Optional: Select ONE only</i>  |                |       |
| <input type="checkbox"/> 100 MB swap space on first disk drive  | ATB            | N/C   |
| <input type="checkbox"/> 200 MB swap space on first disk drive  | ATC            | N/C   |
| <input type="checkbox"/> 500 MB swap space on first disk drive  | ATD            | N/C   |
| <i>Optional: Select ONE only</i>  |                |       |
| <input type="checkbox"/> 100 MB swap space on second disk drive   | ATE            | N/C   |
| <input type="checkbox"/> 200 MB swap space on second disk drive   | ATF            | N/C   |
| <input type="checkbox"/> 500 MB swap space on second disk drive   | ATG            | N/C   |

# HP-UX MEDIA

|   | Product #     | U.S. List Price |
|---|---------------|-----------------|
| <input type="checkbox"/> <b>HP-UX 9.0 software on CD-ROM Media</b><br>Includes HP-UX operating system and all HP workstation application software.  | <b>B2826B</b> |                 |
| <input type="checkbox"/> CD Media Set. Includes ID module and precomputed code word.  | AAB           | \$625           |
| <input type="checkbox"/> CD Disc Set (CD-ROM Discs only).   | AAF           | \$520           |
| <input type="checkbox"/> <b>HP-UX 8.07 software on CD-ROM Media</b><br>Includes HP-UX operating system and all HP workstation application software. | <b>B2826A</b> |                 |
| <input type="checkbox"/> CD Media Set. Includes ID module and precomputed code word.  | AAB           | \$625           |
| <input type="checkbox"/> CD Disc Set (CD-ROM Discs only).   | AAF           | \$520           |
| <input type="checkbox"/> <b>HP-UX software on DDS Media</b><br><br><i>Note: must specify one media and one version option.</i>                      | <b>B2352A</b> |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | \$415           |
| <i>Required: specify HP-UX Release</i>  |               |                 |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH           | N/C             |
| <input type="checkbox"/> HP-UX 8.07 version.  | APF           | N/C             |

## HP-UX RUN-TIME ENVIRONMENT

A License-To-Use for a 2-user HP-UX Run-Time Environment is included with every HP-UX workstation. This license includes run-time use of the HP-UX operating system, HP VUE, NFS, ARPA, Diskless, SAM, X11, OSF/Motif, Starbase Display List, NCS, PEX graphics and NetLS.

Customers ordering HP-UX 9.0 will receive the latest revision of the HP-UX operating system.

Documentation must be ordered separately.

|  |               |                |
|--|---------------|----------------|
| <input type="checkbox"/> <b>HP-UX Run-Time Environment, 8 user</b><br>Includes trade-up credit for a 2-user HP-UX license.   | <b>B2353A</b> | <b>\$1,250</b> |
| <i>Required: Select ONE</i>  |               |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH           | \$415          |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU           | N/C            |
| <i>Required: specify HP-UX Release</i>   |               |                |
| <input type="checkbox"/> HP-UX 9.0 version.  | APH           | N/C            |
| <input type="checkbox"/> HP-UX 8.07 version.   | APF           | N/C            |
| <input type="checkbox"/> Preload and preconfigure software product with Instant Ignition<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>                     This product must appear in the same section of the order as HP-UX Instant Ignition.</i>  | 0D1           | N/C            |
| <input type="checkbox"/> <b>HP-UX Run-Time Environment, 32 user</b><br>Includes trade-up credit for a 2-user HP-UX license.  | <b>B3150A</b> | <b>\$5,300</b> |
| <i>Required: Select ONE</i>  |               |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH           | \$415          |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU           | N/C            |
| <i>Required: specify HP-UX Release</i>   |               |                |
| <input type="checkbox"/> HP-UX 9.0 version.  | APH           | N/C            |
| <input type="checkbox"/> Preload and preconfigure software product with Instant Ignition.<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>                     This product must appear in the same section of the order as HP-UX Instant Ignition.</i> | 0D1           | N/C            |
| <input type="checkbox"/> Trade-up credit for previously purchased 8-user license.  | UB3           | (\$1,250)      |

# HP-UX Localized Run-Time Environment

|   | Product #  | U.S. List Price  |
|---|--|--|
| <b>[ ] Japanese HP-UX Run-Time Environment, 2 user</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.07 version.<br><br><input type="checkbox"/> Update to latest Japanese environment. | <b>B2387A</b><br><br>AAH<br>AAU<br><br>APH<br>APF<br><br>OHG | <br><br>\$415<br>\$100<br><br>N/C<br>N/C<br><br>\$600  |
| <b>[ ] Japanese HP-UX Run-Time Environment, 8 user</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.07 version.  | <b>B2487A</b><br><br>AAH<br>AAU<br><br>APH<br>APF            | <b>\$1,295</b><br><br>\$415<br>\$100<br><br>N/C<br>N/C |
| <b>[ ] Korean HP-UX Run-Time Environment, 2 user</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.05 version.  | <b>B2395A</b><br><br>AAH<br>AAU<br><br>APH<br>APE            | <b>\$635</b><br><br>\$415<br>N/C<br><br>N/C<br>N/C     |
| <b>[ ] German HP-UX Run-Time Environment, 2 user</b><br>Includes localized general usage documentation.<br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.05 version.                       | <b>B2396A</b><br><br>AAH<br>AAU<br><br>APH<br>APE            | <br><br>\$415<br>\$105<br><br>N/C<br>N/C               |
| <b>[ ] French HP-UX Run-Time Environment, 2 user</b><br>Includes localized general usage documentation.<br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.05 version.                       | <b>B2397A</b><br><br>AAH<br>AAU<br><br>APH<br>APE            | <br><br>\$415<br>\$105<br><br>N/C<br>N/C               |

|  | Product #     | U.S. List Price |
|--|---------------|-----------------|
| <input type="checkbox"/> <b>Traditional Chinese HP-UX Run-Time Environment, 2 user</b> | <b>B2816A</b> | <b>\$635</b>    |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                      | AAH           | \$415           |
| <input type="checkbox"/> CD-ROM Certificate only.                                      | AAU           | N/C             |
| <i>Required: specify HP-UX Release</i>   |               |                 |
| <input type="checkbox"/> HP-UX 9.0 version.  | APH           | N/C             |
| <input type="checkbox"/> HP-UX 8.05 version.   | APE           | N/C             |
| <input type="checkbox"/> <b>NLIO Simplified Chinese</b>                                | <b>B2213A</b> | <b>\$635</b>    |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                      | AAH           | \$205           |
| <input type="checkbox"/> CD-ROM Certificate only.                                      | AAU           | N/C             |
| <input type="checkbox"/> Hardcopy manuals.   | OBJ           | \$110           |

### HP-UX License Upgrades from Previous Releases.

These products are for customers who do not have Software Support Update contracts and who wish to upgrade their HP-UX licenses to Version 9.0x. Note: media and documentation must be purchased separately.

|  |                |                |
|--|----------------|----------------|
| <input type="checkbox"/> <b>HP-UX Run-Time Environment, 2 user</b>                     | <b>B3814AA</b> | <b>\$995</b>   |
| <input type="checkbox"/> Credit for HP-UX 9.0 upgrade from earlier versions.           | 0CC            | (\$265)        |
| <input type="checkbox"/> <b>Japanese HP-UX Run-Time Environment, 2 user</b>            | <b>B2387A</b>  |                |
| <input type="checkbox"/> HP-UX 9.0 Revision upgrade.                                   | 0CC            | \$1,200        |
| <input type="checkbox"/> <b>Japanese HP-UX Run-Time Environment, 8 user</b>            | <b>B2487A</b>  | <b>\$1,295</b> |
| <input type="checkbox"/> HP-UX 9.0 Revision upgrade.                                   | 0CC            | \$600          |
| <input type="checkbox"/> <b>Korean HP-UX Run-Time Environment, 2 user</b>              | <b>B2395A</b>  | <b>\$635</b>   |
| <input type="checkbox"/> HP-UX 9.0 Revision upgrade.                                   | 0CC            | \$730          |
| <input type="checkbox"/> <b>German HP-UX Run-Time Environment, 2 user</b>              | <b>B2396A</b>  |                |
| <input type="checkbox"/> HP-UX 9.0 Revision upgrade.                                   | 0CC            | \$730          |
| <input type="checkbox"/> <b>French HP-UX Run-Time Environment, 2 user</b>              | <b>B2397A</b>  |                |
| <input type="checkbox"/> HP-UX 9.0 Revision upgrade.                                   | 0CC            | \$730          |
| <input type="checkbox"/> <b>Traditional Chinese HP-UX Run-Time Environment, 2 user</b> | <b>B2816A</b>  | <b>\$635</b>   |
| <input type="checkbox"/> HP-UX 9.0 Revision upgrade.                                   | 0CC            | \$730          |



## HP-UX Documentation

Documentation is available in both CD-ROM online and hardcopy forms. Documentation on CD-ROM provides online access to all HP manuals, except those that are available only in hardcopy form. Hardcopy documentation must be ordered on a per manual set basis.

|   | Product #     | U.S. List Price |
|---|---------------|-----------------|
| <b>[ ] HP-UX 9.0 Documentation</b>  | <b>B2355B</b> |                 |
| <input type="checkbox"/> Documentation on CD-ROM - includes 1-user LaserROM license.  | 0BC           | \$835           |
| <input type="checkbox"/> Hardcopy manuals (not provided on CD-ROM).   | 0BJ           | \$158           |
| <input type="checkbox"/> 4-user add-on LaserROM license for CD-ROM Documentation.   | UA2           | \$415           |
| <input type="checkbox"/> General Usage- user's guide for HP-UX, HP VUE, and X Windows.  | 0BD           | \$137           |
| <input type="checkbox"/> HP-UX System Administration and Installation.  | 0BE           | \$685           |
| <input type="checkbox"/> General Programming - reference guides for assembler, device I/O, native language support, and programming techniques. | 0BF           | \$340           |
| <input type="checkbox"/> HP-UX User's Guides - user's guides for UUCP, mail, text formatting/processing, shells, and editors.                   | 0BG           | \$184           |
| <input type="checkbox"/> User Environment - programming manuals for X Toolkit, Intrinsics, Xlib, HP VUE, and OSF/Motif                          | 0BL           | \$730           |
| <input type="checkbox"/> Starbase - programming manuals for Starbase, Starbase Display List, Radiosity, and Raytracing                          | 0BM           | \$1,025         |
| <input type="checkbox"/> C/ANSI C - programming manuals for C/ANSI C and symbolic debugger.   | 0BT           | \$205           |
| <b>[ ] HP-UX 8.07 Documentation</b>   | <b>B2355A</b> |                 |
| <input type="checkbox"/> Documentation on CD-ROM - includes 1-user LaserROM license.  | 0BC           | \$835           |
| <input type="checkbox"/> Hardcopy manuals (not provided on CD-ROM).   | 0BJ           | \$158           |
| <input type="checkbox"/> 4-user add-on LaserROM license for CD-ROM Documentation.   | UA2           | \$415           |
| <input type="checkbox"/> General Usage- user's guide for HP-UX, HP VUE, and X Windows.  | 0BD           | \$137           |
| <input type="checkbox"/> HP-UX System Administration and Installation.  | 0BE           | \$685           |
| <input type="checkbox"/> General Programming - reference guides for assembler, device I/O, native language support, and programming techniques. | 0BF           | \$340           |
| <input type="checkbox"/> HP-UX User's Guides - user's guides for UUCP, mail, text formatting/processing, shells, and editors.                   | 0BG           | \$184           |
| <input type="checkbox"/> User Environment - programming manuals for X Toolkit, Intrinsics, Xlib, HP VUE, and OSF/Motif.                         | 0BL           | \$730           |
| <input type="checkbox"/> Starbase - programming manuals for Starbase, Starbase Display List, Radiosity, and Raytracing.                         | 0BM           | \$1,025         |
| <input type="checkbox"/> C/ANSI C - programming manuals for C/ANSI C and symbolic debugger.   | 0BT           | \$205           |
| <b>[ ] Japanese HP-UX 9.0 Documentation</b>   | <b>B2815B</b> |                 |
| <input type="checkbox"/> Hardcopy General Usage Documentation.  | 0BD           | \$168           |
| <input type="checkbox"/> Hardcopy System Administration Documentation.  | 0BE           | \$820           |
| <input type="checkbox"/> CD-ROM Documentation.  | 0BC           | \$825           |
| <input type="checkbox"/> 4 User add-on license  | UA2           | \$410           |
| <b>[ ] Japanese HP-UX 8.0x Documentation</b>  | <b>B2815A</b> |                 |
| <input type="checkbox"/> Hardcopy System Administration Documentation.  | 0BE           | \$820           |

## HP MPower 2.0, Collaborative Multimedia

MPower provides collaborative multimedia technologies that can be used every day. Information, be it in text images, audio, or video, can be shared via print, fax, e-mail or in real time. MPower brings together the strengths of the UNIX operating system, networking, and the X Window System with multimedia to enable people to communicate quickly and accurately.

HP Digital Video, delivered with HP MPower 2.0, provides playback of MPEG compressed digital video clips. HP Digital Video is an ideal solution for low-cost digital video playback because no add-on hardware card is required to assist decompression of MPEG video clips. HP Digital Video decompresses both video and audio.

|   | Product #      | U.S. List Price |
|---|----------------|-----------------|
| <input type="checkbox"/> <b>HP MPower Client 2.0 License-To-Use</b>   | <b>B3387BB</b> | <b>\$195</b>    |
| <input type="checkbox"/> <b>HP MPower Client 2.0 Media and Documentation</b><br><i>Note: requires previous or concurrent purchase of MPower Client 2.0 License-To-Use, B3387BB</i>  | <b>B1194BA</b> |                 |
| <i>Required: Select ONE</i>   |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | \$205           |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C             |
| <i>Required: specify HP-UX Release</i>  |                |                 |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH            | N/C             |
| <input type="checkbox"/> Preload and pre configure software product with Instant Ignition.<br><i>Note: requires concurrent purchase of Desktop or Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i> | OD1            | N/C             |
| <input type="checkbox"/> HP MPower Client 2.0 Documentation   | OBL            | \$50            |
| <input type="checkbox"/> <b>HP MPower Server 2.0 License-To-Use</b>   | <b>B3388BB</b> | <b>\$1,295</b>  |
| <input type="checkbox"/> <b>HP MPower Server 2.0 Media and Documentation</b><br><i>Note: requires previous or concurrent purchase of MPower Server 2.0 License-To-Use, B3388BB</i>  | <b>B1195BA</b> |                 |
| <i>Required: Select ONE</i>   |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | \$205           |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C             |
| <i>Required: specify HP-UX Release</i>  |                |                 |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH            | N/C             |
| <input type="checkbox"/> Preload and pre configure software product with Instant Ignition.<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i>            | OD1            | N/C             |
| <input type="checkbox"/> HP MPower Server 2.0 Documentation   | OBL            | \$200           |
| <input type="checkbox"/> <b>Incremental Modem Line License-To-Use</b><br>License to use an additional FAX modem line with HP MPower server.<br><br><i>Note: HP Mpower 2.0 Server License-To-Use includes the right to use one FAX modem line.</i>                               | <b>B3389BB</b> | <b>\$310</b>    |
| <input type="checkbox"/> <b>HP MPower Image Developer's Kit</b>   | <b>B2157A</b>  | <b>\$1,045</b>  |
| <i>Required: Select ONE</i>   |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | \$205           |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C             |
| <i>Required: specify HP-UX Release</i>  |                |                 |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH            | N/C             |
| <input type="checkbox"/> HP-UX 8.07 version.  | APF            | N/C             |

**Additional Multimedia Products**

|  | Product #                        | U.S. List Price                  |
|--|----------------------------------|----------------------------------|
| <input type="checkbox"/> <b>HP SharedPrint/UX 1.4 License-To-Use</b>   | <b>B3240AA</b>                   |                                  |
| <input type="checkbox"/> <b>HP SharedPrint/UX 1.4 Media</b><br><i>Note: this product is also available at no cost on HP-UX CD-ROM media kits.</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only. | <b>B3241AA</b><br><br>AAH<br>AAU | <br><br>\$205<br>N/C             |
| <input type="checkbox"/> <b>HP SharedPrint/UX Administrator's Manual</b>   | <b>B3242AA</b>                   | <b>\$25</b>                      |
| <input type="checkbox"/> <b>HP SharedPrint/UX 1.4 License-To-Use w/PostScript</b>  | <b>B3243AA</b>                   | <b>\$525</b>                     |
| <input type="checkbox"/> <b>HP SharedPrint/UX 1.4 w/PostScript Media</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.  | <b>B3244AA</b><br><br>AAH<br>AAU | <br><br>\$205<br>N/C             |
| <input type="checkbox"/> <b>HP MPower ScanJet IIcx</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.  | <b>C1788BA</b><br><br>AAH<br>AAU | <b>\$1,650</b><br><br>N/C<br>N/C |
| <input type="checkbox"/> <b>HP MPower ScanJet IIcx Interface Kit</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.  | <b>A2229BA</b><br><br>AAH<br>AAU | <b>\$400</b><br><br>N/C<br>N/C   |



Enterprise Desktop

**Telecommunications Tools**

HP TeleShare is a 3-in-1 telecommunication tool incorporating telephone, fax service, and data modem into the HP Model 712 workstation. The product contains two dual-line phone ports for analog phone line (POTS) access. The Motif-based TeleShare software provides an easy-to-use, point-and-click graphical interface to all telecommunications needs. HP TeleShare can be ordered either factory-installed or for field installation.

|  |  |  |
|--|--|--|
| <input type="checkbox"/> <b>HP TeleShare U.S. Version</b><br><i>Note: This product is for use in the United States and Canada only.</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX Revision 9.0<br><br><input type="checkbox"/> Preload and pre configure software product with Instant Ignition.<br><i>Note: requires concurrent purchase of Desktop or Run-Time HP-UX Instant Ignition.</i><br><i>This product must appear in the same section of the order as HP-UX Instant Ignition.</i> | <b>A4012AA</b><br><br>AAH<br>AAU<br><br>APH<br><br>0D1 | <b>\$795</b><br><br>\$205<br>N/C<br><br>N/C<br><br>N/C |
|--|--|--|

## PC Emulation

### HP Wabi 1.1

HP Wabi enables users to run the most popular shrink-wrapped MS-Windows/Intel applications unaltered on their HP-UX 9.0 based series 700 workstations. HP Wabi can also be used with XTerminals. Users may wish to have convenient access to a floppy disk drive to make most efficient use of HP Wabi.

|  | Product #      | U.S. List Price |
|--|----------------|-----------------|
| <input type="checkbox"/> <b>HP Wabi 1.1 License-To-Use</b>   | <b>B3249AB</b> | <b>\$395</b>    |
| <input type="checkbox"/> <b>HP Wabi 1.1 Series 700 Media</b><br><i>Note: requires previous or concurrent purchase of HP Wabi 1.1 License-To-Use, B3249AB</i> | <b>B3248AA</b> |                 |
| <i>Required: Select ONE</i>  |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH            | \$205           |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU            | N/C             |
| <i>Required: specify HP-UX Release</i>   |                |                 |
| <input type="checkbox"/> HP-UX Revision 9.0  | APH            | N/C             |
| <input type="checkbox"/> <b>HP Wabi 1.1 Series 700 Documentation</b>   | <b>B3250AA</b> | <b>\$30</b>     |

### Insignia SoftWindows

Sold and supported by Insignia Solutions, Inc., SoftWindows is a second-generation PC emulation product similar to HP Wabi. SoftWindows runs all MS-Windows and MS-DOS applications unaltered on HP-UX based Series 700/800 systems. SoftWindows also provides powerful networking capabilities not found in HP Wabi 1.1, including Novell Client, LAN Manager Client, and TCP/IP.

In the United States, call (508) 682-7600  
Outside the United States, call +44 494 459426

## PC Interoperability

|   |               |           |
|---|---------------|-----------|
| <input type="checkbox"/> <b>NetWare for the HP9000</b>  | <b>J2239A</b> |           |
| NetWare for the HP9000 provides IPX/SPX NetWare protocol stacks, NVT terminal connectivity, and file and print sharing capability on top of HP-UX.  |               |           |
| <i>Note: All NetWare products require that HP STREAMS/UX, product J2232A, be installed on each Series 700 workstation running NetWare. Order information for HP STREAMS/UX may be found in the Networking and Communications section of this guide.</i> |               |           |
| <i>Required: Select ONE</i>   |               |           |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | N/C       |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C       |
| <input type="checkbox"/> Delete Manual set.   | 0B0           | (\$200)   |
| <input type="checkbox"/> Netware v 3.11 16-user 'Try and Buy' License   | 001           | \$200     |
| <i>Required: Select ONE</i>   |               |           |
| <input type="checkbox"/> 4 Clients supported.   | UA2           | \$2,725   |
| <input type="checkbox"/> 8 Clients supported.   | UA3           | \$4,750   |
| <input type="checkbox"/> 16 Clients supported.  | UA5           | \$6,725   |
| <input type="checkbox"/> 32 Clients supported.  | UA7           | \$8,950   |
| <input type="checkbox"/> 64 Clients supported.  | UA9           | \$11,400  |
| <i>Optional: Select ONE</i>   |               |           |
| <i>Note: use following options when upgrading number of users within Version 3.11. Requires previous purchase of smaller client support license.</i>  |               |           |
| <input type="checkbox"/> Credit 4 User license.   | UB2           | (\$2,725) |
| <input type="checkbox"/> Credit 8 User license.   | UB3           | (\$4,750) |
| <input type="checkbox"/> Credit 16 User license.  | UB5           | (\$6,725) |
| <input type="checkbox"/> Credit 32 User license.  | UB7           | (\$8,950) |

**[ ] HP LAN Manager for UNIX for HP 9000, Series 700/800, Version 2.2****J2256A**

LAN Manager for UNIX is a file and print sharing network service which uses HP-UX as the operating system. Version 2.2 provides enhanced system administration features including domain administration, improved security, file replication, and Windows-based administration capability. It provides the tools to manage growing networks, allow flexibility in system configuration, and provide user access control tailored to the needs of the customer. Incorporates most of the features from Microsoft's LAN Manger on OS/2, version 2.2.

*Note: All LanManager products require that HP STREAMS/UX, product J2232A, be installed on each Series 700 workstation running LanManager. Order information for HP STREAMS/UX may be found below in the Networking and Communications section of this guide.*

Required: Select ONE

- Provides software on DDS (4mm DAT) tape.  
 CD-ROM Certificate only.

|     |       |
|-----|-------|
| AAH | \$105 |
| AAU | N/C   |

Required: Select ONE

- 8 Clients supported.  
 16 Clients supported.  
 32 Clients supported.  
 64 Clients supported.  
 128 Clients supported.  
 256 Clients supported.  
 1024 Clients supported.

|     |          |
|-----|----------|
| UA3 | \$2,495  |
| UA5 | \$3,760  |
| UA7 | \$5,930  |
| UA9 | \$9,650  |
| UAB | \$14,400 |
| UAD | \$20,000 |
| UCR | \$22,900 |

*Note: use following options when upgrading number of users within Version 2.2. Requires previous purchase of smaller client support license.*

- Credit 8 User license.  
 Credit 16 User license.  
 Credit 32 User license.  
 Credit 64 User license.  
 Credit 128 User license.  
 Credit 256 User license.

|     |            |
|-----|------------|
| UB3 | (\$1,996)  |
| UB5 | (\$3,008)  |
| UB7 | (\$4,740)  |
| UB9 | (\$7,750)  |
| UBA | (\$11,520) |
| UBV | (\$16,000) |

*Note: use following options when upgrading from an earlier version of LAN Manager.*

- Credit for B1011X or B1C03X, 8 client.  
 Credit for B1011X or B1C03X, 16 client.  
 Credit for B1011X or B1C03X, 32 client.  
 Credit for B1011X or B1C03X, 64 client.  
 Credit for B1011X or B1C03X, 128 client.  
 Credit for B1011X or B1C03X, 256 client.  
 Credit for B1011X or B1C03X, 512 client.  
 Credit for B1011X or B1C03X, 1,024 client.

|     |            |
|-----|------------|
| 021 | (\$1,500)  |
| 022 | (\$2,256)  |
| 023 | (\$3,558)  |
| 024 | (\$5,790)  |
| 025 | (\$8,640)  |
| 026 | (\$12,000) |
| 027 | (\$13,740) |
| 028 | (\$14,200) |

# SOFTWARE DEVELOPMENT TOOLS

|  | Product #  | U.S. List Price   |
|--|--|---|
| <p><b>[ ] HP-UX General Programming Tools</b><br/>Includes macro preprocessor, C libraries, prof, curses, termcap libraries, and source control tools.<br/>This product is also available at no cost on HP-UX CD-ROM media kits.</p> <p><b>[ ]</b> Provides software on DDS (4mm DAT) tape.</p> <p><i>Required: specify HP-UX Release</i></p> <p><b>[ ]</b> HP-UX 9.0 version.<br/><b>[ ]</b> HP-UX 8.07 version.</p> <p><b>[ ]</b> Preload and preconfigure software product with Instant Ignition.<br/><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i></p>                                  | <p><b>B2357A</b></p> <p>AAH</p> <p>APH<br/>APF</p> <p>0D1</p>                    | <p>\$205</p> <p>N/C<br/>N/C</p> <p>N/C</p>  |
| <p><b>[ ] HP-UX Developer's Toolkit</b><br/>Includes General Programming Tools, X11R5 libraries, Motif libraries, Starbase programming libraries, and Starbase Display List libraries.</p> <p><i>Required: Select ONE</i></p> <p><b>[ ]</b> Provides software on DDS (4mm DAT) tape.<br/><b>[ ]</b> CD-ROM Certificate only.</p> <p><i>Required: specify HP-UX Release</i></p> <p><b>[ ]</b> HP-UX 9.0 version.<br/><b>[ ]</b> HP-UX 8.07 version.</p> <p><b>[ ]</b> Preload and preconfigure software product with Instant Ignition.<br/><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i></p> | <p><b>B2356A</b></p> <p>AAH<br/>AAU</p> <p>APH<br/>APF</p> <p>0D1</p>            | <p><b>\$415</b></p> <p>\$205<br/>N/C</p> <p>N/C<br/>N/C</p> <p>N/C</p>                |
| <p><b>[ ] HP-UX C/ANSI C Developer's Bundle</b><br/>Includes HP-UX Developer's Toolkit, C/ANSI C Compiler, with XDB debugger and General programming tools.</p> <p><i>Required: Select ONE</i></p> <p><b>[ ]</b> Provides software on DDS (4mm DAT) tape.<br/><b>[ ]</b> CD-ROM Certificate only.</p> <p><i>Required: specify HP-UX Release</i></p> <p><b>[ ]</b> HP-UX 9.0 version.<br/><b>[ ]</b> HP-UX 8.07 version.</p> <p><b>[ ]</b> Preload and preconfigure software product with Instant Ignition.<br/><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i></p>                            | <p><b>B2354A</b></p> <p>AAH<br/>AAU</p> <p>APH<br/>APF</p> <p>0D1</p>            | <p><b>\$1,395</b></p> <p>\$205<br/>N/C</p> <p>N/C<br/>N/C</p> <p>N/C</p>              |
| <p><b>[ ] C/ANSI C Compiler</b><br/>Includes C compiler and XDB debugger.</p> <p><i>Required: Select ONE</i></p> <p><b>[ ]</b> Provides software on DDS (4mm DAT) tape.<br/><b>[ ]</b> CD-ROM Certificate only.</p> <p><i>Required: specify HP-UX Release</i></p> <p><b>[ ]</b> HP-UX 9.0 version.<br/><b>[ ]</b> HP-UX 8.07 version.</p> <p><b>[ ]</b> Preload and preconfigure software product with Instant Ignition.<br/><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i></p> <p><b>[ ]</b> Hardcopy manuals.</p>  | <p><b>B2413A</b></p> <p>AAH<br/>AAU</p> <p>APH<br/>APF</p> <p>0D1</p> <p>0BJ</p> | <p><b>\$1,195</b></p> <p>\$205<br/>N/C</p> <p>N/C<br/>N/C</p> <p>N/C</p> <p>\$205</p> |



**HP Programmer's Toolset**

|   | Product #  | U.S. List Price                              |
|---|--|--|
| <input type="checkbox"/> <b>HP Programmer's Toolset License-To-Use</b><br>Includes DDE Debugger, HP/PAK performance analysis tool and BlinkLink linker for use with HP C, C++, Fortran, and PASCAL compiler products.   | <b>B3478AB</b>   | <b>\$395</b>                                 |
| <input type="checkbox"/> <b>HP Programmer's Toolset Media</b><br><i>Note: requires previous or concurrent purchase of License-To-Use, B3478AB</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.  | <b>B3477AA</b><br><br>AAH<br>AAU                       | <br><br>\$210<br>N/C                         |
| <input type="checkbox"/> <b>HP Programmer's Toolset Instant Ignition</b><br><br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.</i><br><i>This product must appear in the same section of the order as HP-UX Instant Ignition.</i>  | <b>B3550AA</b>   | <b>N/C</b>                                   |
| <input type="checkbox"/> <b>HP Programmer's Toolset Manuals</b>   | <b>B3479AA</b>   | <b>145</b>                                   |
| <input type="checkbox"/> <b>HP Apollo Pascal License-To-Use</b><br><br>Includes Apollo Pascal compiler and DDE debugger.  | <b>B3514AB</b>   | <b>\$1,100</b>                               |
| <input type="checkbox"/> <b>HP Apollo Pascal Media and Manuals</b><br><br><i>Note: requires previous or concurrent purchase of HP Apollo Pascal License-To-Use, B3514AB</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><br><input type="checkbox"/> Hardcopy manuals. | <b>B3513AA</b><br><br>AAH<br>AAU<br><br>APH<br><br>0BJ | <br><br>\$195<br>N/C<br><br>N/C<br><br>\$195 |
| <input type="checkbox"/> <b>COBOL/HP-UX (Micro Focus) Developer's Package<br/>Concurrent User License</b>   | <b>B2430AB</b>   | <b>\$1,250</b>                               |
| <input type="checkbox"/> <b>COBOL/HP-UX (Micro Focus) Developer's Package<br/>Media</b><br><br><i>Note: requires previous or concurrent purchase of Micro Focus Developer's Package License-To-Use, B2430AB</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals.  | <b>B2430AA</b><br><br>AAH<br>AAU<br><br>0B1            | <br><br>\$205<br>N/C<br><br>\$205            |
| <input type="checkbox"/> <b>COBOL/HP-UX (Micro Focus) Compiler<br/>Concurrent User License</b>  | <b>B2431AB</b>   | <b>\$1,000</b>                               |
| <input type="checkbox"/> <b>COBOL/HP-UX (Micro Focus) Compiler<br/>Media</b><br><br><i>Note: requires previous or concurrent purchase of Micro Focus Compiler License-To-Use, B2431AB</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals.  | <b>B2431AA</b><br><br>AAH<br>AAU<br><br>0B1            | <br><br>\$205<br>N/C<br><br>\$205            |



|   | Product #   | U.S. List Price   |
|---|---|---|
| <input type="checkbox"/> <b>COBOL/HP-UX (Micro Focus) Run-Time System</b><br>Concurrent User License  | <b>B2432AB</b>                                      | <b>\$150</b>  |
| <input type="checkbox"/> <b>COBOL/HP-UX (Micro Focus) Run-Time System</b><br>Media<br><br><i>Note: requires previous or concurrent purchase of Micro Focus Run-Time System License-To-Use, B2432AB</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.                                 | <b>B2432AA</b><br><br><br><br>AAH<br>AAU            | <br><br><br><br>\$205<br>N/C                            |
| <input type="checkbox"/> <b>HP Micro Focus Toolbox</b><br>Concurrent User License   | <b>B3452AB</b>                                      | <b>\$625</b>  |
| <input type="checkbox"/> <b>HP Micro Focus Toolbox Media</b><br><br><i>Note: requires previous or concurrent purchase of Micro Focus Toolbox License-To-Use, B3452AB</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals.             | <b>B3452AA</b><br><br><br><br>AAH<br>AAU<br><br>0B1 | <br><br><br><br>\$205<br>N/C<br><br>\$205               |
| <input type="checkbox"/> <b>HP Micro Focus Dialog System Concurrent User License</b>  | <b>B3454AB</b>                                      | <b>\$1250</b>   |
| <input type="checkbox"/> <b>HP Micro Focus Dialog System Media</b><br><br><i>Note: requires previous or concurrent purchase of Micro Focus Dialog System License-To-Use, B3454AB</i><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals. | <b>B3454AA</b><br><br><br><br>AAH<br>AAU<br><br>0B1 | <br><br><br><br>\$205<br>N/C<br><br>\$205               |
| <input type="checkbox"/> <b>HP Nihongo COBOL Developers Package</b><br><br><i>Required: Select ONE</i><br>Provides software on DDS (4mm DAT) tape.<br>CD-ROM Certificate only.<br><br>Hardcopy manuals.   | <b>B3152A</b><br><br><br><br>AAH<br>AAU<br><br>0BJ  | <b>\$5,200</b><br><br><br><br>\$205<br>N/C<br><br>\$205 |
| <input type="checkbox"/> <b>HP Nihongo COBOL Compiler</b><br><br><i>Required: Select ONE</i><br>Provides software on DDS (4mm DAT) tape.<br>CD-ROM Certificate only.<br><br>Hardcopy manuals.   | <b>B3153A</b><br><br><br><br>AAH<br>AAU<br><br>0BJ  | <b>\$3,125</b><br><br><br><br>\$205<br>N/C<br><br>\$205 |
| <input type="checkbox"/> <b>HP Nihongo COBOL Run-Time System</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.   | <b>B3154A</b><br><br><br><br>AAH<br>AAU             | <b>\$735</b><br><br><br><br>\$205<br>N/C                |

**SoftBench**

C and C++ SoftBench include the C/ANSI C Developer's Bundle. In addition, C++ SoftBench includes C++ Language and C++ Developer.

|   | Product #      | U.S. List Price |
|---|----------------|-----------------|
| <input type="checkbox"/> <b>C Softbench 3.3, License-To-Use</b><br><i>Note: must order one end-user kit, B3562BA, for each License-To-Use</i>           | <b>B3560BB</b> | <b>\$3,695</b>  |
| <input type="checkbox"/> Credit for HP C/ANSI C Developer's Bundle  | 099            | (\$1,395)       |
| <input type="checkbox"/> <b>C SoftBench 3.3 End-User Kit</b><br><br><i>Required: Select ONE</i>   | <b>B3562BA</b> |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | \$210           |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C             |
| <input type="checkbox"/> Add Manual Set   | 0B1            | \$370           |
| <input type="checkbox"/> <b>C ++Softbench 3.3, License-To-Use</b><br><i>Note: must order one end-user kit, B2620B, for each License-To-Use</i>          | <b>B2617B</b>  | <b>\$7,295</b>  |
| <input type="checkbox"/> Upgrade from SoftBench (B2600B or B3560BB)   | 097            | (\$1,000)       |
| <input type="checkbox"/> Credit for HP C++ Language (B2400A,02,04)  | 098            | (\$1,395)       |
| <input type="checkbox"/> Credit for HP C/ANSI C Developer's Bundle  | 099            | (\$1,395)       |
| <input type="checkbox"/> <b>C ++ SoftBench 3.3 End-User Kit</b><br><br><i>Required: Select ONE</i>  | <b>B2620B</b>  |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | \$210           |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C             |
| <input type="checkbox"/> Add Manual Set   | 0B1            | \$580           |
| <input type="checkbox"/> <b>SoftBench 3.2 BMS Framework License-To-Use</b><br><i>Note: must order one end-user kit, B3283B, for each License-To-Use</i> | <b>B3280B</b>  | <b>\$495</b>    |
| <input type="checkbox"/> <b>SoftBench 3.2 BMS Framework End-User Kit</b><br><br><i>Required: Select ONE</i>   | <b>B3283B</b>  |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | \$370           |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C             |

**COBOL SoftBench Family**

|  |                |                |
|--|----------------|----------------|
| <input type="checkbox"/> <b>COBOL SoftBench License-To-Use</b><br><i>Note: must order one end-user kit, B4016BA, for each License-To-Use</i>               | <b>B4015BB</b> | <b>\$2,795</b> |
| <input type="checkbox"/> <b>COBOL SoftBench End-User Kit</b><br><br><i>Required: Select ONE</i>  | <b>B4016BA</b> |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH            | \$210          |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU            | N/C            |
| <input type="checkbox"/> Add Manual Set  | 0B1            | \$370          |
| <input type="checkbox"/> <b>COBOL SoftBench with Compiler License-To-Use</b><br><i>Note: must order one end-user kit, B4019BA, for each License-To-Use</i> | <b>B4018BB</b> | <b>\$3,995</b> |
| <input type="checkbox"/> <b>COBOL SoftBench with Compiler End-User Kit</b><br><br><i>Required: Select ONE</i>  | <b>B4019BA</b> |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH            | \$210          |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU            | N/C            |
| <input type="checkbox"/> Add Manual Set  | 0B1            | \$370          |

|  | Product #      | U.S. List Price |
|--|----------------|-----------------|
| <input type="checkbox"/> <b>COBOL/C SoftBench License-To-Use</b>               | <b>B4021BB</b> | <b>\$3,195</b>  |
| <i>Note: must order one end-user kit, B4022BA, for each License-To-Use</i>     |                |                 |
| <input type="checkbox"/> Upgrade from COBOL SoftBench or C SoftBench           | 097            | (\$1,000)       |
| <input type="checkbox"/> <b>COBOL/C SoftBench End-User Kit</b>                 | <b>B4022BA</b> |                 |
| <i>Required: Select ONE</i>  |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.              | AAH            | \$210           |
| <input type="checkbox"/> CD-ROM Certificate only.                              | AAU            | N/C             |
| <input type="checkbox"/> Add Manual Set  | 0B1            | \$370           |
| <input type="checkbox"/> <b>COBOL/C SoftBench with Compiler License-To-Use</b> | <b>B4024BB</b> | <b>\$5,595</b>  |
| <i>Note: must order one end-user kit, B4025BA, for each License-To-Use</i>     |                |                 |
| <input type="checkbox"/> Upgrade from COBOL SoftBench or C SoftBench           | 097            | (\$1,000)       |
| <input type="checkbox"/> <b>COBOL/C SoftBench with Compiler End-User Kit</b>   | <b>B4025BA</b> |                 |
| <i>Required: Select ONE</i>  |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.              | AAH            | \$210           |
| <input type="checkbox"/> CD-ROM Certificate only.                              | AAU            | N/C             |
| <input type="checkbox"/> Add Manual Set  | 0B1            | \$680           |

### Japanese Localization

*Note: order the following End-User Kits as appropriate with the standard Licenses-To-Use described above to achieve Japanese localization.*

|  |                |       |
|--|----------------|-------|
| <input type="checkbox"/> <b>C SoftBench 3.3 Japanese End-User Kit</b>    | <b>B3562BJ</b> |       |
| <i>Required: Select ONE</i>  |                |       |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.        | AAH            | \$210 |
| <input type="checkbox"/> CD-ROM Certificate only.                        | AAU            | N/C   |
| <input type="checkbox"/> Add manual set                                  | 0B1            | \$370 |
| <input type="checkbox"/> <b>C ++ SoftBench 3.3 Japanese End-User Kit</b> | <b>B2620BJ</b> |       |
| <i>Required: Select ONE</i>  |                |       |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.        | AAH            | \$210 |
| <input type="checkbox"/> CD-ROM Certificate only.                        | AAU            | N/C   |
| <input type="checkbox"/> Add manual set                                  | 0B1            | \$580 |
| <input type="checkbox"/> <b>Encapsulator 3.3 Japanese End-User Kit</b>   | <b>B2616BJ</b> |       |
| <i>Required: Select ONE</i>  |                |       |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.        | AAH            | \$210 |
| <input type="checkbox"/> CD-ROM Certificate only.                        | AAU            | N/C   |
| <input type="checkbox"/> Add manual set                                  | 0B1            | \$370 |
| <input type="checkbox"/> <b>UIM/X 2.5 Japanese End-User Kit</b>          | <b>B1186BJ</b> |       |
| <i>Required: Select ONE</i>  |                |       |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.        | AAH            | \$210 |
| <input type="checkbox"/> CD-ROM Certificate only.                        | AAU            | N/C   |
| <input type="checkbox"/> Add manual set                                  | 0B1            | \$200 |

### Encapsulator

|  | Product #     | U.S. List Price |
|--|---------------|-----------------|
| <input type="checkbox"/> <b>Encapsulator 3.2 License-To-Use</b><br><i>Note: must order one end-user kit, B2616B, for each License-To-Use</i> | <b>B2606B</b> | <b>\$5,250</b>  |
| <input type="checkbox"/> <b>Encapsulator 3.2 End-User Kit</b><br><br><i>Required: Select ONE</i>   | <b>B2616B</b> |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH           | \$210           |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU           | N/C             |
| <input type="checkbox"/> Add Manual Set  | 0B1           | \$370           |

### C ++ Developer

|   |               |                |
|---|---------------|----------------|
| <input type="checkbox"/> <b>C ++ Developer License-To-Use</b>   | <b>B2406B</b> | <b>\$2,625</b> |
| <input type="checkbox"/> <b>C ++ Developer Media and Documentation</b><br><br><i>Required: Select ONE</i> | <b>B2407B</b> | <b>\$210</b>   |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | N/C            |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C            |

### SynerVision/ChangeVision

|   |               |                |
|---|---------------|----------------|
| <input type="checkbox"/> <b>SynerVision/ChangeVision Bundle License-To-Use</b><br><i>Note: must order one end-user kit, B3265A, for each License-To-Use</i>   | <b>B3260A</b> | <b>\$5,950</b> |
| <input type="checkbox"/> <b>SynerVision/ChangeVision Bundle End-User Kit</b><br><br><i>Required: Select ONE</i>   | <b>B3265A</b> |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | \$210          |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C            |
| <input type="checkbox"/> Add Manual Set   | 0B1           | \$315          |
| <input type="checkbox"/> <b>SynerVision License-To-Use</b><br><i>Note: must order one end-user kit, B3269A, for each License-To-Use</i>   | <b>B3261A</b> | <b>\$3,950</b> |
| <input type="checkbox"/> <b>SynerVision End-User Kit</b><br><br><i>Required: Select ONE</i>   | <b>B3269A</b> |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | \$210          |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C            |
| <input type="checkbox"/> Add Manual Set   | 0B1           | \$158          |
| <input type="checkbox"/> <b>ChangeVision License-To-Use</b><br><i>Note: must order one end-user kit, B3273A, for each License-To-Use. Must purchase one SynerVision License-To-Use, B3261A, and one SynerVision End-User Kit, B3269A.</i> | <b>B3262A</b> | <b>\$2,950</b> |
| <input type="checkbox"/> <b>ChangeVision End-User Kit</b><br><br><i>Required: Select ONE</i>  | <b>B3273A</b> |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | \$210          |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C            |
| <input type="checkbox"/> Add Manual Set   | 0B1           | \$158          |

## Transfer License Product

HP provides an opportunity for its customers to transfer SoftBench, Encapsulator, and C++ SoftBench Licenses-To-Use from one HP platform to another HP platform at greatly reduced prices. In order to purchase the Transfer License Product, customers must already have a valid License-To-Use for one of the listed products. Additionally, the customer must purchase one of the appropriate End-User Kits for the target product and platform for each Transfer License Product ordered.

|  | Product #     | U.S. List Price |
|--|---------------|-----------------|
| <input type="checkbox"/> <b>Transfer License Administration Fee for SoftBench, Encapsulator, or C ++ SoftBench</b> | <b>B2633A</b> | <b>\$53</b>     |

### UIM/X 2.5

UIM/X replaces Interface Architect 2.0 for use with the Motif 1.2 GUI and HP-UX 9.0.

|   |               |                |
|---|---------------|----------------|
| <input type="checkbox"/> <b>UIM/X 2.5 License-To-Use</b><br><i>Note: must order one end-user kit, B1186B, for each License-To-Use</i> | <b>B1183B</b> | <b>\$4,995</b> |
| <input type="checkbox"/> <b>UIM/X 2.5 End-User Kit:</b><br><br><i>Required: Select ONE</i>  | <b>B1186B</b> |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | \$210          |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C            |
| <input type="checkbox"/> Add Manual Set   | 0B1           | \$200          |
| <input type="checkbox"/> <b>UIM/X 2.5 Library Source Code</b><br><br><i>Required: Select ONE</i>                                      | <b>B1189B</b> | <b>\$2,415</b> |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | \$210          |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C            |

### HP Branch Validator

HP Branch Validator measures the percentage of branches executed when used in conjunction with a native compiler.

|   |               |                |
|---|---------------|----------------|
| <input type="checkbox"/> <b>HP Branch Validator License-To-Use</b><br><i>Note: must order one end-user kit, B3097A, for each License-To-Use</i> | <b>B3095A</b> | <b>\$2,500</b> |
| <input type="checkbox"/> <b>HP Branch Validator End-User Kit</b>  | <b>B3097A</b> |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | \$615          |

### ClearCase 1.1

*Note: ClearCase 1.1 is for use with HP-UX 9.X only.*

|  |               |                  |
|--|---------------|------------------|
| <input type="checkbox"/> <b>ClearCase 1.1 License-To-Use</b><br><i>Note: must order one end-user kit, B3285A, for each License-To-Use</i>  | <b>B3285A</b> | <b>\$4,000</b>   |
| <input type="checkbox"/> <b>Credit for Domain DSEE and existing support contract</b><br><i>Note: in order to qualify for this option, customers must have an existing DSEE maintenance contract and must put ClearCase 1.1 under maintenance contract.</i> | <b>095</b>    | <b>(\$1,000)</b> |
| <input type="checkbox"/> <b>ClearCase 1.1 End-User Kit</b><br><br><i>Required: Select ONE</i>  | <b>B3285A</b> |                  |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH           | \$210            |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU           | N/C              |

**Distributed Smalltalk**

*Note: requires purchase of ParcPlace VisualWorks from ParcPlace.*

|  | Product #                 | U.S. List Price |
|--|---------------------------|-----------------|
| <input type="checkbox"/> <b>Distributed Smalltalk Development Product License-To-Use</b><br><i>Note: must order one end-user kit, B4048AB, for each License-To-Use</i> | <b>B4047AB</b>            | <b>\$5,000</b>  |
| <input type="checkbox"/> <b>Distributed Smalltalk Development Product End-User Kit</b><br><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.        | <b>B4048AB</b><br><br>AAH | <br><br>\$210   |
| <input type="checkbox"/> <b>Distributed Smalltalk Run-Time License-To-Use</b>  | <b>B4055AB</b>            | <b>\$300</b>    |
| <input type="checkbox"/> <b>HP Distributed Smalltalk VisualWorks/APOK Developer's Bundle License-To-Use</b>  | <b>B4040AB</b>            | <b>\$10,490</b> |
| <input type="checkbox"/> <b>HP Distributed Smalltalk VisualWorks/APOK End-user Kit</b><br><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.        | <b>B4041AA</b><br><br>AAH | <br><br>\$210   |

**ALLBASE**

ALLBASE is an industry-standard relational database for customers who require a functionally robust, low cost alternative to third party databases. Customers purchase ALLBASE/SQL for low price, single vendor sales and support, and product differentiators. Run-time includes ALLBASE Net for full read/write access to IMAGE/SQL databases, SQL, performance and DBA tools and ALLBASE PC/API (Gupta and Microsoft APIs) for using popular development and decision support tools, and end-user applications. The Development product is the same as the Run-Time, except it includes 3GL preprocessors for using embedded SQL in C, Pascal, and COBOL applications. User license is determined by number of user/clients who access the database. One set of manuals is included per license. The media option must be specified.

|  |               |           |
|--|---------------|-----------|
| <input type="checkbox"/> <b>HP ALLBASE/SQL Version G.0 Runtime for Series 700</b>  | <b>B3146A</b> |           |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) Tape.  | AAH           | N/C       |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU           | N/C       |
| <input type="checkbox"/> Preload and preconfigure software product with Instant Ignition<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i> | 0D1           | N/C       |
| <input type="checkbox"/> ALLBASE/SQL manuals - additional set.   | OB1           | \$373     |
| <i>Required: Select ONE</i>  |               |           |
| <input type="checkbox"/> Single user license.  | UA0           | \$2,295   |
| <input type="checkbox"/> 4-user license.   | UA2           | \$3,170   |
| <input type="checkbox"/> 8-user license.   | OAL           | \$4,040   |
| <input type="checkbox"/> 16-user license.  | UA5           | \$5,000   |
| <input type="checkbox"/> 32-user license.  | UA7           | \$9,175   |
| <i>Note: use following options when upgrading number of users.<br/>Requires previous purchase of smaller client support license.</i>   |               |           |
| <input type="checkbox"/> Credit for single user license when upgrading.  | UB0           | (\$2,060) |
| <input type="checkbox"/> Credit for 4-user license when upgrading.   | UB2           | (\$2,850) |
| <input type="checkbox"/> Credit for 8-user license when upgrading.   | UB3           | (\$3,650) |
| <input type="checkbox"/> Credit for 16-user license when upgrading.  | UB5           | (\$4,500) |
| <input type="checkbox"/> Credit for 32-user license when upgrading.  | UB7           | (\$8,250) |

|  | Product #     | U.S. List Price |
|--|---------------|-----------------|
| <b>[ ] HP ALLBASE/SQL Version G.0 Development for Series 700</b>   | <b>B3147A</b> |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) Tape.  | AAH           | N/C             |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU           | N/C             |
| <input type="checkbox"/> Preload and preconfigure software product with Instant Ignition<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i> | 0D1           | N/C             |
| <input type="checkbox"/> ALLBASE/SQL manuals - additional set.   | OB1           | \$373           |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> Single user license.  | UA0           | \$3,050         |
| <input type="checkbox"/> 4-user license.   | UA2           | \$4,225         |
| <input type="checkbox"/> 8-user license.   | OAL           | \$5,400         |
| <input type="checkbox"/> 16-user license.  | UA5           | \$6,675         |
| <input type="checkbox"/> 32-user license.  | UA7           | \$12,225        |
| <i>Note: use following options when upgrading number of users.<br/>Requires previous purchase of smaller client support license.</i>   |               |                 |
| <input type="checkbox"/> Credit for single user license when upgrading.  | UB0           | (\$2,745)       |
| <input type="checkbox"/> Credit for 4-user license when upgrading.   | UB2           | (\$3,800)       |
| <input type="checkbox"/> Credit for 8-user license when upgrading.   | UB3           | (\$4,850)       |
| <input type="checkbox"/> Credit for 16-user license when upgrading.  | UB5           | (\$6,000)       |
| <input type="checkbox"/> Credit for 32-user license when upgrading.  | UB7           | (\$11,000)      |
| <b>[ ] HP ALLBASE/SQL Version G.0 Runtime for Series 700 (Japanese)</b>  | <b>B3197A</b> |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) Tape.  | AAH           | N/C             |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU           | N/C             |
| <input type="checkbox"/> Preload and preconfigure software product with Instant Ignition<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i> | 0D1           | N/C             |
| <input type="checkbox"/> ALLBASE/SQL manuals - additional set.   | OB1           | \$373           |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> Single user license.  | UA0           | \$2,295         |
| <input type="checkbox"/> 4-user license.   | UA2           | \$3,170         |
| <input type="checkbox"/> 8-user license.   | OAL           | \$4,040         |
| <input type="checkbox"/> 16-user license.  | UA5           | \$5,000         |
| <input type="checkbox"/> 32-user license.  | UA7           | \$9,175         |
| <i>Note: use following options when upgrading number of users.<br/>Requires previous purchase of smaller client support license.</i>   |               |                 |
| <input type="checkbox"/> Credit for single user license when upgrading.  | UB0           | (\$2,060)       |
| <input type="checkbox"/> Credit for 4-user license when upgrading.   | UB2           | (\$2,850)       |
| <input type="checkbox"/> Credit for 8-user license when upgrading.   | UB3           | (\$3,650)       |
| <input type="checkbox"/> Credit for 16-user license when upgrading.  | UB5           | (\$4,500)       |
| <input type="checkbox"/> Credit for 32-user license when upgrading.  | UB7           | (\$8,250)       |

|   | Product #     | U.S. List Price |
|---|---------------|-----------------|
| <b>[ ] HP ALLBASE/SQL Version G.0 Development for Series 700 (Japanese)</b>   | <b>B3198B</b> |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) Tape.   | AAH           | N/C             |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C             |
| <input type="checkbox"/> Preload and preconfigure software product with Instant Ignition<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.<br/>This product must appear in the same section of the order as HP-UX Instant Ignition.</i>  | 0D1           | N/C             |
| <input type="checkbox"/> ALLBASE/SQL manuals - additional set.  | OB1           | \$373           |
| <i>Required: Select ONE</i>   |               |                 |
| <input type="checkbox"/> Single user license.   | UA0           | \$3,050         |
| <input type="checkbox"/> 4-user license.  | UA2           | \$4,225         |
| <input type="checkbox"/> 8-user license.  | OAL           | \$5,400         |
| <input type="checkbox"/> 16-user license.   | UA5           | \$6,675         |
| <input type="checkbox"/> 32-user license.   | UA7           | \$12,225        |
| <i>Note: use following options when upgrading number of users.<br/>Requires previous purchase of smaller client support license.</i>  |               |                 |
| <input type="checkbox"/> Credit for single user license when upgrading.   | UB0           | (\$2,745)       |
| <input type="checkbox"/> Credit for 4-user license when upgrading.  | UB2           | (\$3,800)       |
| <input type="checkbox"/> Credit for 8-user license when upgrading.  | UB3           | (\$4,850)       |
| <input type="checkbox"/> Credit for 16-user license when upgrading.   | UB5           | (\$6,000)       |
| <input type="checkbox"/> Credit for 32-user license when upgrading.   | UB7           | (\$11,000)      |
| <b>[ ] ALLBASE/Replicate Version G.0 for Series 700</b>   | <b>B3480B</b> |                 |
| Software that allows an ALLBASE/SQL database on one system to be shadowed or replicated to one or more locations, either on the same system or on other HP systems on the network. This product ensures 24-hour availability and high performance access of data on the network. Must specify media and release option. |               |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH           | N/C             |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU           | N/C             |
| <input type="checkbox"/> Single User license.   | UA0           | \$6,800         |
| <input type="checkbox"/> Credit for Single User License when upgrading to Series 800.   | UB0           | (\$6,120)       |





# DISTRIBUTED COMPUTING TOOLS

## Task Broker

|   | Product #     | U.S. List Price |
|---|---------------|-----------------|
| <input type="checkbox"/> <b>Media &amp; Documentation for Task Broker software</b>      | <b>B1732B</b> | <b>\$315</b>    |
| <i>Required: Select ONE</i>   |               |                 |
| <input type="checkbox"/> CD-ROM Certificate only.                                       | AAU           | N/C             |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                       | AAH           | \$205           |
| <input type="checkbox"/> <b>Task Broker License-To-Use up to 10 workstation/systems</b> | <b>B1740L</b> | <b>\$5,250</b>  |
| <input type="checkbox"/> <b>Task Broker License-To-Use up to 50 workstation/systems</b> | <b>B1741L</b> | <b>\$15,750</b> |
| <input type="checkbox"/> <b>Task Broker Site License-To-Use</b>                         | <b>B1742L</b> | <b>\$31,500</b> |

## DCE/9000

HP's Distributed Computing Environment (DCE) products provide a high-quality, comprehensive, standards-based framework to develop, administer, and use distributed applications.

The basic unit of configuration in the Distributed Computing Environment is the DCE cell.

A DCE cell consists of at least one of each of the following products:

- o B2920A or B2921A, DCE Core Services, Media and Documentation
- o B2923A, DCE Client License (one per system)
- o B2924A, DCE CDS Server License
- o B2925A, DCE Security Server License

## DCE Core Services

|   |                |                |
|---|----------------|----------------|
| <input type="checkbox"/> <b>DCE Core Services, media &amp; documentation, US Version</b>  | <b>B2920A</b>  | <b>\$1,500</b> |
| <i>Required: Select ONE</i>   |                |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | \$195          |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C            |
| <i>Required: specify HP-UX Release</i>  |                |                |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH            | N/C            |
| <input type="checkbox"/> <b>DCE Core Services, media &amp; documentation, International Version</b>   | <b>B2921A</b>  | <b>\$1,500</b> |
| The international version of DCE Core Services conforms to U.S. technology export restrictions on DES encryption.   |                |                |
| <i>Required: Select ONE</i>   |                |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | \$195          |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C            |
| <i>Required: specify HP-UX Release</i>  |                |                |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH            | N/C            |
| <input type="checkbox"/> <b>DCE Client License</b>  | <b>B2923A</b>  | <b>\$395</b>   |
| <input type="checkbox"/> <b>DCE CDS Server License</b>  | <b>B2924A</b>  | <b>\$3,100</b> |
| <input type="checkbox"/> <b>DCE Security Server License</b>   | <b>B2925A</b>  | <b>\$3,100</b> |
| <input type="checkbox"/> <b>DCE DFS Server License</b>  | <b>B2919AA</b> | <b>\$1,800</b> |
| <input type="checkbox"/> <b>DCE NFS-DFS Server Gateway License</b>  | <b>B2918AA</b> | <b>\$2,000</b> |
| The DCE NFS-DFS Secure Gateway Server allows NFS users to access DFS files in a secure manner. This server is not required to run DFS but does provide an extra level of security not available in other vendor's systems. Only one Secure Gateway Server and License is required per cell. |                |                |
| <input type="checkbox"/> <b>DCE GDS Server License</b>  | <b>J2392AA</b> | <b>\$3,100</b> |
| The DCE GDS Server is an X.500-based directory service that allows users to locate DCE cells other than their own. Only one is required per cell.   |                |                |

**DCE Application Tools**

|   | Product #  | U.S. List Price                                       |
|---|--|---|
| <input type="checkbox"/> <b>DCE Application Development Tools, media &amp; doc</b><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><u>Required: specify HP-UX Release.</u><br><input type="checkbox"/> HP-UX 9.0 version. | <b>B2922A</b><br><br><br>AAH<br>AAU<br><br><br>APH | <b>\$2,000</b><br><br><br>\$195<br>N/C<br><br><br>N/C |
| <input type="checkbox"/> <b>DCE Application Development Tools License</b>   | <b>B2926A</b>                                      | <b>\$795</b>  |

**DCE Bundles**

|   |   |   |
|---|---|---|
| <input type="checkbox"/> <b>HP DCE Quickstart Bundle</b><br><br>Contains all licenses, software, and documentation required to build and operate a 5-node DCE cell and to allow 5 developers to use the DCE development tools. Includes:<br><br><ul style="list-style-type: none"> <li>o 1 - B2921A, DCE Core Services, Media and Documentation, International Version (U.S. customers wishing to write applications using DES encryption must purchase B2920A separately.)</li> <li>o 5 - B2923A, DCE Client Licenses</li> <li>o 1 - B2924A, DCE CDS Server License</li> <li>o 1 - B2925A, DCE Security Server License</li> <li>o 1 - B2922A, DCE Application Development Tools, Media and Documentation</li> <li>o 5 - B2926A, DCE Application Development Tools Licenses</li> </ul><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only. | <b>B2903A</b><br><br><br><br><br><br><br><br><br><br><br>AAH<br>AAU | <b>\$11,000</b><br><br><br><br><br><br><br><br><br><br><br>\$205<br>N/C |
|---|---|---|

**DCE Documentation**

|   |               |              |
|---|---------------|--------------|
| <input type="checkbox"/> <b>HP DCE hardcopy documentation</b> | <b>B2927A</b> | <b>\$795</b> |
|---|---------------|--------------|

# SYSTEM & NETWORK MANAGEMENT

## Performance Management

### HP PerfView

HP PerfView centrally manages performance in a distributed heterogeneous computing environment.

|   | Product #  | U.S. List Price   |
|---|--|---|
| <b>[ ] HP PerfView Analysis Software for HP 9000 Series 700</b><br><br><input type="checkbox"/> License-To-Use for 1 HP-UX manager.<br><input type="checkbox"/> Credit for HP OpenView Network Node Manager<br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape, and manual.<br><input type="checkbox"/> CD-ROM Certificate only, and manual.<br><br><input type="checkbox"/> Additional Manual. | <b>H5289A</b><br><br>UAU<br>0CZ<br><br>AAH<br>AAU<br><br>0B1 | \$26,000<br>(\$15,000)<br><br>\$195<br>\$195<br><br>\$100 |
| <b>[ ] HP PerfView full agent license for HP 9000 HP-UX systems</b><br>Full agents collect global and application data.<br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Single node license.<br><input type="checkbox"/> Up to 5 nodes.<br><input type="checkbox"/> Up to 10 nodes.<br><input type="checkbox"/> Up to 25 nodes.<br><input type="checkbox"/> Up to 50 nodes.  | <b>H5292A</b><br><br>UDE<br>UDF<br>UDG<br>UDH<br>UDJ         | \$2,000<br>\$7,000<br>\$12,000<br>\$25,000<br>\$40,000    |
| <b>[ ] HP PerfView full agent license for Sun SPARC systems</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Single node license.<br><input type="checkbox"/> Up to 5 nodes.<br><input type="checkbox"/> Up to 10 nodes.<br><input type="checkbox"/> Up to 25 nodes.<br><input type="checkbox"/> Up to 50 nodes.  | <b>H5293A</b><br><br>UDE<br>UDF<br>UDG<br>UDH<br>UDJ         | \$2,000<br>\$7,000<br>\$12,000<br>\$25,000<br>\$40,000    |
| <b>[ ] HP PerfView full agent license for IBM RS6000 systems</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Single node license.<br><input type="checkbox"/> Up to 5 nodes.<br><input type="checkbox"/> Up to 10 nodes.<br><input type="checkbox"/> Up to 25 nodes.<br><input type="checkbox"/> Up to 50 nodes.   | <b>H5963A</b><br><br>UDE<br>UDF<br>UDG<br>UDH<br>UDJ         | \$2,000<br>\$7,000<br>\$12,000<br>\$25,000<br>\$40,000    |
| <b>[ ] HP PerfView agent license for HP 9000 HP-UX desktop systems</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Up to 10 nodes.<br><input type="checkbox"/> Up to 25 nodes.<br><input type="checkbox"/> Up to 50 nodes.<br><input type="checkbox"/> Up to 100 nodes.  | <b>H5294A</b><br><br>UDG<br>UDH<br>UDJ<br>UDK                | \$3,500<br>\$7,500<br>\$11,250<br>\$15,000                |
| <b>[ ] HP PerfView agent license for Sun SPARCdesktop systems</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Up to 10 nodes.<br><input type="checkbox"/> Up to 25 nodes.<br><input type="checkbox"/> Up to 50 nodes.<br><input type="checkbox"/> Up to 100 nodes.   | <b>H5295A</b><br><br>UDG<br>UDH<br>UDJ<br>UDK                | \$3,500<br>\$7,500<br>\$11,250<br>\$15,000                |



|   | Product #     | U.S. List Price |
|---|---------------|-----------------|
| <input type="checkbox"/> <b>HP PerView agent license for IBM RS6000 desktop systems</b> | <b>H5964A</b> |                 |
| <i>Required: Select ONE</i>   |               |                 |
| <input type="checkbox"/> Up to 10 nodes.  | UDG           | \$3,500         |
| <input type="checkbox"/> Up to 25 nodes.  | UDH           | \$7,500         |
| <input type="checkbox"/> Up to 50 nodes.  | UDJ           | \$11,250        |
| <input type="checkbox"/> Up to 100 nodes.   | UDK           | \$15,000        |

### HP GlancePlus

On-line performance monitoring and diagnostic software with Motif-based interface.

|   |                |          |
|---|----------------|----------|
| <input type="checkbox"/> <b>HP GlancePlus License-To-Use</b>      | <b>B3690AA</b> |          |
| <i>Required: Select ONE</i>                                       |                |          |
| <input type="checkbox"/> Single Node License                      | UDE            | \$800    |
| <input type="checkbox"/> 10 node license - NOT for use on SERVERS | UDG            | \$3,000  |
| <input type="checkbox"/> 25 node license - NOT for use on SERVERS | UDH            | \$6,000  |
| <input type="checkbox"/> 50 node license - NOT for use on SERVERS | UDJ            | \$10,000 |
| <input type="checkbox"/> <b>HP GlancePlus Media and Manuals</b>   | <b>B3691AA</b> |          |
| <i>Required: Select ONE</i>                                       |                |          |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape. | AAH            | \$195    |
| <input type="checkbox"/> CD-ROM Certificate only, and manual.     | AAU            | \$100    |
| <input type="checkbox"/> Additional Manual.                       | 0B1            | \$60     |
| <i>Required: specify HP-UX Release</i>                            |                |          |
| <input type="checkbox"/> Version for HP-UX 9.0                    | APH            | N/C      |

### HP GlancePlus Pak

On-line performance monitoring and diagnostic software with HP PCS for logging of system performance data.

|   |                |                |
|---|----------------|----------------|
| <input type="checkbox"/> <b>HP GlancePlus Pak License-To-Use</b>                          | <b>B3698AA</b> |                |
| <i>Required: Select ONE</i>   |                |                |
| <input type="checkbox"/> Single Node License  | UDE            | \$1,850        |
| <input type="checkbox"/> 10 node license - NOT for use on SERVERS                         | UDG            | \$7,000        |
| <input type="checkbox"/> 25 node license - NOT for use on SERVERS                         | UDH            | \$14,000       |
| <input type="checkbox"/> 50 node license - NOT for use on SERVERS                         | UDJ            | \$23,350       |
| <input type="checkbox"/> <b>HP GlancePlus Pak Media and Manuals</b>                       | <b>B3699AA</b> |                |
| <i>Required: Select ONE</i>   |                |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                         | AAH            | \$195          |
| <input type="checkbox"/> CD-ROM Certificate only, and manual.                             | AAU            | \$100          |
| <input type="checkbox"/> Additional Manual.   | 0B1            | \$60           |
| <i>Required: specify HP-UX Release</i>  |                |                |
| <input type="checkbox"/> Version for HP-UX 9.0  | APH            | N/C            |
| <b>HP PerfRX Analysis Software</b>  |                |                |
| <input type="checkbox"/> <b>HP PerfRX Analysis Software License-To-Use for One System</b> | <b>B3467AA</b> | <b>\$5,500</b> |

|  | Product #      | U.S. List Price |
|--|----------------|-----------------|
| <input type="checkbox"/> <b>HP PerfRX Analysis Software Media and Manuals</b>  | <b>B3468AA</b> |                 |
| <i>Required: Select ONE</i>  |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH            | \$195           |
| <input type="checkbox"/> CD-ROM Certificate only, and manual.  | AAU            | \$100           |
| <input type="checkbox"/> Additional Manual.  | 0B1            | \$60            |
| <input type="checkbox"/> <b>HP Performance Collection Software</b>   | <b>B1806A</b>  |                 |
| Collects and stores global, application, and process level data for a user defined amount of time.<br>Also available on Sun SPARC systems and IBM RS6000s. |                |                 |
| <input type="checkbox"/> Single Node License.  | UDE            | \$1,200         |
| <input type="checkbox"/> Manual.   | 0BE            | \$100           |
| <i>Required: Select ONE</i>  |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH            | \$195           |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU            | N/C             |
| <i>Required: Select ONE</i>  |                |                 |
| <input type="checkbox"/> Version for HP-UX 8.05  | APE            | N/C             |
| <input type="checkbox"/> Version for HP-UX 8.07  | APF            | N/C             |
| <input type="checkbox"/> Version for HP-UX 9.0   | APH            | N/C             |

### Storage Management

|  |               |            |
|--|---------------|------------|
| <input type="checkbox"/> <b>HP OmniBack Base License</b> | <b>B1922A</b> |            |
| <i>Required: Select ONE</i>                              |               |            |
| <input type="checkbox"/> 2-User License                  | UA1           | \$3,000    |
| <input type="checkbox"/> 8-User License                  | UA3           | \$3,500    |
| <input type="checkbox"/> 16-User License                 | UA5           | \$4,000    |
| <input type="checkbox"/> 32-User License                 | UA7           | \$5,000    |
| <input type="checkbox"/> 64-User License                 | UA9           | \$7,000    |
| <input type="checkbox"/> 128-User License                | UAB           | \$9,500    |
| <input type="checkbox"/> 256-User License                | UAD           | \$12,000   |
| <input type="checkbox"/> 512-User License                | UCQ           | \$15,000   |
| <input type="checkbox"/> Credit for 2-User License       | UB1           | (\$3,000)  |
| <input type="checkbox"/> Credit for 8-User License       | UB3           | (\$3,500)  |
| <input type="checkbox"/> Credit for 16-User License      | UB5           | (\$4,000)  |
| <input type="checkbox"/> Credit for 32-User License      | UB7           | (\$5,000)  |
| <input type="checkbox"/> Credit for 64-User License      | UB9           | (\$7,000)  |
| <input type="checkbox"/> Credit for 128-User License     | UBA           | (\$9,500)  |
| <input type="checkbox"/> Credit for 256-User License     | UBV           | (\$12,000) |

|   | Product #  | U.S. List Price  |
|---|--|--|
| <b>[ ] HP OmniBack/Turbo Base License</b><br><u>Required: Select ONE</u><br><input type="checkbox"/> 2-User License<br><input type="checkbox"/> 8-User License<br><input type="checkbox"/> 16-User License<br><input type="checkbox"/> 32-User License<br><input type="checkbox"/> 64-User License<br><input type="checkbox"/> 128-User License<br><input type="checkbox"/> 256-User License<br><input type="checkbox"/> 512-User License<br><br><input type="checkbox"/> Credit for 2-User License<br><input type="checkbox"/> Credit for 8-User License<br><input type="checkbox"/> Credit for 16-User License<br><input type="checkbox"/> Credit for 32-User License<br><input type="checkbox"/> Credit for 64-User License<br><input type="checkbox"/> Credit for 128-User License<br><input type="checkbox"/> Credit for 256-User License<br><br><input type="checkbox"/> Upgrade credit from HP OmniBack 2-User License<br><input type="checkbox"/> Upgrade credit from HP OmniBack 8-User License<br><input type="checkbox"/> Upgrade credit from HP OmniBack 16-User License<br><input type="checkbox"/> Upgrade credit from HP OmniBack 32-User License<br><input type="checkbox"/> Upgrade credit from HP OmniBack 64-User License<br><input type="checkbox"/> Upgrade credit from HP OmniBack 128-User License<br><input type="checkbox"/> Upgrade credit from HP OmniBack 256-User License<br><input type="checkbox"/> Upgrade credit from HP OmniBack 512-User License | <b>B1923A</b><br><br>UA1<br>UA3<br>UA5<br>UA7<br>UA9<br>UAB<br>UAD<br>UCQ<br><br>UB1<br>UB3<br>UB5<br>UB7<br>UB9<br>UBA<br>UBV<br><br>001<br>002<br>003<br>004<br>005<br>006<br>007<br>009 | \$5,000<br>\$6,000<br>\$7,000<br>\$9,000<br>\$13,000<br>\$20,000<br>\$28,000<br>\$38,000<br><br>(\$5,000)<br>(\$6,000)<br>(\$7,000)<br>(\$9,000)<br>(\$13,000)<br>(\$20,000)<br>(\$28,000)<br><br>(\$3,000)<br>(\$3,500)<br>(\$4,000)<br>(\$5,000)<br>(\$7,000)<br>(\$9,500)<br>(\$12,000)<br>(\$15,000) |
| <b>[ ] HP OmniBack for HP-UX 8.05 or 8.07</b><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> U.S. English<br><input type="checkbox"/> Japanese.<br><input type="checkbox"/> License-To-Use for 3 months - Evaluation copy.  | <b>B1945A</b><br><br>AAH<br>AAU<br><br>ABA<br>ABJ<br>AGZ   | <b>\$250</b><br><br>N/C<br>N/C<br><br>N/C<br>N/C<br>(\$100)  |
| <b>[ ] HP OmniBack HP-UX 9.0</b><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> U.S. English<br><input type="checkbox"/> Japanese.<br><input type="checkbox"/> License-To-Use for 3 months - Evaluation copy.   | <b>B1945B</b><br><br>AAH<br>AAU<br><br>ABA<br>ABJ<br>AGZ   | <b>\$250</b><br><br>N/C<br>N/C<br><br>N/C<br>N/C<br>(\$100)  |
| <b>[ ] HP OmniBack/Turbo. HP-UX 8.05 or 8.07</b><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> U.S. English<br><input type="checkbox"/> Japanese.<br><input type="checkbox"/> License-To-Use for 3 months - Evaluation copy.   | <b>B1929A</b><br><br>AAH<br>AAU<br><br>ABA<br>ABJ<br>AGZ   | <b>\$250</b><br><br>N/C<br>N/C<br><br>N/C<br>N/C<br>(\$100)  |

Net

|  | Product #      | U.S. List Price  |
|--|----------------|------------------|
| <input type="checkbox"/> <b>HP OmniBack/Turbo. HP-UX 9.0</b>   | <b>B1929B</b>  | <b>\$250</b>     |
| <i>Required: Select ONE</i>  |                |                  |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH            | N/C              |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU            | N/C              |
| <input type="checkbox"/> U.S. English  | ABA            | N/C              |
| <input type="checkbox"/> Japanese.   | ABJ            | N/C              |
| <input type="checkbox"/> License-To-Use for 3 months - Evaluation copy.  | AGZ            | (\$100)          |
| <input type="checkbox"/> <b>HP OmniStorage Manager License-To-Use (&lt;=20GB)</b><br>Provides automatic and transparent storage management for optical storage servers up to 20 GigaBytes in capacity.   | <b>B1970AA</b> | <b>\$12,000</b>  |
| <input type="checkbox"/> <b>HP OmniStorage Manager License-To-Use (&lt;=120GB)</b><br>Provides automatic and transparent storage management for optical storage servers up to 120 GigaBytes in capacity. | <b>B1971AA</b> | <b>\$32,000</b>  |
| <input type="checkbox"/> <b>HP OmniStorage Manager License-To-Use (&lt;=400GB)</b><br>Provides automatic and transparent storage management for optical storage servers up to 400 GigaBytes in capacity. | <b>B1972AA</b> | <b>\$60,000</b>  |
| <input type="checkbox"/> <b>HP OmniStorage Manager License-To-Use (&gt;400GB)</b><br>Provides automatic and transparent storage management for optical storage servers over 400 GigaBytes in capacity.   | <b>B1973AA</b> | <b>\$100,000</b> |
| <input type="checkbox"/> <b>HP OmniStorage Media and Documentation</b>   | <b>B1977A</b>  | <b>\$300</b>     |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH            | N/C              |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU            | N/C              |

### Print Management

|   |               |           |
|---|---------------|-----------|
| <input type="checkbox"/> <b>HP OpenSpool</b>  | <b>B1900B</b> |           |
| <i>Required: Select ONE</i>   |               |           |
| <input type="checkbox"/> License to use 2 workstations.   | UA1           | \$200     |
| <input type="checkbox"/> License to use 8 workstations.   | UA3           | \$800     |
| <input type="checkbox"/> License to use 16 workstations.  | UA5           | \$1,600   |
| <input type="checkbox"/> License to use 32 workstations.  | UA7           | \$3,200   |
| <input type="checkbox"/> License to use 64 workstations.  | UA9           | \$5,100   |
| <input type="checkbox"/> License to use 128 workstations.   | UAB           | \$8,000   |
| <input type="checkbox"/> License to use 256 workstations.   | UAD           | \$10,000  |
| <input type="checkbox"/> License to use 512 workstations.   | UCQ           | \$12,000  |
| <input type="checkbox"/> Unlimited license to use for 1 site.   | UBN           | \$75,000  |
| <input type="checkbox"/> Single country/company license.  | 0AZ           | \$300,000 |
| <input type="checkbox"/> License to use supplementary filters for one output device. Requires B1907A, B1909B or B1917B. | 222           | \$595     |
| <input type="checkbox"/> Credit for 2-User License  | UB1           | (\$200)   |
| <input type="checkbox"/> Credit for 8-User License  | UB3           | (\$800)   |
| <input type="checkbox"/> Credit for 16-User License   | UB5           | (\$1,600) |
| <input type="checkbox"/> Credit for 32-User License   | UB7           | (\$3,200) |
| <input type="checkbox"/> Credit for 64-User License   | UB9           | (\$5,100) |
| <input type="checkbox"/> Credit for 128-User License  | UBA           | (\$8,000) |



|   | Product #     | U.S. List Price |
|---|---------------|-----------------|
| <b>[ ] HP OpenSpool Software Documentation</b>                          | <b>B1907B</b> |                 |
| <i>Required: Select ONE</i>   |               |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.       | AAH           | \$150           |
| <input type="checkbox"/> CD-ROM Certificate only.                       | AAU           | N/C             |
| <input type="checkbox"/> U.S. English                                   | ABA           | \$150           |
| <input type="checkbox"/> German   | ABD           | \$150           |
| <input type="checkbox"/> Spanish  | ABE           | \$150           |
| <input type="checkbox"/> Japanese                                       | ABJ           | \$150           |
| <input type="checkbox"/> License-To-Use for 3 months - Evaluation copy. | AGZ           | (\$150)         |
| <b>[ ] HP OpenSpool Supplementary set of filters (SharedPrint)</b>      | <b>B1917B</b> |                 |
| <i>Required: Select ONE</i>   |               |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.       | AAH           | \$150           |
| <input type="checkbox"/> CD-ROM Certificate only.                       | AAU           | N/C             |
| <input type="checkbox"/> U.S. English                                   | ABA           | \$150           |

### Network Management

|  |               |                 |
|--|---------------|-----------------|
| <b>HP OpenView Network Node Manager</b>  | <b>J2317A</b> |                 |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                              | 004           | \$126           |
| <input type="checkbox"/> CD-ROM media & documentation.   | 005           | \$126           |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> License to use on a single system.                                    | 008           | \$15,750        |
| <input type="checkbox"/> Return Credit for previously purchased SNMP or DM Management platform | 013           | (\$7,000)       |
| <input type="checkbox"/> Upgrade Credit for previous version.                                  | 014           | (\$10,000)      |
| <input type="checkbox"/> Additional hardcopy manuals.  | 015           | \$84            |
| <b>[ ] HP OpenView Enterprise Management Station</b>   | <b>B1040B</b> | <b>\$44,000</b> |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> HP OpenView Network Node Manager                                      | 200           | \$8,800         |
| <input type="checkbox"/> HP Openview Probe Manager   | 201           | \$4,095         |
| <b>[ ] HP OpenView SNMP Platform</b>   | <b>J2314A</b> |                 |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                              | 004           | \$105           |
| <input type="checkbox"/> CD-ROM media & documentation.   | 005           | \$105           |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> License to use on a single system.                                    | 008           | \$7,000         |
| <input type="checkbox"/> Additional hardcopy manuals.  | 015           | \$75            |
| <input type="checkbox"/> Ingres DB DAT and manuals.  | 024           | \$265           |
| <input type="checkbox"/> Ingres DB CD-ROM and manuals.   | 025           | \$265           |
| <input type="checkbox"/> Ingres DB Single User License.  | 028           | \$5,250         |
| <input type="checkbox"/> Additional Ingres DB manual set.                                      | 039           | \$158           |

|   | Product #     | U.S. List Price |
|---|---------------|-----------------|
| <b>[ ] HP OpenView SNMP Developer's kit</b>                           | <b>J2311A</b> |                 |
| <i>Required: Select ONE</i>   |               |                 |
| [ ] Provides software on DDS (4mm DAT) tape.                          | 004           | \$265           |
| [ ] CD-ROM media & documentation.                                     | 005           | \$265           |
| <i>Required: Select ONE</i>   |               |                 |
| [ ] License to use on a single system.                                | 008           | \$13,150        |
| [ ] Five (5) User License.  | 009           | \$52,500        |
| [ ] Ten (10) User License.  | 010           | \$84,000        |
| [ ] Twenty (20) User License.   | 011           | \$157,500       |
| [ ] Credit upgrade from HP OpenView SNMP Management Platform          | 013           | (\$7,000)       |
| [ ] Additional hardcopy manuals.                                      | 015           | \$158           |
| [ ] Ingres DB DAT and manuals.  | 024           | \$265           |
| [ ] Ingres DB CD-ROM and manuals.                                     | 025           | \$265           |
| [ ] Ingres DB Single User License.                                    | 028           | \$5,250         |
| [ ] Ingres DB Five (5) User License.                                  | 029           | \$21,000        |
| [ ] Ingres DB Ten (10) User License.                                  | 030           | \$36,750        |
| [ ] Ingres DB Twenty (20) User License.                               | 031           | \$63,000        |
| [ ] Additional Ingres DB manual set.                                  | 039           | \$158           |
| <b>[ ] HP OpenView Interconnect Manager</b>                           | <b>27361B</b> | <b>\$20,000</b> |
| [ ] Provides both software on 1/4" cartridge tape & printed manuals.  | AA0           | N/C             |
| [ ] Provides both software on DDS (4mm DAT) tape and printed manuals. | AAH           | N/C             |
| <b>[ ] HP OpenView Distributed Management Developer's Kit</b>         | <b>J2320A</b> |                 |
| <i>Required: Select ONE</i>   |               |                 |
| [ ] Provides software on DDS (4mm DAT) tape.                          | 004           | \$350           |
| [ ] CD-ROM media & documentation.                                     | 005           | \$350           |
| <i>Required: Select ONE</i>   |               |                 |
| [ ] License to use on a single system.                                | 008           | \$24,150        |
| [ ] Five (5) User License.  | 009           | \$96,600        |
| [ ] Ten (10) User License.  | 010           | \$157,500       |
| [ ] Twenty (20) User License.   | 011           | \$288,750       |
| [ ] Credit for current HP OpenView Network Node Manager.              | 012           | (\$7,000)       |
| [ ] Credit upgrade from HP OpenView SNMP Developer's Kit.             | 013           | (\$7,500)       |
| [ ] Credit upgrade from HP OpenView NMS Developer's Kit.              | 014           | (\$13,000)      |
| [ ] Additional hardcopy manuals.                                      | 019           | \$325           |
| [ ] Ingres DB DAT and manuals.  | 024           | \$265           |
| [ ] Ingres DB CD-ROM and manuals.                                     | 025           | \$265           |
| [ ] Ingres DB Single User License.                                    | 028           | \$5,250         |
| [ ] Ingres DB Five (5) User License.                                  | 029           | \$21,000        |
| [ ] Ingres DB Ten (10) User License.                                  | 030           | \$36,750        |
| [ ] Ingres DB Twenty (20) User License.                               | 031           | \$63,000        |
| [ ] Additional Ingres DB manual set.                                  | 039           | \$225           |
| <b>[ ] HP OpenView Distributed Management Platform</b>                | <b>J2323A</b> |                 |
| <i>Required: Select ONE</i>   |               |                 |
| [ ] Provides software on DDS (4mm DAT) tape.                          | 004           | \$265           |
| [ ] CD-ROM media & documentation.                                     | 005           | \$265           |
| <i>Required: Select ONE</i>   |               |                 |
| [ ] License to use on a single system.                                | 008           | \$8,400         |
| [ ] Credit for current HP OpenView Network Node Manager.              | 012           | (\$7,000)       |
| [ ] Credit upgrade from HP OpenView SNMP Developer's kit.             | 013           | (\$7,000)       |
| [ ] Additional hardcopy manuals.                                      | 019           | \$158           |
| [ ] Ingres DB DAT and manuals.  | 024           | \$265           |
| [ ] Ingres DB CD-ROM and manuals.                                     | 025           | \$265           |
| [ ] Ingres DB Single User License.                                    | 028           | \$5,250         |
| [ ] Additional Ingres DB manual set.                                  | 039           | \$158           |

|  | Product #     | U.S. List Price |
|--|---------------|-----------------|
| <input type="checkbox"/> <b>HP OpenView Extensible SNMP Agent</b>                          | <b>B1037B</b> |                 |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> Provides both software on 1/4" cartridge tape & printed manuals.  | AA0           | \$105           |
| <input type="checkbox"/> Provides both software on DDS (4mm DAT) tape and printed manuals. | AAH           | \$105           |
| <i>Required: Select ONE</i>  |               |                 |
| <input type="checkbox"/> License for use on a single system.                               | UA0           | \$1,050         |
| <input type="checkbox"/> License for use on 100 systems.                                   | UAE           | \$63,000        |
| <input type="checkbox"/> License for use on 1000 systems.                                  | UAG           | \$315,000       |

**HP OpenView Node Manager for NetWare Stations, Licenses**

|   |                |                |
|---|----------------|----------------|
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Station Manager License-to-Use</b> | <b>J1042AA</b> | <b>\$6,750</b> |
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Station Agent License-To-Use</b>   | <b>J1042AB</b> |                |
| <i>Required: Select ONE</i>   |                |                |
| <input type="checkbox"/> Station Agent (1 - 19) each  |                | \$500          |
| <input type="checkbox"/> Station Agent (20 - 99) each   |                | \$400          |
| <input type="checkbox"/> Station Agent (100+) each  |                | \$350          |

**HP OpenView Node Manager for NetWare Servers, Licenses**

|  |                |                |
|--|----------------|----------------|
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Servers</b>                     | <b>J1047AA</b> | <b>\$7,750</b> |
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Server Agent License-To-Use</b> | <b>J1047AB</b> |                |
| <i>Required: Select ONE</i>  |                |                |
| <input type="checkbox"/> Station Agent (1 - 19) each                                       |                | \$550          |
| <input type="checkbox"/> Station Agent (20 - 99) each                                      |                | \$450          |
| <input type="checkbox"/> Station Agent (100+) each   |                | \$400          |

**HP OpenView Node Manager for NetWare Bundles, Licenses - includes Station and Server Manager**

|   |                |                 |
|---|----------------|-----------------|
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare License-To-Use (Bundle)</b>        | <b>J1050AA</b> | <b>\$12,500</b> |
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Agent, License-To-Use (Bundle)</b> | <b>J1050AB</b> |                 |
| <i>Required: Select ONE</i>   |                |                 |
| <input type="checkbox"/> Station Agent (1 - 19) each  |                | \$1,000         |
| <input type="checkbox"/> Station Agent (20 - 99) each   |                | \$800           |
| <input type="checkbox"/> Station Agent (100+) each  |                | \$700           |

**HP OpenView SNA Node Manager, Licenses**

|  |                |                 |
|--|----------------|-----------------|
| <input type="checkbox"/> <b>HP OV SNA Node Manage License-To-Use</b>                         | <b>J1053AA</b> | <b>\$12,750</b> |
| <input type="checkbox"/> <b>HP OV SNA Node Manager MVS Agent License-To-Use, 10 Subareas</b> | <b>J1053AB</b> | <b>\$15,000</b> |

**HP OpenView Node Manager Media and Documentation**

|  |                |      |
|--|----------------|------|
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Station Media and Documentation</b>                                 | <b>J1040AA</b> |      |
| <i>Note: requires previous or concurrent purchase of HP OV Node Manager for NetWare Station License-To-Use, J1042AA.</i>       |                |      |
| <i>Required: Select ONE</i>  |                |      |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape, and documentation.   | AAH            | \$50 |
| <input type="checkbox"/> CD-ROM Certificate only, and documentation.   | AAF            | \$50 |
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Station Agent Media and Documentation</b>                           | <b>J1041AA</b> |      |
| <i>Note: requires previous or concurrent purchase of HP OV Node Manager for NetWare Station Agent License-To-Use, J1042AB.</i> |                |      |
| <input type="checkbox"/> Provides software on 3.5 inch disk, and documentation   | AAD            | \$50 |

|   | Product #                                | U.S. List Price              |
|---|--|------------------------------|
| <input type="checkbox"/> <b>HP OV Node Manager for Netware Media and Documentation</b><br><br><i>Note: requires previous or concurrent purchase of Node Manager for Netware Servers License-To-Use, J1047AA or Node Manager for Netware Bundle License-To-Use, J1050AA</i><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape, and documentation.<br><input type="checkbox"/> CD-ROM Certificate only, and documentation. | <b>J1045AA</b><br><br><br><br>AAH<br>AAF | <br><br><br><br>\$50<br>\$50 |
| <input type="checkbox"/> <b>HP OV Node Manager for Netware Agents Media and Documentation</b><br><i>Note: requires previous or concurrent purchase of Node Manager for Netware Servers Agent License -to-use 1J047AB or Node Manager for Netware Agents Bundle License-To-Use, J1050AB</i><br><br><input type="checkbox"/> Provides software on 3.5 inch disk, and documentation  | <b>J1046AA</b><br><br><br><br>AAD        | <br><br><br><br>\$50         |
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Servers User's Documentation</b>   | <b>J1048AA</b>                           | <b>\$100</b>                 |
| <input type="checkbox"/> <b>HP OV Node Manager for NetWare Stations User's Documentation</b>  | <b>J1043AA</b>                           | <b>\$100</b>                 |
| <input type="checkbox"/> <b>HP OV SNA Node Manager Media and Documentation</b><br><i>Note: requires previous or concurrent purchase of HP OV SNA Node Manager License-To-Use, J1053AA</i><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape, and documentation.<br><input type="checkbox"/> CD-ROM Certificate only, and documentation.  | <b>J1051AA</b><br><br><br><br>AAH<br>AAF | <br><br><br><br>\$50<br>\$50 |
| <input type="checkbox"/> <b>HP OV SNA Agent MVS Cartridge Media</b><br><i>Note: requires previous or concurrent purchase of HP OV SNA Node Manager MVS License, J1053AB</i>   | <b>J1052AA</b>                           | <b>\$50</b>                  |
| <input type="checkbox"/> <b>HP OV SNA Node Manager Documentation</b>  | <b>J1054AA</b>                           | <b>\$50</b>                  |

# NETWORKING AND COMMUNICATIONS

## SNA Connectivity Products

Note: All SNA products require that HP STREAMS/UX, product J2232A, be installed on each Series 700 workstation running SNAplus. Order information for HP STREAMS/UX may be found below in the Networking and Communications section of this guide.

|   | Product #  | U.S. List Price   |
|---|--|---|
| <b>[ ] SNAplusLink</b><br><input type="checkbox"/> Right-to-use license (required)<br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><u>Required: specify HP-UX Release</u><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.07 version.<br><br><input type="checkbox"/> SNAplus Migration Guide to HP-UX Version 8.07<br><input type="checkbox"/> SNAplus Migration Guide to HP-UX Version 9.0<br><input type="checkbox"/> Delete Manual set.<br><input type="checkbox"/> Japanese manuals.<br><input type="checkbox"/> PC Clients Option<br><input type="checkbox"/> Add EISA Card. | <b>J2226A</b><br>AHN<br><br>AAH<br>AAU<br><br>APH<br>APF<br><br>0BD<br>0BG<br>0B0<br>ABJ<br>100<br>UG3 | \$1,785<br><br>N/C<br>N/C<br><br>N/C<br>N/C<br>(\$30)<br>N/C<br>\$30<br>\$1,785 |
| <b>[ ] SNAplus3270</b><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><u>Required: specify HP-UX Release</u><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.07 version.<br><br><input type="checkbox"/> HLLAPI Programmers Guide for HP-UX Version 8.07<br><input type="checkbox"/> HLLAPI Programmers Guide for HP-UX Version 9.0<br><input type="checkbox"/> Delete Manual set.<br><input type="checkbox"/> Japanese manuals.  | <b>J2227A</b><br><br>AAH<br>AAU<br><br>APH<br>APF<br><br>0BD<br>0BG<br>0B0<br>ABJ                      | \$1,165<br><br>N/C<br>N/C<br><br>N/C<br>N/C<br>(\$30)<br>N/C                    |
| <b>[ ] SNAplusRJE</b><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><u>Required: Specify HP-UX Release</u><br><input type="checkbox"/> HP-UX 9.0 version.<br><br><input type="checkbox"/> Delete Manual set.<br><input type="checkbox"/> Japanese manuals.  | <b>J2228A</b><br><br>AAH<br>AAU<br><br>APH<br><br>0B0<br>ABJ   | \$1,110<br><br>N/C<br>N/C<br><br>N/C<br><br>(\$30)<br>N/C                       |
| <b>[ ] SNAplusAPI</b><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><u>Required: specify HP-UX Release</u><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.07 version.<br><br><input type="checkbox"/> APPC Programmer's Migration Guide<br><input type="checkbox"/> Delete Manual set.  | <b>J2229A</b><br><br>AAH<br>AAU<br><br>APH<br>APF<br><br>0BG<br>0B0                                    | \$1,575<br><br>N/C<br>N/C<br><br>N/C<br>N/C<br><br>N/C<br>(\$30)                |

|   | Product #     | U.S. List Price |
|---|---------------|-----------------|
| <input type="checkbox"/> <b>SNAPplus3179G</b>                     | <b>J2230A</b> | <b>\$1,545</b>  |
| <i>Required: Select ONE</i>                                       |               |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape. | AAH           | N/C             |
| <input type="checkbox"/> CD-ROM Certificate only.                 | AAU           | N/C             |
| <i>Required: specify HP-UX Release</i>                            |               |                 |
| <input type="checkbox"/> HP-UX 9.0 version.                       | APH           | N/C             |
| <input type="checkbox"/> Delete Manual set.                       | 0B0           | (\$30)          |
| <input type="checkbox"/> Japanese manuals.                        | ABJ           | N/C             |

**Local Area Links**

|   |               |                |
|---|---------------|----------------|
| <input type="checkbox"/> <b>HP Token Ring/9000</b>                                    | <b>J2165A</b> | <b>\$1,675</b> |
| <i>Required: Select ONE</i>   |               |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                     | AAH           | N/C            |
| <input type="checkbox"/> CD-ROM Certificate only.                                     | AAU           | N/C            |
| <i>Required: specify HP-UX Release</i>  |               |                |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH           | N/C            |
| <input type="checkbox"/> HP-UX 8.07 version.  | APF           | N/C            |
| <input type="checkbox"/> Delete Manual set.   | 0B0           | (\$36)         |
| <input type="checkbox"/> <b>LAN/9000</b>  | <b>25567B</b> | <b>\$1,465</b> |
| <input type="checkbox"/> LAN/9000 ThickLAN connection.                                | 740           | \$415          |
| <input type="checkbox"/> LAN/9000 EtherTwist connection.                              | 840           | \$205          |
| <input type="checkbox"/> <b>Apollo Token Ring (ATR) for Model 730 &amp; Model 750</b> | <b>A2544A</b> | <b>\$1,435</b> |
| <i>Required: Select ONE</i>   |               |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                     | AAH           | N/C            |
| <input type="checkbox"/> CD-ROM Certificate only.                                     | AAU           | N/C            |
| <i>Required: Select ONE</i>   |               |                |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH           | N/C            |
| <input type="checkbox"/> HP-UX 8.07 version.  | APF           | N/C            |
| <input type="checkbox"/> HP-UX 8.0 version.   | APB           | N/C            |
| <input type="checkbox"/> <b>Apollo Token Ring (ATR) for Model 720</b>                 | <b>A2545A</b> | <b>\$2,095</b> |
| <i>Required: Select ONE</i>   |               |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.                     | AAH           | N/C            |
| <input type="checkbox"/> CD-ROM Certificate only.                                     | AAU           | N/C            |
| <i>Required: Select ONE</i>   |               |                |
| <input type="checkbox"/> HP-UX 9.0 version.   | APH           | N/C            |
| <input type="checkbox"/> HP-UX 8.07 version.  | APF           | N/C            |
| <input type="checkbox"/> HP-UX 8.0 version.   | APB           | N/C            |

**Services**

|  |               |              |
|--|---------------|--------------|
| <input type="checkbox"/> <b>NS/9000 Network Services</b>                         | <b>J2140A</b> | <b>\$770</b> |
| <i>Required: Select ONE</i>  |               |              |
| <input type="checkbox"/> CD-ROM Certificate only for HP-UX 9.0.                  | UJB           | N/C          |
| <input type="checkbox"/> CD-ROM Certificate only for HP-UX 8.07.                 | UJ8           | N/C          |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape for HP-UX 9.0.  | UJC           | \$105        |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape for HP-UX 8.07. | UJ9           | \$110        |

## Wide Area Links

|  | Product #   | U.S. List Price  |
|--|---|--|
| <b>[ ] X.25/9000 Link Product</b><br><i>Note: All X.25 products require that HP STREAMS/UX, product J2232A, be installed on each Series 700 workstation running X.25. Order information for HP STREAMS/UX may be found below in the Networking and Communications section of this guide.</i><br><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape for HP-UX 9.0.<br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape for HP-UX 8.07.<br><input type="checkbox"/> CD-ROM Certificate only for HP-UX 9.0.<br><br><input type="checkbox"/> RS-232 Interface Cable.<br><input type="checkbox"/> V.35 Interface Cable.<br><input type="checkbox"/> Delete Software. | <b>J2159A</b><br><br><br><br><br><br><br><br><br><br><br>UJC<br>UJ9<br>UJB<br><br><br>1AT<br>1AU<br>1AW | <b>\$2,400</b><br><br><br><br><br><br><br><br><br><br><br>N/C<br>N/C<br>N/C<br><br><br>N/C<br>N/C<br>(\$1,200) |
| <b>[ ] X.25/9000 Link Product for Series 712 Workstations</b><br><i>Note: All X.25 products require that HP STREAMS/UX, product J2232A, be installed on each Series 700 workstation running X.25. Order information for HP STREAMS/UX may be found below in the Networking and Communications section of this guide.</i><br><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | <b>A4015A</b><br><br><br><br><br><br><br><br><br><br><br>AAH  | <b>\$795</b><br><br><br><br><br><br><br><br><br><br><br>N/C  |

## ISDN Products

|   |  |   |
|---|--|---|
| <b>[ ] HP ISDN Link 64kbs</b><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Delete software and manuals.           | <b>J2104A</b><br><br><br><br><br><br><br><br><br><br><br>AAH<br>AAU<br><br><br>1AW | <b>\$2,400</b><br><br><br><br><br><br><br><br><br><br><br>N/C<br>N/C<br><br><br>(\$500) |
| <b>[ ] TCP/IP to ISDN Gateway/Router for ISDN Link 64kbs</b><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.   | <b>J2105A</b><br><br><br><br><br><br><br><br><br><br><br>AAH<br>AAU                | <b>\$1,088</b><br><br><br><br><br><br><br><br><br><br><br>N/C<br>N/C                    |
| <b>[ ] HP ISDN Link 56kbs and 64kbs</b><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Delete software and manuals. | <b>J2109A</b><br><br><br><br><br><br><br><br><br><br><br>AAH<br>AAU<br><br><br>1AW | <b>\$2,310</b><br><br><br><br><br><br><br><br><br><br><br>N/C<br>N/C<br><br><br>(\$500) |
| <b>[ ] TCP/IP to ISDN Gateway/Router for ISDN Link 56kbs and 64kbs</b><br><u>Required: Select ONE</u><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.                               | <b>J2108A</b><br><br><br><br><br><br><br><br><br><br><br>AAH<br>AAU                | <b>\$1,088</b><br><br><br><br><br><br><br><br><br><br><br>N/C<br>N/C                    |





|  | Product #   | U.S. List Price   |
|--|---|---|
| <input type="checkbox"/> <b>HP OpenView X.400 Manager</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><br><input type="checkbox"/> Delete Manual set. | <b>J2387A</b><br><br><br>AAH<br>AAU<br><br>APH<br><br>0B0 | <b>\$7,000</b><br><br><br>N/C<br>N/C<br><br>N/C<br><br>(\$25) |
| <input type="checkbox"/> <b>X.500 Directory Server/Client Series 700 License-To-Use</b>  | <b>J2394AA</b>  | <b>\$5,250</b>  |
| <input type="checkbox"/> <b>X.500 Directory Server/Client Series 700 Media</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.                               | <b>J2395AA</b><br><br><br>AAH<br>AAU<br><br>APH           | <br><br><br>\$100<br>N/C<br><br>N/C                           |
| <input type="checkbox"/> <b>X.500 Directory Client Series 700 License-To-Use</b>   | <b>J2396AA</b>  | <b>\$1,050</b>  |
| <input type="checkbox"/> <b>X.500 Directory Client Series 700 Media</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.                                      | <b>J2397AA</b><br><br><br>AAH<br>AAU<br><br>APH           | <br><br><br>\$100<br>N/C<br><br>N/C                           |
| <input type="checkbox"/> <b>Manual for X.500 Directory for Series 700</b>  | <b>J2398AA</b>  | <b>\$100</b>  |

# GRAPHICS

|  | Product #   | U.S. List Price  |
|--|---|--|
| <b>[ ] HP PEX 5.1 3D Development Environment</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><br><input type="checkbox"/> Preload and preconfigure software product with Instant Ignition.<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.</i><br><i>This product must appear in the same section of the order as HP-UX Instant Ignition.</i>  | <b>B3176A</b><br><br><br>AAH<br>AAU<br><br><br>APH<br><br><br>0D1 | <b>\$1,750</b><br><br><br>\$205<br>N/C<br><br><br>N/C<br><br><br>N/C |
| <b>[ ] HP PEX 5.1 Run-Time Libraries</b><br><i>Note: Run-Time License for PEX now bundled with HP-UX 9.0 as of 6/94</i><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><br><input type="checkbox"/> Preload and preconfigure software product with Instant Ignition.<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.</i><br><i>This product must appear in the same section of the order as HP-UX Instant Ignition.</i> | <b>B3177A</b><br><br><br>AAH<br>AAU<br><br><br>APH<br><br><br>0D1 | <b>\$245</b><br><br><br>\$205<br>N/C<br><br><br>N/C<br><br><br>N/C   |
| <b>[ ] PowerShade 3D surfaces rendering software</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Preload and preconfigure software product with Instant Ignition.<br><i>Note: requires concurrent purchase of Run-Time HP-UX Instant Ignition.</i><br><i>This product must appear in the same section of the order as HP-UX Instant Ignition.</i>   | <b>B2156C</b><br><br><br>AAH<br>AAU<br><br><br>0D1                | <b>\$995</b><br><br><br>\$205<br>N/C<br><br><br>N/C                  |
| <b>[ ] HP PHIGS 2.2 Development Libraries. HP-UX 8.05 &amp; 8.07</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals.  | <b>B2363C</b><br><br><br>AAH<br>AAU<br><br><br>0BJ                | <b>\$3,570</b><br><br><br>\$205<br>N/C<br><br><br>\$370              |
| <b>[ ] HP PHIGS 2.2 Run-Time Libraries. HP-UX 8.05 &amp; 8.07</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.   | <b>B2364C</b><br><br><br>AAH<br>AAU                               | <b>\$525</b><br><br><br>\$205<br>N/C                                 |
| <b>[ ] HP PHIGS 2.3 Development Libraries. HP-UX 9.0</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals.  | <b>B2363D</b><br><br><br>AAH<br>AAU<br><br><br>0BJ                | <b>\$3,570</b><br><br><br>\$205<br>N/C<br><br><br>\$370              |

|   | Product #                                  | U.S. List Price                                 |
|---|--|---|
| <input type="checkbox"/> <b>HP PHIGS 2.3 Run-Time Libraries. HP-UX 9.0</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.   | <b>B2364D</b><br><br>AAH<br>AAU            | <b>\$525</b><br><br>\$205<br>N/C                |
| <input type="checkbox"/> <b>HP ARTCore Development Environment</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals. | <b>B2930A</b><br><br>AAH<br>AAU<br><br>OBJ | <b>\$1,500</b><br><br>\$205<br>N/C<br><br>\$370 |
| <input type="checkbox"/> <b>HP ARTCore Run-Time Libraries</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.  | <b>B2931A</b><br><br>AAH<br>AAU            | <b>\$500</b><br><br>\$205<br>N/C                |

# MIGRATION TOOLS

|  | Product #   | U.S. List Price                                    |
|--|---|--|
| <input type="checkbox"/> <b>DMX</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals.   | <b>B2895A</b><br><br>AAH<br>AAU<br><br>OBJ        | <b>\$99</b><br><br>\$205<br>N/C<br><br>\$105       |
| <input type="checkbox"/> <b>Passwd/Etc</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><i>Required: specify HP-UX Release</i><br><input type="checkbox"/> HP-UX 9.0 version.<br><input type="checkbox"/> HP-UX 8.07 version. | <b>B2681A</b><br><br>AAH<br>AAU<br><br>APH<br>APF | <b>\$225</b><br><br>\$195<br>N/C<br><br>N/C<br>N/C |

Migration Tools

# HP-RT PRODUCTS

## HP-RT Developer's Kit

The HP-RT Developer's Kit is used to develop high performance real-time applications for the HP 9000 Series 700rt VMEbus board computers.

|   | Product #      | U.S. List Price |
|---|----------------|-----------------|
| <input type="checkbox"/> <b>HP-RT Developer's Kit License-To-Use</b><br><i>Note: one license is required per developer.</i>   | <b>B3799AB</b> | <b>\$9,995</b>  |
| <input type="checkbox"/> <b>HP-RT Developer's Kit Software and Manuals</b><br><i>Note: requires concurrent or previous purchase of HP-RT Developer's Kit LTU, B3799AB</i> | <b>B3800AA</b> | <b>\$1,195</b>  |
| <i>Required: Select ONE</i>   |                |                 |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | N/C             |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C             |

## VME Backplane Networking

VME Backplane Networking allows multiple HP-RT, HP-UX, and VxWorks systems to network over a common VME bus.

|  |                |                |
|--|----------------|----------------|
| <input type="checkbox"/> <b>VME Backplane Networking License-To-Use</b>  | <b>B3802AA</b> | <b>\$1,495</b> |
| <input type="checkbox"/> <b>VME Backplane Networking Software and Manuals</b><br>This product provides software and manuals to install and use the VME Backplane Networking drivers.<br><br><i>Note: requires concurrent or previous purchase of VME Backplane Networking LTU, B3802AA</i> | <b>B3803AA</b> | <b>\$495</b>   |
| <i>Required: Select ONE</i>  |                |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.  | AAH            | N/C            |
| <input type="checkbox"/> CD-ROM Certificate only.  | AAU            | N/C            |

## HP-RT OTSrt

OTSrt provides the transport layer implementation of the OSI reference model for connectionless network services.

|   |                |                |
|---|----------------|----------------|
| <input type="checkbox"/> <b>OTSrt License-To-Use</b>  | <b>B3805AA</b> | <b>\$2,995</b> |
| <input type="checkbox"/> <b>OTSrt Software and Manuals</b><br><br><i>Note: requires concurrent or previous purchase of OTSrt LTU, B3486A.</i> | <b>B3806AA</b> | <b>\$495</b>   |
| <i>Required: Select ONE</i>   |                |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | N/C            |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C            |

## HP-RT STREAMSrt

STREAMSrt provides the tools and files to develop applications and drivers using the STREAMS interface into the HP-UX kernel.

|   |                |                |
|---|----------------|----------------|
| <input type="checkbox"/> <b>STREAMSrt License-To-Use</b>  | <b>B3808AA</b> | <b>\$1,995</b> |
| <input type="checkbox"/> <b>STREAMSrt Software and manuals</b><br><br><i>Note: requires concurrent or previous purchase of STREAMSrt LTU, B3808AA</i> | <b>B3809AA</b> | <b>\$495</b>   |
| <i>Required: Select ONE</i>   |                |                |
| <input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | AAH            | N/C            |
| <input type="checkbox"/> CD-ROM Certificate only.   | AAU            | N/C            |

# MISCELLANEOUS

|  | Product #     | U.S. List Price |
|--|---------------|-----------------|
| <input type="checkbox"/> <b>HP Visual Editor 2.1 License-To-Use</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> CD-ROM Certificate only.<br><br><input type="checkbox"/> Hardcopy manuals.   | <b>B1504A</b> | <b>\$200</b>    |
| <input type="checkbox"/> <b>HP VEE-Engine</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on CD-ROM media.<br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><br><input type="checkbox"/> US English documentation.<br><input type="checkbox"/> German documentation.<br><input type="checkbox"/> French documentation.<br><input type="checkbox"/> Japanese documentation. | <b>E2101B</b> | <b>\$895</b>    |
| <input type="checkbox"/> <b>HP VEE-Test</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on CD-ROM media.<br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><br><input type="checkbox"/> US English documentation.<br><input type="checkbox"/> German documentation.<br><input type="checkbox"/> French documentation.<br><input type="checkbox"/> Japanese documentation.   | <b>E2111B</b> | <b>\$5,900</b>  |
| <input type="checkbox"/> <b>HP VEE-Test/RunOnly</b><br><br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | <b>E2116B</b> | <b>\$1,750</b>  |
| <input type="checkbox"/> <b>SICL Instrument Control</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on CD-ROM media.<br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.   | <b>E2091B</b> | <b>\$500</b>    |
| <input type="checkbox"/> <b>EISA High-speed HP-IB interface card for instrument control</b>  | <b>E2071I</b> | <b>\$995</b>    |
| <input type="checkbox"/> <b>SRM/UX Network Server</b><br><br><i>Required: Select ONE</i><br><input type="checkbox"/> Provides software on CD-ROM media.<br><input type="checkbox"/> Provides software on DDS (4mm DAT) tape.<br><input type="checkbox"/> Provides software on 1/4" cartridge tape.   | <b>E2085C</b> |                 |
|  | AAF           | \$4,795         |
|  | AAH           | \$4,795         |
|  | AA0           | \$4,795         |



(This page intentionally left blank)

## Hardware and Software Support

Customers receive a one-year on-site hardware repair 72-hour response time hardware warranty. At time of product purchase, customers can improve the hardware warranty response time and add software support by purchasing HP System Support Options. The HP System Support Options program offers basic hardware and software support for HP systems, peripherals and stand-alone software applications.

### HP System Support Options Availability

Each support option represents a combination of hardware and software support for an HP product. The following table illustrates the deliverables of each support option.

| Option 0S0                        | Option 0S1  | Option 0S5   |
|-----------------------------------|---|--|
| License to use software updates   | License to use software updates                       | License to use software updates                                  |
| Updates*                          | Updates*  | Updates*   |
| HP SupportLine electronic support | HP SupportLine electronic support                     | HP SupportLine electronic support                                |
| Next-day, on-site response        | On-site response within 4 hours Monday through Friday | On-site response within 4 hours, 24 hours a day, 7 days per week |
| Option 0S2                        | Option 0S3  | Option 0S6   |
| Software phone-in assistance      | Software phone-in assistance                          | Software phone-in assistance                                     |
| License to use software updates   | License to use software updates                       | License to use software updates                                  |
| Updates*                          | Updates*  | Updates*   |
| HP SupportLine electronic support | HP SupportLine electronic support                     | HP SupportLine electronic support                                |
| Next-day, on-site response        | On-site response within 4 hours Monday through Friday | On-site response within 4 hours, 24 hours a day, 7 days per week |

### Option 0S4

Option 0S4 provides installation and network configuration for products that do not include installation in the purchase price.

### Option 0SZ

Option 0SZ provides network configuration for products that include HP installation in the purchase price.

\*Includes one copy each of media and documentation updates with every media and documentation product ordered.



## Support Option Features

| <b>Feature</b>          | <b>Delivery Specifications</b>  |                                       |                                       |
|-------------------------|---|---------------------------------------|---------------------------------------|
| <b>Warranty Upgrade</b> | Support Services are added to the product warranty to provide either next-day, same-day (4 hour), or 24x7 on-site response for hardware problems. |                                       |                                       |
| <b>Coverage Hours</b>   | Next Day<br>8am-5pm<br>Mon-Fri  | 4 Hour<br>8am-9pm*<br>Mon-Fri         | 24x7<br>24 Hours<br>7 days per week   |
| <b>Response Time</b>    | Next Day  | Best Response:<br>Not to exceed 4 hrs | Best Response:<br>Not to exceed 4 hrs |

\*If service is requested before 5:00pm, an HP engineer will respond on-site within 4 hours, if an on-site call is necessary.

**On-site Repair** An HP engineer travels to the customer site and provides all labor, parts, and materials necessary to maintain hardware products in good operating condition. Product malfunctions and failures are diagnosed and corrected.

**Software Phone-in Assistance** Unlimited toll free access to the HP Response Center is provided for authorized callers. Response is immediate for critical calls and within 2 hours for all calls.

**License to use Software Updates** Customer can use and copy updates to HP software on each system covered by HP System Support Options.

**Updates** As HP releases updates to HP software, the latest revisions of the software and reference manuals are made available to the system manager. HP provides one copy of media and documentation updates for each media and documentation product ordered with HP System Support Options.

**Electronic access** HP SupportLine provides electronic access to a database of current product and support information. Includes new product information, software status bulletins, engineering and application notes, etc. HP SupportLine can also be used to submit Response Center calls.

**Installation** Option 0S4 provides installation and network configuration for products that do not include installation in the product purchase price. Option 0SZ provides network configuration for products that include installation in the purchase price.

## Selecting the Appropriate Option

### **Select HP System Support Options based upon your knowledge of the customer's warranty upgrade and software support needs. Follow these basic steps:**

1. Select hardware, software, and peripherals.
2. Determine the warranty upgrade and software support needed. Refer to the System Support Options table for warranty upgrade/software support combinations available.
3. Select the applicable Support Options to meet the support needs.

HP System Support Options are available for systems, associated peripherals and stand-alone software.

## SYSTEMS

### **To select the appropriate option, follow these steps:**

1. Determine the desired warranty upgrade (response time for repairs). Choices include next-day, 4 hour, or 24x7 response.
2. Determine whether the customer has an existing response center caller set up who will be calling for support of the system being purchased.
  - If **YES**, select Option 0S0, 0S1, or 0S5.
  - If **NO**, select Option 0S2, 0S3, or 0S6.

## PERIPHERALS

For system peripherals, select the option that provides the desired response time for repairs (next-day, 4 hour, or 24x7). In general, select the same option as you chose for the system.

## STAND-ALONE SOFTWARE APPLICATIONS

### **For Stand-alone software applications, select options as follows:**

- Select Option 0S2, 0S3, or 0S6 for the first copy of the application.
- Select Option 0S0, 0S1, or 0S5 for additional copies.

### **For media and documentation updates, follow these steps:**

1. Order option 0S0, 0S1, 0S2, 0S3, 0S5, or 0S6 with the system.
2. Order option 0S0, 0S1, 0S2, 0S3, 0S5, or 0S6 with media and documentation products for which you want updates.

System Support Options pricing is found on the following pages. The CPL price is for a 12-month period and is available only for the first year.

## HP System Support Solutions

As the end of the first year of support approaches, there is a clear transition path from HP System Support Options to HP System Support solutions. At renewal, any one of the HP System Support Options can convert to a comparable or better HP System Support Solution.

HP System Support Solutions use an environment-based sales approach. The service provides a full set of features for the customer's computing environment, rather than narrowly defined individual services that depend on the type of product being supported. An HP System Support Service quote reflects this change. The CPL price is per month.

| Model Number | Product Number | OS0<br>ND/LTU | OS1<br>SD/LTU | OS2<br>ND/Tel | OS3<br>SD/Tel | OS4<br>Install | OS5<br>4x7/LT | OS6<br>24x7/Tel |
|--------------|----------------|---------------|---------------|---------------|---------------|----------------|---------------|-----------------|
|--------------|----------------|---------------|---------------|---------------|---------------|----------------|---------------|-----------------|

**Series 700 - Software Support Options**

|                    |        |     |     |     |     |     |     |     |
|--------------------|--------|-----|-----|-----|-----|-----|-----|-----|
| <b>HP-UX Media</b> | B2352A | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                    | B2826A | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                    | B2826B | 0   | 0   | 0   | 0   | N/A | 0   | 0   |

|                                   |        |     |     |     |     |     |     |     |
|-----------------------------------|--------|-----|-----|-----|-----|-----|-----|-----|
| <b>HP-UX Run-Time Environment</b> | B2213A | 0   | 0   | 240 | 240 | N/A | 0   | 240 |
|                                   | B2353A | 120 | 120 | 179 | 179 | N/A | 120 | 179 |
|                                   | B2387A | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                                   | B2395A | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                                   | B2396A | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                                   | B2397A | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                                   | B2487A | 180 | 180 | 270 | 270 | N/A | 180 | 270 |
|                                   | B2816A | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                                   | B3150A | 0   | 0   | 0   | 0   | N/A | 0   | 0   |

|                               |         |     |     |     |     |     |     |     |
|-------------------------------|---------|-----|-----|-----|-----|-----|-----|-----|
| <b>HP-UX License Upgrades</b> | B2395A  | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                               | B2396A  | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                               | B2397A  | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                               | B2487A  | 180 | 180 | 270 | 270 | N/A | 180 | 270 |
|                               | B2816A  | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                               | B3287A  | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                               | B3814AA | 0   | 0   | 0   | 0   | N/A | 0   | 0   |

|                            |        |     |     |     |     |     |     |     |
|----------------------------|--------|-----|-----|-----|-----|-----|-----|-----|
| <b>HP-UX Documentation</b> | B2355A | 105 | 105 | 105 | 105 | N/A | 105 | 105 |
|                            | B2355B | 105 | 105 | 105 | 105 | N/A | 105 | 105 |
|                            | B2815A | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                            | B2815B | 105 | 105 | 105 | 105 | N/A | 105 | 105 |

|               |         |    |    |     |     |     |    |     |
|---------------|---------|----|----|-----|-----|-----|----|-----|
| <b>Enware</b> | B3651BA | 69 | 69 | 240 | 240 | N/A | 69 | 240 |
|               | B3652BA | 69 | 69 | 240 | 240 | N/A | 69 | 240 |
|               | B3653BA | 69 | 69 | 240 | 240 | N/A | 69 | 240 |
|               | B3654BA | 69 | 69 | 240 | 240 | N/A | 69 | 240 |
|               | B3655BA | 69 | 69 | 240 | 240 | N/A | 69 | 240 |
|               | B3667BA | *  | *  | *   | *   | *   | *  | *   |
|               | B3659AA | *  | *  | *   | *   | *   | *  | *   |

|                         |         |    |    |    |    |     |    |    |
|-------------------------|---------|----|----|----|----|-----|----|----|
| <b>HP Ready-To-Wear</b> | B3231AA | 95 | 95 | 95 | 95 | N/A | 95 | 95 |
|                         | B3232AA | 60 | 60 | 60 | 60 | N/A | 60 | 60 |
|                         | B3232AD | 72 | 72 | 72 | 72 | N/A | 72 | 72 |
|                         | B3232AE | 72 | 72 | 72 | 72 | N/A | 72 | 72 |
|                         | B3232AF | 72 | 72 | 72 | 72 | N/A | 72 | 72 |
|                         | B3232AZ | 72 | 72 | 72 | 72 | N/A | 72 | 72 |
|                         | B3233AA | 60 | 60 | 60 | 60 | N/A | 60 | 60 |
|                         | B3233AD | 95 | 95 | 95 | 95 | N/A | 95 | 95 |
|                         | B3233AE | 95 | 95 | 95 | 95 | N/A | 95 | 95 |
|                         | B3233AF | 95 | 95 | 95 | 95 | N/A | 95 | 95 |
|                         | B3233AZ | 95 | 95 | 95 | 95 | N/A | 95 | 95 |
|                         | B3234AA | 60 | 60 | 96 | 96 | N/A | 60 | 96 |

\* Support pricing not available at the time of publication. Check CPL.

| Model Number | Product Number | OS0    | OS1    | OS2    | OS3    | OS4     | OS5    | OS6      |
|--------------|----------------|--------|--------|--------|--------|---------|--------|----------|
|              |                | ND/LTU | SD/LTU | ND/Tel | SD/Tel | Install | 4x7/LT | 24x7/Tel |
|              | B3235AA        | 60     | 60     | 60     | 60     | N/A     | 60     | 60       |
|              | B3236AA        | 95     | 95     | 95     | 95     | N/A     | 95     | 95       |
|              | B3236AD        | 95     | 95     | 95     | 95     | N/A     | 95     | 95       |
|              | B3236AE        | 95     | 95     | 95     | 95     | N/A     | 95     | 95       |
|              | B3236AF        | 95     | 95     | 95     | 95     | N/A     | 95     | 95       |
|              | B3236AZ        | 95     | 95     | 95     | 95     | N/A     | 95     | 95       |
|              | B3237AA        | 36     | 36     | 60     | 60     | N/A     | 36     | 60       |
|              | B3239AA        | 95     | 95     | 95     | 95     | N/A     | 95     | 95       |

| MultiMedia Products | Product Number | OS0 | OS1 | OS2 | OS3 | OS4 | OS5 | OS6 |
|---------------------|----------------|-----|-----|-----|-----|-----|-----|-----|
|                     | A2229A         | 0   | 0   | 240 | 240 | N/A | 0   | 240 |
|                     | B1194BA        | 96  | 96  | 96  | 96  | N/A | 96  | 96  |
|                     | B1195BA        | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                     | B2157A         | 0   | 0   | 149 | 149 | N/A | 149 | 205 |
|                     | B3240AA        | 0   | 0   | 75  | 75  | N/A | 0   | 75  |
|                     | B3241AA        | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                     | B3242AA        | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                     | B3243AA        | 0   | 0   | 75  | 75  | N/A | 0   | 75  |
|                     | B3244AA        | 120 | 120 | 120 | 120 | N/A | 120 | 120 |
|                     | B3387BB        | 24  | 24  | 48  | 48  | N/A | 24  | 48  |
|                     | B3388BB        | 96  | 96  | 192 | 192 | N/A | 96  | 192 |
|                     | B3389BB        | 24  | 24  | 48  | 48  | N/A | 24  | 48  |
|                     | C1751A         | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
|                     | C1788B         | *   | *   | *   | *   | N/A | *   | *   |

| Telecommunications | Product Number | OS0 | OS1 | OS2 | OS3 | OS4 | OS5 | OS6 |
|--------------------|----------------|-----|-----|-----|-----|-----|-----|-----|
|                    | A4012A         | 60  | 60  | 240 | 240 | N/A | 60  | 240 |

| PC Emulation | Product Number | OS0 | OS1 | OS2 | OS3 | OS4 | OS5 | OS6 |
|--------------|----------------|-----|-----|-----|-----|-----|-----|-----|
|              | B3250AA        | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|              | B3249AB        | 85  | 85  | 195 | 195 | N/A | 85  | 195 |
|              | B3248AA        | 0   | 0   | 0   | 0   | N/A | 0   | 0   |

| PC Interoperability | Product Number | OS0 | OS1 | OS2 | OS3 | OS4 | OS5 | OS6 |
|---------------------|----------------|-----|-----|-----|-----|-----|-----|-----|
|                     | J2239A         | 0   | 0   | 240 | 240 | 624 | 0   | 240 |
|                     | J2256A         | 288 | 288 | 432 | 432 |     | 288 | 432 |

#### Software Development Tools

| HP-UX | Product Number | OS0 | OS1 | OS2 | OS3 | OS4 | OS5 | OS6 |
|-------|----------------|-----|-----|-----|-----|-----|-----|-----|
|       | B2354A         | 180 | 180 | 520 | 520 | N/A | 180 | 520 |
|       | B2356A         | 0   | 240 | 0   | 240 | N/A | 0   | 240 |
|       | B2357A         | 0   | 0   | 520 | 520 | N/A | 520 | 205 |
|       | B2402A         | 147 | 147 | 293 | 293 | N/A | 147 | 293 |
|       | B2403A         | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|       | B2408A         | 180 | 180 | 270 | 270 | N/A | 180 | 270 |
|       | B2413A         | 0   | 0   | 225 | 225 | N/A | 0   | 225 |
|       | B2414A         | 0   | 0   | 225 | 225 | N/A | 0   | 225 |

| HP Programmer's Toolset | Product Number | OS0 | OS1 | OS2 | OS3 | OS4 | OS5 | OS6 |
|-------------------------|----------------|-----|-----|-----|-----|-----|-----|-----|
|                         | B2430AA        | 72  | 72  | 72  | 72  | N/A | 72  | 72  |
|                         | B2430AB        | 60  | 60  | 120 | 120 | N/A | 120 | 195 |
|                         | B2431AA        | 72  | 72  | 72  | 72  | N/A | 72  | 72  |
|                         | B2431AB        | 100 | 100 | 150 | 150 | N/A | 100 | 150 |

\* Support pricing not available at the time of publication. Check CPL.

| Model Number | Product Number | 0S0    | 0S1    | 0S2    | 0S3    | 0S4     | 0S5    | 0S6      |
|--------------|----------------|--------|--------|--------|--------|---------|--------|----------|
|              |                | ND/LTU | SD/LTU | ND/Tel | SD/Tel | Install | 4x7/LT | 24x7/Tel |
|              | B2432AA        | 72     | 72     | 72     | 72     | N/A     | 72     | 72       |
|              | B2432AB        | 10     | 10     | 40     | 40     | N/A     | 10     | 40       |
|              | B3152A         | 0      | 0      | 240    | 240    | N/A     | 0      | 240      |
|              | B3153A         | 0      | 0      | 240    | 240    | N/A     | 0      | 240      |
|              | B3154A         | 0      | 0      | 188    | 188    | N/A     | 0      | 188      |
|              | B3452AA        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|              | B3452AB        | 50     | 50     | 75     | 75     | N/A     | 50     | 75       |
|              | B3454AA        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|              | B3454AB        | 99     | 99     | 100    | 100    | N/A     | 99     | 150      |
|              | B3477AA        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|              | B3478AB        | 39     | 39     | 59     | 59     | N/A     | 39     | 59       |
|              | B3479AA        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|              | B3513AA        | 60     | 60     | 120    | 120    | N/A     | 120    | 195      |
|              | B3514AB        | 84     | 84     | 168    | 168    | N/A     | 84     | 168      |
|              | B3550AA        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |

|                  |         |     |     |     |     |     |     |     |
|------------------|---------|-----|-----|-----|-----|-----|-----|-----|
| <b>Softbench</b> | B2617B  | 270 | 270 | 540 | 540 | N/A | 270 | 540 |
|                  | B2620B  | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                  | B2640B  | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
|                  | B2643B  | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
|                  | B2645B  | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
|                  | B2648B  | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
|                  | B3280B  | 60  | 60  | 90  | 90  | N/A | 60  | 90  |
|                  | B3283B  | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                  | B3560BB | 230 | 230 | 345 | 345 | N/A | 230 | 345 |
|                  | B3562BA | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                  | B3590BB | 270 | 270 | 540 | 540 | N/A | 270 | 540 |
|                  | B3593BA | 0   | 0   | 0   | 0   | N/A | 0   | 0   |

|                               |         |     |     |     |     |     |     |     |
|-------------------------------|---------|-----|-----|-----|-----|-----|-----|-----|
| <b>COBOL Softbench Family</b> | B4015BB | 329 | 329 | 494 | 494 | N/A | 329 | 494 |
|                               | B4016BA | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                               | B4018BB | 449 | 449 | 674 | 674 | N/A | 449 | 674 |
|                               | B4019BA | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                               | B4021BB | 349 | 349 | 524 | 524 | N/A | 349 | 524 |
|                               | B4022BA | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                               | B4024BB | 629 | 629 | 944 | 944 | N/A | 629 | 944 |
|                               | B4025BA | 0   | 0   | 0   | 0   | N/A | 0   | 0   |

\* Support pricing not available at the time of publication. Check CPL.

| Model Number                 | Product Number | OS0    | OS1    | OS2    | OS3    | OS4     | OS5    | OS6      |
|------------------------------|----------------|--------|--------|--------|--------|---------|--------|----------|
|                              |                | ND/LTU | SD/LTU | ND/Tel | SD/Tel | Install | 4x7/LT | 24x7/Tel |
| Japanese Localization        | B1186BJ        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                              | B2616BJ        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                              | B2620BJ        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                              | B3562BJ        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
| Encapsulator                 | B2606B         | 250    | 250    | 500    | 500    | N/A     | 250    | 500      |
|                              | B2616B         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
| C++ Developer                | B2406B         | 250    | 250    | 375    | 375    | N/A     | 250    | 375      |
|                              | B2407B         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
| SynerVision/<br>ChangeVision | B3260A         | 684    | 684    | 982    | 982    | N/A     | 684    | 982      |
|                              | B3261A         | 395    | 395    | 593    | 593    | N/A     | 395    | 593      |
|                              | B3262A         | 354    | 354    | 502    | 502    | N/A     | 354    | 502      |
|                              | B3265A         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                              | B3269A         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                              | B3273A         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
| <b>Transfer License</b>      |                |        |        |        |        |         |        |          |
| Product                      | B2633A         | N/A    | N/A    | N/A    | N/A    | N/A     | N/A    | N/A      |
| Interface Architect 2.0      | B1183A         | 250    | 250    | 500    | 500    | N/A     | 250    | 500      |
|                              | B1186A         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                              | B1189A         | N/A    | N/A    | N/A    | N/A    | N/A     | N/A    | N/A      |
| UIM/X2.5                     | B1183B         | 250    | 250    | 500    | 500    | N/A     | 250    | 500      |
|                              | B1186B         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                              | B1189B         | N/A    | N/A    | N/A    | N/A    | N/A     | N/A    | N/A      |
| HP Branch Validator          | B3095A         | N/A    | N/A    | N/A    | N/A    | N/A     | N/A    | N/A      |
|                              | B3097A         | N/A    | N/A    | N/A    | N/A    | N/A     | N/A    | N/A      |
| Clear Case 1.1               | B3285A         | 400    | 400    | 600    | 600    | N/A     | 400    | 600      |
| Distributed Smalltalk        | B4047AB        | 495    | 495    | 750    | 750    | N/A     | 495    | 750      |
|                              | B4048AA        | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                              | B4055AB        | 35     | 35     | 55     | 55     | N/A     | 35     | 55       |
| AllBase                      | B3146A         | 0      | 0      | 240    | 240    | N/A     | 0      | 240      |
|                              | B3147A         | 0      | 0      | 240    | 240    | N/A     | 0      | 240      |
|                              | B3197A         | 0      | 0      | 240    | 240    | N/A     | 0      | 240      |
|                              | B3198B         | 0      | 0      | 270    | 270    | N/A     | 0      | 270      |
|                              | B3480B         | 0      | 0      | 240    | 240    | N/A     | 0      | 240      |

\* Support pricing not available at the time of publication. Check CPL.

| Model Number | Product Number | OS0 ND/LTU | OS1 SD/LTU | OS2 ND/Tel | OS3 SD/Tel | OS4 Install | OS5 4x7/LT | OS6 24x7/Tel |
|--------------|----------------|------------|------------|------------|------------|-------------|------------|--------------|
|--------------|----------------|------------|------------|------------|------------|-------------|------------|--------------|

**Distributed Computing Tools**

|                    |        |   |   |     |     |     |   |     |
|--------------------|--------|---|---|-----|-----|-----|---|-----|
| <b>Task Broker</b> | B1732B | 0 | 0 | 0   | 0   | N/A | 0 | 0   |
|                    | B1740L | 0 | 0 | 240 | 240 | N/A | 0 | 240 |
|                    | B1741L | 0 | 0 | 240 | 240 | N/A | 0 | 240 |
|                    | B1742L | 0 | 0 | 240 | 240 | N/A | 0 | 240 |

|                      |         |     |     |     |     |     |     |     |
|----------------------|---------|-----|-----|-----|-----|-----|-----|-----|
| <b>Core Services</b> | B2918AA | 140 | 140 | 280 | 280 | N/A | 140 | 280 |
|                      | B2919AA | 126 | 126 | 252 | 252 | N/A | 126 | 252 |
|                      | B2920A  | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                      | B2921A  | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                      | B2923A  | 50  | 50  | 75  | 75  | N/A | 50  | 75  |
|                      | B2924A  | 425 | 425 | 638 | 638 | N/A | 425 | 638 |
|                      | B2925A  | 425 | 425 | 638 | 638 | N/A | 425 | 638 |
|                      | J2392AA | 217 | 217 | 434 | 434 | N/A | 217 | 434 |

|                          |        |    |    |     |     |     |    |     |
|--------------------------|--------|----|----|-----|-----|-----|----|-----|
| <b>Application Tools</b> | B2922A | 0  | 0  | 0   | 0   | N/A | 0  | 0   |
|                          | B2926A | 80 | 80 | 120 | 120 | N/A | 80 | 120 |

|                |        |     |     |       |       |     |     |       |
|----------------|--------|-----|-----|-------|-------|-----|-----|-------|
| <b>Bundles</b> | B2903A | 995 | 995 | 1,500 | 1,500 | N/A | 995 | 1,500 |
|----------------|--------|-----|-----|-------|-------|-----|-----|-------|

|                      |        |   |   |   |   |     |   |   |
|----------------------|--------|---|---|---|---|-----|---|---|
| <b>Documentation</b> | B2927A | 0 | 0 | 0 | 0 | N/A | 0 | 0 |
|----------------------|--------|---|---|---|---|-----|---|---|

**System Network Management**

|                               |         |     |     |     |     |     |     |     |
|-------------------------------|---------|-----|-----|-----|-----|-----|-----|-----|
| <b>Performance Management</b> | B1806A  | 0   | 0   | 200 | 200 | N/A | 0   | 200 |
|                               | B3467AB | 456 | 456 | 744 | 744 | N/A | 456 | 744 |
|                               | B3468AA | 180 | 180 | 180 | 180 | N/A | 180 | 180 |
|                               | B3690AA | 0   | 0   | 110 | 110 | N/A | 0   | 110 |
|                               | B3691AA | 130 | 130 | 130 | 130 | N/A | 130 | 130 |
|                               | B3698AA | 0   | 0   | 110 | 110 | N/A | 0   | 110 |
|                               | B3699AA | 130 | 130 | 130 | 130 | N/A | 130 | 130 |
|                               | H5289A  | 0   | 0   | 240 | 240 | N/A | 0   | 240 |
|                               | H5292A  | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                               | H5293A  | 200 | 200 | 300 | 300 | N/A | 200 | 300 |
|                               | H5294A  | 0   | 0   | 0   | 0   | N/A | 0   | 0   |
|                               | H5295A  | 350 | 350 | 525 | 525 | N/A | 350 | 525 |
|                               | H5295A  | 350 | 350 | 525 | 525 | N/A | 350 | 525 |
|                               | H5963A  | 350 | 350 | 950 | 950 | N/A | 350 | 950 |
|                               | H5964A  | 350 | 350 | 525 | 525 | N/A | 350 | 525 |
|                               | H5964A  | 350 | 350 | 525 | 525 | N/A | 350 | 525 |

|                           |        |    |    |     |     |     |    |     |
|---------------------------|--------|----|----|-----|-----|-----|----|-----|
| <b>Storage Management</b> | B1923A | 72 | 72 | 144 | 144 | N/A | 72 | 144 |
|                           | B1929A | 0  | 0  | 240 | 240 | N/A | 0  | 240 |
|                           | B1929B | 0  | 0  | 240 | 240 | N/A | 0  | 240 |
|                           | B1942A | 0  | 0  | 240 | 240 | N/A | 0  | 240 |
|                           | B1945A | 0  | 0  | 0   | 0   | N/A | 0  | 0   |
|                           | B1945B | 0  | 0  | 0   | 0   | N/A | 0  | 0   |

\* Support pricing not available at the time of publication. Check CPL.

| Model Number     | Product Number | OS0    | OS1    | OS2    | OS3    | OS4     | OS5    | OS6      |
|------------------|----------------|--------|--------|--------|--------|---------|--------|----------|
|                  |                | ND/LTU | SD/LTU | ND/Tel | SD/Tel | Install | 4x7/LT | 24x7/Tel |
| Print Management | B1900B         | 0      | 0      | 240    | 240    | N/A     | 0      | 240      |
|                  | B1907B         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |
|                  | B1917B         | 0      | 0      | 0      | 0      | N/A     | 0      | 0        |

|                    |        |       |       |       |       |     |       |       |
|--------------------|--------|-------|-------|-------|-------|-----|-------|-------|
| Network Management | 27361B | 0     | 0     | 600   | 600   | N/A | 0     | 600   |
|                    | B1037A | 0     | 0     | 600   | 600   | N/A | 0     | 600   |
|                    | B1040B | 1,344 | 1,584 | 2,304 | 2,544 | 563 | 1,899 | 2,669 |
|                    | J2311A | 0     | 0     | N/A   | N/A   | N/A | 0     | N/A   |
|                    | J2314A | 0     | 0     | 600   | 600   | N/A | 0     | 600   |
|                    | J2317A | 0     | 0     | 600   | 600   | N/A | 0     | 600   |
|                    | J2320A | 0     | 0     | N/A   | N/A   | N/A | 0     | N/A   |
|                    | J2323A | 0     | 0     | 260   | 260   | N/A | 0     | 260   |
|                    | J2343A | 0     | 0     | 600   | 600   | N/A | 0     | 600   |

|                 |         |       |       |       |       |     |       |       |
|-----------------|---------|-------|-------|-------|-------|-----|-------|-------|
| Node Management | J1040AA | 0     | 0     | 0     | 0     | N/A | 0     | 0     |
|                 | J1041AA | 0     | 0     | 0     | 0     | N/A | 0     | 0     |
|                 | J1042AA | 675   | 675   | 995   | 995   | N/A | 675   | 995   |
|                 | J1042AB | 50    | 50    | 75    | 75    | N/A | 50    | 75    |
|                 | J1043AA | 0     | 0     | 0     | 0     | N/A | 0     | 0     |
|                 | J1045AA | 0     | 0     | 0     | 0     | N/A | 0     | 0     |
|                 | J1046AA | 0     | 0     | 0     | 0     | N/A | 0     | 0     |
|                 | J1047AA | 775   | 775   | 1,155 | 1,155 | N/A | 775   | 1,155 |
|                 | J1047AB | 55    | 55    | 83    | 83    | N/A | 55    | 83    |
|                 | J1048AA | 0     | 0     | 0     | 0     | N/A | 0     | 0     |
|                 | J1050AA | 1,250 | 1,250 | 1,875 | 1,875 | N/A | 1,250 | 1,875 |
|                 | J1050AB | 99    | 99    | 149   | 149   | N/A | 99    | 149   |
|                 | J1051AA | 0     | 0     | 0     | 0     | N/A | 0     | 0     |
|                 | J1052AA | 0     | 0     | 0     | 0     | N/A | 0     | 0     |
|                 | J1053AA | 795   | 795   | 1,595 | 1,595 | N/A | 795   | 1,595 |
|                 | J1053AB | 925   | 925   | 1,875 | 1,875 | N/A | 925   | 1,875 |
| J1054AA         | 0       | 0     | 0     | 0     | N/A   | 0   | 0     |       |

#### Networking and Communications

|                           |        |   |   |     |     |     |   |     |
|---------------------------|--------|---|---|-----|-----|-----|---|-----|
| SNA Connectivity Products | J2226A | 0 | 0 | 240 | 240 | 461 | 0 | 240 |
|                           | J2227A | 0 | 0 | 167 | 167 | 186 | 0 | 167 |
|                           | J2228A | 0 | 0 | 159 | 159 | N/A | 0 | 159 |
|                           | J2229A | 0 | 0 | 225 | 225 | 186 | 0 | 225 |
|                           | J2230A | 0 | 0 | 220 | 220 | N/A | 0 | 220 |

|                  |        |    |    |    |    |     |     |     |
|------------------|--------|----|----|----|----|-----|-----|-----|
| Local Area Links | 25567B | 0  | 0  | 0  | 0  | 274 | 0   | 0   |
|                  | A2544A | 30 | 62 | 30 | 62 | 354 | 175 | 175 |
|                  | A2545A | 30 | 62 | 30 | 62 | 354 | 175 | 175 |
|                  | J2165A | 0  | 0  | 0  | 0  | 461 | 0   | 0   |

|          |        |   |   |     |     |     |   |     |
|----------|--------|---|---|-----|-----|-----|---|-----|
| Services | J2140A | 0 | 0 | 105 | 105 | N/A | 0 | 105 |
|----------|--------|---|---|-----|-----|-----|---|-----|

\* Support pricing not available at the time of publication. Check CPL.



| Model Number           | Product Number | OS0<br>ND/LTU | OS1<br>SD/LTU | OS2<br>ND/Tel | OS3<br>SD/Tel | OS4<br>Install | OS5<br>4x7/LT | OS6<br>24x7/Tel |
|------------------------|----------------|---------------|---------------|---------------|---------------|----------------|---------------|-----------------|
| <b>Wide Area Links</b> | A4015A         | *             | *             | *             | *             | *              | *             | *               |
|                        | J2159A         | 27            | 52            | 27            | 52            | 371            | 85            | 85              |
| <b>ISDN Products</b>   | J2104A         | 24            | 48            | 221           | 245           | 276            | 64            | 261             |
|                        | J2105A         | 96            | 96            | 192           | 192           | N/A            | 96            | 192             |
|                        | J2108A         | *             | *             | *             | *             | *              | *             | *               |
|                        | J2109A         | *             | *             | *             | *             | *              | *             | *               |
| <b>OSI Products</b>    | J2160A         | 0             | 0             | 240           | 240           | N/A            | 0             | 240             |
|                        | J2161A         | 0             | 0             | 240           | 240           | N/A            | 0             | 240             |
|                        | J2162A         | 0             | 0             | 240           | 240           | N/A            | 0             | 240             |
|                        | J2163A         | 0             | 0             | 180           | 180           | N/A            | 0             | 180             |
|                        | J2232A         | 0             | 0             | 0             | 0             | N/A            | 0             | 0               |
| <b>Graphics</b>        | B2156A         | 200           | 200           | 300           | 300           | N/A            | 200           | 300             |
|                        | B2363C         | 0             | 0             | 240           | 240           | N/A            | 0             | 240             |
|                        | B2363D         | 0             | 0             | 240           | 240           | N/A            | 0             | 240             |
|                        | B2364C         | 0             | 0             | 75            | 75            | N/A            | 0             | 75              |
|                        | B2364D         | 0             | 0             | 75            | 75            | N/A            | 0             | 75              |
|                        | B2930A         | 0             | 0             | 240           | 240           | N/A            | 0             | 240             |
|                        | B2931A         | 0             | 0             | 150           | 150           | N/A            | 0             | 150             |
|                        | B3176A         | 0             | 0             | 520           | 520           | N/A            | 0             | 520             |
|                        | B3177A         | 0             | 0             | 115           | 115           | N/A            | 0             | 115             |
| <b>Migration Tools</b> | B2681A         | 0             | 0             | 115           | 115           | N/A            | 0             | 115             |
|                        | B2895A         | 0             | 0             | 115           | 115           | N/A            | 0             | 115             |
| <b>HP-RT Products</b>  | B3127A         | 105           | 105           | 105           | 105           | N/A            | 105           | 105             |
|                        | B3138A         | 800           | 800           | 1,200         | 1,200         | N/A            | 800           | 800             |
|                        | B3208AA        | *             | *             | *             | *             | *              | *             | *               |
|                        | B3279AA        | *             | *             | *             | *             | *              | *             | *               |
|                        | B3800AA        | *             | *             | *             | *             | *              | *             | *               |
|                        | B3803AA        | *             | *             | *             | *             | *              | *             | *               |
|                        | B3805AA        | *             | *             | *             | *             | *              | *             | *               |
|                        | B3806AA        | *             | *             | *             | *             | *              | *             | *               |
|                        | B3808AA        | *             | *             | *             | *             | *              | *             | *               |
|                        | B3809AA        | *             | *             | *             | *             | *              | *             | *               |
| <b>Miscellaneous</b>   | B1504A         | 0             | 0             | 75            | 75            | N/A            | 0             | 75              |
|                        | E2071I         | N/A           | N/A           | N/A           | N/A           | N/A            | N/A           | N/A             |
|                        | E2085C         | N/A           | N/A           | N/A           | N/A           | N/A            | N/A           | N/A             |
|                        | E2091B         | N/A           | N/A           | N/A           | N/A           | N/A            | N/A           | N/A             |
|                        | E2101B         | N/A           | N/A           | N/A           | N/A           | N/A            | N/A           | N/A             |
|                        | E2111B         | N/A           | N/A           | N/A           | N/A           | N/A            | N/A           | N/A             |
|                        | E2116B         | N/A           | N/A           | N/A           | N/A           | N/A            | N/A           | N/A             |

\* Support pricing not available at the time of publication. Check CPL.

# Appendix A:

## HP 9000 Series 700 Instant Ignition and Preloaded Software Configuration Guide

---



---

### Audience and Purpose

This document is intended for HP customers, HP systems engineers, HP sales representatives, HP Certified Workstation Resellers, and others who need to configure HP 9000 Series 700 workstations with preloaded and preconfigured software. This document explains in detail the following:

- |  |            |
|--|------------|
| • Overview of the Instant Ignition product family              | Page A- 2  |
| • Functionality in Desktop and Run-time HP-UX Instant Ignition | Page A- 4  |
| • Ordering information for Instant Ignition workstations       | Page A- 6  |
| • How Instant Ignition configures 260 MB disks                 | Page A- 8  |
| • How Instant Ignition configures 525 MB and larger disks      | Page A- 10 |
| • Information on preloaded layered software products           | Page A- 13 |
| • Filesets in Desktop HP-UX Instant Ignition                   | Page A- 17 |
| • Filesets in Run-time HP-UX Instant Ignition                  | Page A- 18 |
| • Instant Ignition's automatic swap space configuration        | Page A- 19 |

This guide covers the HP-UX 9.05 release.

### Introduction

The HP Instant Ignition product family preloads and preconfigures the HP-UX operating system on HP 9000 Series 700 workstations. It saves customers considerable time and money because they no longer have to do the installation from scratch. Instant Ignition customizes Series 700 workstations for different local languages, including English, Japanese, Korean, German, French, Italian, and Spanish. The Instant Ignition products provide options for HP-UX version, CD-ROM recovery media, and swap space.

---

## Instant Ignition Products

---

Series 700 workstations with Instant Ignition may be ordered with certain layered software products preloaded and preconfigured. These preloadable software products are identified by the presence of the option 0D1, Factory Integration. As with the HP-UX operating system, considerable time and money is saved by ordering layered software products preloaded and preconfigured.

Instant Ignition comes in two flavors:

- Desktop HP-UX Instant Ignition
- Run-time HP-UX Instant Ignition

Desktop HP-UX is designed for standalone client systems running commercial applications. English and European versions of Desktop HP-UX fit comfortably on disk drives as small as 260 MB. It includes the basic HP-UX command set, the full X-Window environment, HP Visual User Environment (VUE), and the full set of ARPA/Berkeley and NFS networking utilities. Desktop HP-UX is a subset of HP-UX Run-time. The filesets contained in Desktop HP-UX Instant Ignition are listed in "Desktop HP-UX Filesets" on Page A- 17.

HP-UX Run-time is the full HP-UX environment. It includes all of Desktop HP-UX plus the Starbase Run-time environment, the full suite of UUCP utilities, man pages, and a number of other features. HP-UX Run-time should be used in software development environments, or where any technical or CAD application is being employed. In addition, any system used as a server should have HP-UX Run-time loaded on it. The filesets contained in HP-UX Run-time are listed in "Run-time HP-UX Filesets" on Page A- 18.

## Instant Ignition Products

---

The Instant Ignition product family consists of seven Desktop HP-UX and seven HP-UX Run-time products in different language versions. Table 1 shows the different product numbers for each of the different versions.

---

TABLE 1.

Instant Ignition Product Family

| Language | Desktop HP-UX<br>Instant Ignition<br>Product Number | HP-UX Run-Time<br>Instant Ignition<br>Product Number |
|----------|---|--|
| English  | B3530AA   | B2910A   |
| Japanese | B3530AJ   | B2911A   |
| German   | B3530AD   | B2912A   |
| French   | B3530AF   | B3485A   |
| Spanish  | B3530AE   | B3531AE  |
| Italian  | B3530AZ   | B3531AZ  |
| Korean   | B3530AV   | B3531AV  |

## Instant Ignition Products

The Desktop HP-UX Instant Ignition products preload and preconfigure the different language versions of Desktop HP-UX. The HP-UX Run-time Instant Ignition product numbers preload and preconfigure the different language versions of the full HP-UX Run-time product.

Note that when an HP Series 700 workstation is purchased with Desktop HP-UX Instant Ignition, the user has a license to run the full HP-UX Run-time product if additional disk space is obtained later.

See "Functionality in Desktop HP-UX and HP-UX Run-Time" on Page A- 4 for information on the contents of each of the different configurations.

### Instant Ignition Options

Each of the Instant Ignition products listed in Table 1 has a number of options available that cover HP-UX version, CD-ROM recovery media and swap space. The options for each Instant Ignition product are shown in Table 2. Table 3 contains an explanation of each of the options.

**TABLE 2. Instant Ignition Product Options**

| Option Number | Description   | U.S List Price |
|---------------|---|----------------|
| #APH          | HP-UX Version 9.0   | \$125          |
| #AJA          | CD-ROM Recovery Media with precomputed codeword based on hardware ID (no HP-HIL ID module)                      | \$520          |
| #AAB          | CD-ROM Recovery Media with HP-HIL ID module and precomputed codeword (not valid with Model 712)                 | \$520          |
| #ATB          | 100 MB swap space on first disk (not valid with 260 MB disk)  | N/C            |
| #ATC          | 200 MB swap space on first disk (not valid with 260 MB disk)  | N/C            |
| #ATD          | 500 MB swap space on first disk (not valid with 260 MB or 525 MB disks)   | N/C            |
| #ATE          | 100 MB swap space on second disk (valid only with 2-disk systems)   | N/C            |
| #ATF          | 200 MB swap space on second disk (valid only with 2-disk systems)   | N/C            |
| #ATG          | 500 MB swap space on second disk (valid only with 2-disk systems where the second disk is 1 gigabyte or larger) | N/C            |

**TABLE 3. Explanation of Instant Ignition Options**

| Option | What it does  | What it Includes   | What you need to know   |
|--------|---|--|---|
| #APH   | Preloads either Desktop HP-UX or HP-UX Run-time 9.05    | Preloading of HP-UX operating system version 9.05  | Must specify a version option. 9.05 is presently the only version available.  |
| #AJA   | Provides CD-ROM recovery media without HP-HIL ID module | HP-UX CD kit with Install CD, OS CD, Application CD and support CD; precomputed codeword that unlocks all preloaded software products. Codeword is based on workstation hardware ID. | This is the same CD kit as in product number B2826B. If CD-ROM recovery media is desired for Model 712, order this option.                                  |
| #AAB   | Provides CD-ROM recovery media with HP-HIL ID module    | HP-UX CD kit with Install CD, OS CD, Application CD and support CD; precomputed codeword that unlocks all preloaded software products. Codeword is based on HP-HIL ID module         | This is the same CD kit as in product number B2826B. <i>Do not order this option in combination with a Model 712.</i> The 712 does not have an HP-HIL port. |
| #ATB   | Configures 100 MB of device swap on first disk          | Configuration of 100 MB device swap on first disk drive  | Valid for all systems with 525 MByte or larger disks. Not valid in combination with 260 MB disk drive.  |
| #ATC   | Configures 200 MB of swap space on first disk           | Configuration of 200 MB device swap space on first disk drive  | Valid for all systems with 525 MByte or larger disks. Not valid in combination with 260 MB disk drive.  |
| #ATD   | Configures 500 MB of swap space on first disk           | Configuration of 500 MB device swap space on first disk drive  | Only valid for 1 gigabyte or larger disk drives   |
| #ATE   | Configures 100 MB of device swap on second disk         | Configuration of 100 MB device swap space on second disk drive   | Only valid for two-disk systems.  |
| #ATF   | Configures 200 MB of device swap on second disk         | Configuration of 200 MB device swap space on second disk drive   | Only valid for two-disk systems.  |
| #ATG   | Configures 500 MB of swap space on second disk          | Configuration of 500 MB device swap space on second disk drive   | Only valid for two-disk systems where the second disk is 1 gigabyte or larger   |

**Functionality in Desktop HP-UX and HP-UX Run-Time**

**Desktop HP-UX Instant Ignition**

Desktop HP-UX is designed to run X-Window applications primarily in commercial client environments. The primary benefits of Desktop HP-UX Instant Ignition are:

- Contains the right functionality for commercial desktop applications
- Saves considerable disk space for commercial users
- Can be ordered in combination with the inexpensive Model 712 with a 260 MByte disk

Desktop HP-UX Instant Ignition contains the following functionality:

- 2-User HP-UX license
- Full suite of TCP/IP networking with ARPA and NFS services
- Text editors (*vi*, *ex*, etc.)
- Full X11R4 and X11R5 runtime environments including fonts (fonts are removed automatically if a font server is specified during the bootup process, saving 10 MBytes of disk space)
- Full HP Visual User Environment
- Spelling checker
- Network License Server runtime
- Audio support
- Appropriate message catalogs and appropriate NLIO for the Asian languages
- Kernighan and Ritchie C compiler (for kernel building only - include files are not in Desktop HP-UX)



### Run-time HP-UX Instant Ignition

HP-UX Run-time Instant Ignition contains all the features of Desktop HP-UX plus the following extra features. Run-time HP-UX is *required* for any systems running 3D applications, acting in multiuser or server configurations, running software development applications or performing serial communications. It is recommended for any Series 700 workstations being used in technical applications.

Note that a number of layered software products require the full HP-UX Run-time and will not run properly on Desktop HP-UX. See "Preloaded Layered Software Products" on Page A- 13 for a list of these products.

Run-time HP-UX Instant Ignition contains the following functionality:

- Accounting
- Auditing
- Manual pages
- Starbase runtime environment
- Disk quotas
- Keyshell
- Netinstall (ability to act as a server to install the HP-UX operating system over the network)
- Text processing utilities (*nroff*, etc.)
- Serial Line Internet Protocol (SLIP)
- Diskless server capability (*rbootd*)

- C language *include* files


“Desktop HP-UX Filesets” on Page A- 17 contains a list of the filesets in Desktop HP-UX Instant Ignition. “Run-time HP-UX Filesets” on Page A- 18 contains a list of the filesets in HP-UX Run-time Instant Ignition.

## Ordering Instant Ignition

---

Ordering the Instant Ignition products involves specifying the following:

- Workstation hardware
- Localization kit
- Instant Ignition
- Preloaded software product(s)



Following are the steps necessary to properly order Instant Ignition.

**1. Choose workstation hardware.**

The Instant Ignition products may be ordered with any Series 700 that has an internal disk drive.

**2. Choose Desktop HP-UX Instant Ignition or Run-time HP-UX Instant Ignition.**

Desktop HP-UX Instant Ignition is recommended for commercial client workstations that run, but do not develop, X-Window applications.

Desktop HP-UX Instant Ignition is the only type of Instant Ignition that may be ordered with a Model 712 workstation that has a 260 MByte disk drive.

Note that when one of the Desktop Instant Ignition products is purchased, the customer has the right-to-use the full Run-time HP-UX if sufficient disk space is available.

Run-time HP-UX Instant Ignition is required for any Series 700 that runs software development applications, Starbase-based graphical applications or acts as a multiuser system. It is recommended for any Series 700 that will be used as a network or compute server or that will run a technical application.

**3. Choose localized version of Instant Ignition.**

Localized versions of both Desktop and Run-time Instant Ignition are available for a number of languages. See Table 1 on page A- 2 for a list of the languages and their corresponding product numbers.

**4. Choose version option.**

Option #APH, which preloads HP-UX 9.05, is the only version available today.

**5. Choose backup media.**

At least one CD-ROM kit is recommended per workgroup of workstations.

Option AAB provides an HP-UX CD-ROM kit with a precomputed codeword and HP-HIL ID module. Option AAB may not be ordered with a Model 712 because the Model 712 does not have an HP-HIL keyboard and mouse.

Codewords provided with the option AAB will not work on a Model 712. Option AJA provides an HP-UX CD-ROM kit with precomputed codeword based on a workstation hardware ID number. If a CD-ROM kit is ordered with a Model 712, order the option AJA.

**6. Choose a swap space option.**

One of option ATB, ATC, or ATD may be chosen for any system except a Model 712 equipped with a 260 MB disk. Only one of ATE, ATF, or ATG may be chosen for a two-disk system.

Swap space options ATB-ATG may not be ordered with a Model 712 with a 260 MB disk drive since the 260 MB disk has a specific swap configuration. See “How Desktop HP-UX Instant Ignition Configures 260 MB Disks” on Page A- 8 for more information on this.

For workstations with 525 MB and larger disks, a swap space option may be ordered but is not required. If a swap space option is not ordered, the swap space will be automatically calculated. See “Instant Ignition Automatic Swap Space Calculation” on Page A- 19 for detailed information on how this calculation is performed.



Table 4 is a matrix that shows valid combinations of Desktop, Run-time, preloaded layered software products, and swap space with the different disk drive sizes.

**TABLE 4. Compatibility Matrix for Disks, Instant Ignition, and Options**

| Disk Size         | Desktop HP-UX                           | Run-time HP-UX | Swap Space Options | Preloaded Layered software |
|-------------------|---|----------------|--------------------|----------------------------|
| 260 MB            | Valid, except Japanese and Korean HP-UX | Not Valid      | Not Valid          | Not Valid                  |
| 525 MB and larger | Valid                                   | Valid          | Valid              | Valid                      |

**7. Choose layered software product(s) to be preloaded.**

A software product is preloadable if it has an option 0D1, Factory Integration. No preloaded layered software products may be ordered with a Model 712 with a 260 MB disk.

**8. Put the workstation, Instant Ignition, and layered products on the same item and on the same order section.**

Table 5 is an example order.

**TABLE 5. Example Order for Workstation plus Instant Ignition**

| Item Number | Description                |
|-------------|----------------------------|
| 0100        | Workstation Hardware       |
| 0101        | Localization Kit           |
| 0102        | Instant Ignition           |
| 0103        | Preloaded Software Product |

It is critical that the Localization Kit, Instant Ignition, the preloaded software products be quoted and ordered as *subitems* of the workstation. If they are not ordered this way, then the system cannot be built.

**How Desktop HP-UX Instant Ignition Configures 260 MByte Disks**

Desktop HP-UX comes in two different disk configurations:

- 260 MByte disk configuration
- 525 MByte and larger disk configurations

The configuration for 525 MByte and larger disks is covered in “Desktop and Run-time HP-UX Instant Ignition on 525 MB and Larger Disks” on Page A- 10.

**260 MByte Disk Configuration**

When Desktop HP-UX Instant Ignition is ordered with a Series 700 workstation and a 260 MByte disk, how it configures the disk depends on whether the system is configured with English-language Instant Ignition or one of the European languages.

The disk usage profiles for English and European languages are different, but all involve the same size operating system, 32 MBytes of device (fixed) swap space, 24 MBytes of filesystem (dynamic) swap space, and 10% min free. *Note that these swap space numbers are fixed for the 260 MByte disk and cannot be varied.*

Due to the fact that the Japanese and Korean versions of Desktop HP-UX take up much more disk space than either the English or European Desktop HP-UX Instant Ignition products, they are not supported on 260 MB disk drives. The Japanese and Korean Desktop HP-UX Instant Ignition products may be ordered only with 525 MB or larger disks. See “Desktop and Run-time HP-UX Instant Ignition on 525 MB and Larger Disks” on Page A- 10 for more information.

**English and European Desktop HP-UX Instant Ignition**


Table 6 shows the disk space usage for English and European Desktop HP-UX on 260 MB disks.

**TABLE 6. English and European Desktop HP-UX Instant Ignition Disk Usage on 260 MB Disks**

| Item  | English System Disk Space Usage | European System Disk Space Usage |
|---|---------------------------------|----------------------------------|
| Desktop HP-UX Operating System                          | 101 MB                          | 101 MB                           |
| Fonts   | 8 MB                            | 8 MB                             |
| European (Italian, German, or Spanish) message catalogs | None                            | 9 MB                             |
| Device (fixed) swap                                     | 32 MB                           | 32 MB                            |
| Filesystem (dynamic) swap                               | 24 MB                           | 24 MB                            |
| 10% Min free and overhead                               | 26 MB                           | 26 MB                            |
| <b>Free space for applications</b>                      | <b>69 MB</b>                    | <b>60 MB</b>                     |
| Total disk size   | 260 MB                          | 260 MB                           |

Figure 1 shows a graphical representation of both English and European Desktop Instant Ignition’s disk space usage.

FIGURE 1. English and European Desktop HP-UX Disk Usage on 260 MB disks



Note that upon bootup, all the Instant Ignition products ask whether the workstation will use a network font server or if it will keep the fonts local. If the user has a font server configured, the system automatically deletes the 8 MBytes of fonts and increases the free space to about 78 MBytes.

### Desktop and Run-time HP-UX Instant Ignition on 525 MB and Larger Disks

---

The main differences between how Desktop HP-UX Instant Ignition configures 260 MB disks and how it configures 525 MB and larger disks are:

- Swap space may be specified on the larger disk drives
- More free space for user applications and data

Run-time HP-UX Instant Ignition is only available on 525 MB and larger disk drives. The technique for figuring free disk space on an Instant Ignition system is the same for Desktop and Run-time HP-UX except that the size of the operating system itself differs between the two.

Table 7 shows the size of Desktop and Run-time HP-UX for the different language versions.

**TABLE 7. Sizes of Desktop HP-UX and Run-time HP-UX**

| Language  | Desktop HP-UX Size (MB) | Run-time HP-UX Size (MB) |
|---|-------------------------|--------------------------|
| English   | 110                     | 155                      |
| European (German, French, Italian, and Spanish) | 118                     | 164                      |
| Asian (Japanese and Korean)                     | 190                     | 235                      |

To calculate the amount of free space left on a disk after adding HP-UX and swap space, you need to know the following:

- Formatted disk size
- Device swap space option
- I-nodes and other filesystem overhead
- 10% minimum free space (min free)
- Size of HP-UX from Table 7

#### Formatted Disk Size

525 MB, 1 gigabyte, and 2 gigabyte internal disk drives are presently available with HP Series 700 workstations. These numbers refer to the raw formatted capacity.

#### Device Swap Space Options

There are presently six device (fixed) swap space options available with Desktop HP-UX Instant Ignition:

- 100 MBytes on the first disk (Option ATB)
- 200 MBytes on the first disk (Option ATC)
- 500 MBytes on the first disk (Option ATD)
- 100 MBytes on the second disk (Option ATE)
- 200 MBytes on the second disk (Option ATF)
- 500 MBytes on the second disk (Option ATG)

If no swap space option is ordered, HP calculates the swap space based on:

- The amount of RAM ordered with the workstation
- Any special swap space requirements for preloaded applications.

See “Instant Ignition Automatic Swap Space Calculation” on Page A- 19 for a detailed explanation of how this calculation is done.

#### I-nodes and Other Filesystem Overhead

I-nodes and other filesystem overhead occupy approximately 3% of free disk space.

Free disk space is determined by the following calculation:

$$\text{Free disk space} = \text{Raw formatted capacity} - \text{Device swap space} \quad (\text{EQ 1})$$

For example, for a 525 MB disk with 100 MB of swap space:

$$\text{Free disk space} = 525 - 100 = 425 \text{ MB} \quad (\text{EQ 2})$$

I-nodes and other overhead occupy about 3% of that free space:

$$\text{I-nodes and overhead} = 0.03 * 425 \text{ MB} = 13 \text{ MB} \quad (\text{EQ 3})$$

### Minimum Free Space

Minimum free space, popularly known as “min free”, is the minimum percentage of free disk space set aside for system usage. When the filesystem capacity reaches this threshold, only the root user is allowed to allocate disk blocks.

On Instant Ignition systems min free is preconfigured to 10% of what is left after device swap, i-nodes, and other overhead are configured. 10% is the default value for HP-UX min free and is the generally recognized value for optimum system performance.

Min free is 10% of the space left after subtracting out device swap and filesystem overhead:

$$\text{Min free} = 0.10 * (\text{raw formatted capacity} - \text{device swap} - \text{filesystem overhead}) \quad (\text{EQ 4})$$

For example, on a 525 MB disk with 100 MB of swap space, 10% min free is:

$$0.10 * (525 \text{ MB} - 100 \text{ MB} - 13 \text{ MB}) = 42 \text{ MB} \quad (\text{EQ 5})$$

### Free Space for Applications

Equation 6 shows how to calculate free space left for applications.

$$\text{Application free space} = \text{Raw formatted capacity} - \text{swap space} - \text{filesystem overhead} - \text{min free} - \text{size of HP-UX from Table 7} \quad (\text{EQ 6})$$

### Example: Desktop HP-UX on 525 MB Disk

Using a 525 MB disk as an example, we will find the free space for a Desktop HP-UX Instant Ignition system with 100 MB swap space using Equation 6. This example is for an English system.

$$\text{Application free space} = 525 - 100 - 13 - 42 - 110 = 260 \text{ MB} \quad (\text{EQ 7})$$

This free space is available for applications and customer data. Use this free space number as the room available for preloaded applications.

### Examples of Run-time HP-UX on 525 MB and Larger Disks

These examples are for an English system and use 155 MBytes for the size of Run-time HP-UX. European and Asian systems will of course have less free space than in these examples because they are larger. These examples use Equation 6.

*Example 1:* 525 MB disk with 100 MB swap space:

$$\text{Application free space} = 525 - 100 - 13 - 42 - 155 = 215 \text{ MB} \quad (\text{EQ 8})$$

*Example 2:* 1 GB disk with 200 MB swap space:

$$\text{Application free space} = 1000 - 200 - 30 - 77 - 155 = 538 \text{ MB} \quad (\text{EQ 9})$$

*Example 3:* 2 GB disk with 500 MB swap space

$$\text{Application free space} = 2000 - 500 - 60 - 144 - 155 = 1141 \text{ MB} \quad (\text{EQ 10})$$

**Note on Two-Disk Systems**

When loaded on two-disk systems, both Desktop and Run-time HP-UX Instant Ignition put the */usr* filesystem on the second disk drive. Table 8 shows the size of the */usr* filesystems on Desktop and Run-time HP-UX.

Therefore, on a two-disk system, the operating system uses 66 MB on an English Desktop HP-UX system and 117 MB on an English Run-time HP-UX system. The values for the size of */usr* on European and Asian systems are proportionately larger.

**TABLE 8. Size of */usr* filesystem on Desktop and Run-time HP-UX (English system)**

|                                       |        |
|---------------------------------------|--------|
| Desktop HP-UX <i>/usr</i> filesystem  | 66 MB  |
| Run-time HP-UX <i>/usr</i> filesystem | 117 MB |

**Preloaded Layered Software Products**

---

Products that can be preloaded and preconfigured with Instant Ignition are identified by the presence of an option 0D1. When the layered software product is ordered in combination a Series 700, Instant Ignition and option 0D1, then it is automatically preloaded on the workstation.

This section covers the following areas:

- List of applications preloadable on Desktop and Run-time HP-UX Instant Ignition
- List of the configured sizes in MBytes of each of the applications

**Applications on Desktop and Run-time HP-UX**

Table 9 shows applications that may be ordered preloaded on both Desktop HP-UX Instant Ignition and Run-time HP-UX Instant Ignition. Note that other applications will be added over time.

**TABLE 9. Applications Preloadable with Desktop and Run-time HP-UX Instant Ignition**

| Product Number                 | Description        |
|--------------------------------|--------------------|
| B1194A                         | MPower Client      |
| B3233AA                        | RTW Basic Client   |
| A4011A or Model 712 option AL4 | HP Token Ring/9000 |
| A4015A or Model 712 option UGC | X.25 for Model 712 |

**Applications for Run-time HP-UX**

Table 10 shows applications that may be preloaded with Run-time HP-UX.

**TABLE 10. Applications Preloadable with Run-time HP-UX**

| Product Number | Description                 |
|----------------|-----------------------------|
| B1194A         | MPower Client               |
| B3233AA        | RTW Basic Client            |
| B1195A         | MPower Server               |
| B2353A         | HP-UX 8-user Run-time       |
| B2354A         | C/ANSI C Developer's Bundle |
| B2356A         | HP-UX Developers Toolkit    |
| B2357A         | General Programming Tools   |
| B2413A         | C/ANSI C Compiler           |
| B2408A         | Fortran Compiler            |
| B2414A         | Pascal Compiler             |
| B3550AA        | Programmer's Toolset        |
| B2156C         | PowerShade                  |
| B3150A         | 32-User HP-UX               |
| B3176A         | HP-PEX Developers Kit       |
| B3177A         | HP-PEX Run-time Libraries   |
| B3146A         | Allbase Runtime             |
| B3147A         | Allbase Developers Kit      |
| B3197A         | Japanese Allbase Run-time   |

**TABLE 10. Applications Preloadable with Run-time HP-UX**

| Product Number                                | Description                     |
|---|---------------------------------|
| B3198A  | Japanese Allbase Developers Kit |
| B3236A  | RTW Basic Server                |
| B3239AA                                       | RTW Integration Toolkit         |
| B2403AA                                       | HP C++ Compiler                 |
| A2556A/A2654A or Models<br>735/755 option 009 | FDDI                            |
| A4011A or Model 712<br>option AL4             | Tbken Ring for Model 712        |
| A4015A or Model 712<br>option UGC             | X.25 for Model 712              |

This list will be expanded over time.

#### Sizes of Preloadable HP Software Applications

Table 11 shows the configured sizes in MBytes for each of the preloadable HP applications. This information should be used in combination with the HP-UX size information in “Desktop and Run-time HP-UX Instant Ignition on 525 MB and Larger Disks” on Page A- 10 when configuring systems.

The column labeled “Total Disk Usage” should be used when configuring a single-disk system. The columns “Root Filesystem Usage” and “/usr Filesystem Usage” provide the space that each application occupies on the first and second disks of a two-disk system, respectively. The root, or / filesystem is on the first disk and the /usr filesystem is on the second disk.

It is advisable when configuring a preloaded Series 700 workstation to leave at least 50 MB of free space on the system.

**TABLE 11. Sizes of Preloadable HP Software Products**

| Product | Description                 | Total Disk Usage (MBytes) | Root Filesystem Usage (MBytes) | /usr filesystem usage (MBytes) |
|---------|-----------------------------|---------------------------|--------------------------------|--------------------------------|
| B1194A  | MPower Client               | 19                        | 2                              | 18                             |
| B3233AA | RTW Basic Client            | 5                         | 1                              | 4                              |
| B1195A  | MPower Server               | 26                        | 1                              | 25                             |
| B2353A  | HP-UX 8-user Run-time       | 0.11                      | 0.1                            | 0.01                           |
| B2354A  | C/ANSI C Developer's Bundle | 42                        | 5                              | 37                             |
| B2356A  | HP-UX Developers Tolkit     | 34                        | 3                              | 31                             |
| B2357A  | General Programming Tools   | 5                         | 2                              | 3                              |



**TABLE 11. Sizes of Preloadable HP Software Products**

| Product                                   | Description                     | Total Disk Usage (MBytes) | Root Filesystem Usage (MBytes) | /usr filesystem usage (MBytes) |
|---|---------------------------------|---------------------------|--------------------------------|--------------------------------|
| B2413A                                    | C/ANSI C Compiler               | 9                         | 2                              | 7                              |
| B2408A                                    | Fortran Compiler                | 15                        | 1                              | 14                             |
| B2414A                                    | Pascal Compiler                 | 5                         | 1                              | 4                              |
| B3550AA                                   | Programmer's Toolset            | 6                         | 1                              | 5                              |
| B2156C                                    | PowerShade                      | 7                         | 1                              | 6                              |
| B3150A                                    | 32-User HP-UX                   | 0.1                       | 0.1                            | 0                              |
| B3176A                                    | HP-PEX Developers Kit           | 18                        | 2                              | 16                             |
| B3177A                                    | HP-PEX Run-time Libraries       | 11                        | 2                              | 9                              |
| B3146A                                    | Allbase Runtime                 | 25                        | 1                              | 24                             |
| B3147A                                    | Allbase Developers Kit          | 31                        | 1                              | 30                             |
| B3197A                                    | Japanese Allbase Run-time       | 25                        | 1                              | 24                             |
| B3198A                                    | Japanese Allbase Developers Kit | 31                        | 1                              | 30                             |
| B3236A                                    | RTW Basic Server                | 31                        | 22                             | 8                              |
| B3239AA                                   | RTW Integration Toolkit         | 1                         | 0.7                            | 0.3                            |
| B2403AA                                   | C++ Compiler                    | 15                        | 1                              | 14                             |
| A2556A/A2654A or Model 735/755 option 009 | FDDI                            | 2                         | 1.5                            | 0.5                            |
| A4011A or Model 712 option AL4            | Token Ring for Model 712        | 2                         | 2                              | 0                              |
| A4015A or Model 712 option UGC            | X.25 for Model 712              | 5                         | 4                              | 1                              |

**Desktop HP-UX Filesets**

---

|                |              |               |
|----------------|--------------|---------------|
| 02-USER        | X11-FONTA    | RUSSIAN       |
| AGRM           | X11-FONTB    | SERBOCROATIAN |
| ARPA-RUN       | X11-FONTC    | SLOVENE       |
| AUDIO          | X11-RUN      | SPANISH       |
| BMS            | X11-RUN-HELP | SWEDISH       |
| BSDIPC-SOCKET  | X11-SERV     | THAI          |
| C-MIN          | X11R4-SHLIBS | TURKISH       |
| CMDS-AUX       | X11R5-SHLIBS |               |
| CMDS-MIN       | AMERICAN     |               |
| CORE-SHLIBS    | ARABIC       |               |
| DOS-UTILS      | ARABICW      |               |
| EDITORS        | BULGARIAN    |               |
| HPUX-HELP      | CFRENCH      |               |
| IGNITION       | CHINESES     |               |
| IGNITION-HELP  | CHINESET     |               |
| IMAGING-RUN    | CZECH        |               |
| IMAGING-SHLIBS | DANISH       |               |
| KERN-BLD       | DUTCH        |               |
| LAN            | ENGLISH      |               |
| LP-SPOOL       | FINNISH      |               |
| LSSERVER-ADMIN | FRENCH       |               |
| LSSERVER-RUN   | GERMAN       |               |
| MAILERS        | GREEK        |               |
| MKFONTDIR      | HEBREW       |               |
| NCSNCK-RUN     | HUNGARIAN    |               |
| NET            | ICELANDIC    |               |
| NETINET        | ITALIAN      |               |
| NETTRACELOG    | JAPANESE     |               |
| NFS-RUN        | KATAKANA     |               |
| NLS-CORE       | KOREAN       |               |
| SAM            | NLS-CORE     |               |
| SPELL          | NORWEGIAN    |               |
| SYS-ADMIN      | POLISH       |               |
| TOOL           | PORTUGUES    |               |
| UX-CORE        | RUMANIAN     |               |

**Run-time HP-UX Filesets**

---

|               |                |               |              |
|---------------|----------------|---------------|--------------|
| 02-USER       | GERMAN         | NLS-CORE      | X11-FONTB    |
| ACCOUNTNG     | GREEK          | NLS-CORE      | X11-FONTC    |
| AGRM          | HEBREW         | NONHPTERM     | X11-FONTC    |
| AMERICAN      | HPUX-HELP      | NORWEGIAN     | X11-FONTSRV  |
| ARABIC        | HPUX-HELP      | POLISH        | X11-RUN      |
| ARABICW       | HUNGARIAN      | PORTUGUES     | X11-RUN-HELP |
| ARPA-AUX      | ICELANDIC      | RBOOTD        | X11-RUN-HELP |
| ARPA-INC      | IGNITION       | RUMANIAN      | X11-SERV     |
| ARPA-RUN      | IGNITION-HELP  | RUSSIAN       | X11R4-SHLIBS |
| AUDIO         | IGNITION-HELP  | SAM           | X11R5-SHLIBS |
| AUDIT         | IMAGING-RUN    | SBDL-SHLIBS   |              |
| BMS           | IMAGING-SHLIBS | SERBOCROATIAN |              |
| BSDIPC-SOCKET | ITALIAN        | SLIP-RUN      |              |
| BULGARIAN     | JAPANESE       | SLOVENE       |              |
| C-INC         | KATAKANA       | SPANISH       |              |
| C-MIN         | KERN-BLD       | SPELL         |              |
| CFRENCH       | KEYSHELL-RUN   | SRB-90WS      |              |
| CHINESES      | KOREAN         | SSB-90WS      |              |
| CHINESET      | LAN            | STAR-RUN      |              |
| CMDS-AUX      | LANG-MIN       | STAR-SHLIBS   |              |
| CMDS-MIN      | LANG-SHLIBS    | SWEDISH       |              |
| CORE-DIAG     | LP-SPOOL       | SYS-ADMIN     |              |
| CORE-SHLIBS   | LSSERVER-ADMIN | SYSCOM        |              |
| CZECH         | LSSERVER-RUN   | TERM-MNGR-MIN |              |
| DANISH        | MAILERS        | TERM-MNGR-NHP |              |
| DISKLESS      | MKFONTDIR      | TEXT-FMT      |              |
| DOS-UTILS     | NCSNCK-RUN     | THAI          |              |
| DQUOTA        | NET            | TOOL          |              |
| DUTCH         | NET-INSTL-300  | TURKISH       |              |
| EDITORS       | NET-INSTL-700  | UUCP          |              |
| ENGLISH       | NET-INSTL-AUX  | UX-CORE       |              |
| FAFM-RUN      | NETINET        | VME-SERV      |              |
| FAFM-SHLIBS   | NETIPC         | X11-FONTA     |              |
| FINNISH       | NETTRACELOG    | X11-FONTA     |              |
| FRENCH        | NFS-RUN        | X11-FONTB     |              |

## Instant Ignition Automatic Swap Space Calculation

---

When an HP 9000 Series 700 is ordered with Instant Ignition and no swap space option is specified, a swap space value is automatically calculated. This appendix explains how that calculation is performed. Note that when a swap space option is ordered, such as ATB for 100 MBytes swap space, it overrides these calculations.

The automatic swap space calculation takes into account the following quantities:

- Amount of system memory
- Operating system and applications to be preloaded

The calculation occurs as follows. The default HP-UX swap space value is 75 MB.

1. **System memory quantity is determined.**
2. **System memory quantity is doubled for systems having 16 MBytes of RAM or less, and works linearly down to 1.5 times system RAM for systems having 192 MB or more of RAM.**
3. **Swap is set to the total in step 2; or,**
4. **If the quantity (1.5-2.0 x System RAM) is less than the HP-UX default swap space value, swap space is set to the default HP-UX swap space value. The default HP-UX swap space is 75 MB.**
5. **If any preloaded applications specify extraordinary swap space requirements, that swap is added to the swap space calculated in Steps 2 or 4.**

### Example Calculations

#### Series 700 with 32 MB RAM

A Series 700 workstation has 32 MB RAM, Instant Ignition, and the C/ANSI C Developers Bundle preloaded. First system memory quantity is determined (32 MB). Next that quantity is multiplied by two:

$$(2 * \text{System Memory}) = (2 * 32 \text{ MB}) = 64 \text{ MB} \quad (\text{EQ 1})$$

The swap space requirement for the C/ANSI C Developer's Bundle is zero. This is added to the 64 MB in Equation 1. The total is 64 MB. Since 64 MB is smaller than the HP-UX default of 75 MB, 75 MB is the amount configured.

#### Series 700 with 256 MB RAM

A Series 700 workstation has 256 MB RAM. Since 256 MB is larger than 192 MB, 1.5 x system RAM is used:

$$(256 \text{ MB} * 1.5) = 384 \text{ MB} \quad (\text{EQ 2})$$

Since 384 MB is considerably larger than the system default of 75 MB, 384 MB is configured.

---

**Instant Ignition Automatic Swap Space Calculation**

---

## Index by Product Number

| <u>Description</u>   | <u>Product #</u> | <u>Page #</u> | <u>Description</u>   | <u>Product #</u> | <u>Page #</u> |
|--|------------------|---------------|--|------------------|---------------|
| HP Ready-to-Wear (RTW) Server Media for Series 700 - English       | B3236AA          | 9             | COBOL SoftBench License-To-Use                                   | B4015BB          | 18            |
| HP Ready-to-Wear (RTW) Server Media for Series 700 - German        | B3236AD          | 9             | COBOL SoftBench End-User Kit                                     | B4016BA          | 18            |
| HP Ready-to-Wear (RTW) Server Media for Series 700 - Spanish       | B3236AE          | 9             | COBOL SoftBench with Compiler License-To-Use                     | B4018BB          | 18            |
| HP Ready-to-Wear (RTW) Server Media for Series 700 - French        | B3236AF          | 9             | COBOL SoftBench with Compiler End-User Kit                       | B4019BA          | 18            |
| HP Ready-to-Wear (RTW) Server Media for Series 700 - Italian       | B3236AZ          | 9             | COBOL/C SoftBench License-To-Use                                 | B4021BB          | 19            |
| HP Ready-to-Wear (RTW) Integration Toolkit License, Price per User | B3237AA          | 8             | COBOL/C SoftBench End-User Kit                                   | B4022BA          | 19            |
| HP Ready-to-Wear (RTW) Integration Toolkit Media for Series 700    | B3239AA          | 8             | COBOL/C SoftBench with Compiler License-To-Use                   | B4024BB          | 19            |
| HP SharedPrint/UX 1.4 License-To-Use                               | B3240AA          | 11            | COBOL/C SoftBench with Compiler End-User Kit                     | B4025BA          | 19            |
| HP SharedPrint/UX 1.4 Media  | B3241AA          | 11            | HP Distributed Smalltalk VisualWorks/APOK Developer's Bundle     | B4040AB          | 22            |
| HP SharedPrint/UX Administrator's Manual                           | B3242AA          | 11            | HP Distributed Smalltalk VisualWorks/APOK End-user Kit           | B4041AA          | 22            |
| HP SharedPrint/UX 1.4 License-To-Use w/PostScript                  | B3243AA          | 11            | Distributed Smalltalk Development Product License-To-Use         | B4047AB          | 22            |
| HP SharedPrint/UX 1.4 w/PostScript Media                           | B3244AA          | 11            | Distributed Smalltalk Development Product End-User Kit           | B4048AB          | 22            |
| HP Wabi 1.1 Series 700 Media                                       | B3248AA          | 12            | Distributed Smalltalk Run-Time License-To-Use                    | B4055AB          | 22            |
| HP Wabi 1.1 License-To-Use   | B3249AB          | 12            |  |                  |               |
| HP Wabi 1.1 Series 700 Documentation                               | B3250AA          | 12            | HP MPower ScanJet IIcx   | C1788BA          | 11            |
| SynerVision/ChangeVision Bundle License-To-Use                     | B3260A           | 20            |  |                  |               |
| SynerVision License-To-Use   | B3261A           | 20            | EISA High-speed HP-IB interface card for instrument control      | E2071I           | 45            |
| ChangeVision License-To-Use  | B3262A           | 20            | SRMUX Network Server   | E2085C           | 45            |
| SynerVision/ChangeVision Bundle End-User Kit                       | B3265A           | 20            | SICL Instrument Control  | E2091B           | 45            |
| SynerVision End-User Kit   | B3269A           | 20            |  |                  |               |
| ChangeVision End-User Kit  | B3273A           | 20            | HP VEE-Engine  | E2101B           | 45            |
| SoftBench 3.2 BMS Framework License-To-Use                         | B3280B           | 18            | HP VEE-Test  | E2111B           | 45            |
| SoftBench 3.2 BMS Framework End-User Kit                           | B3283B           | 18            | HP VEE-Test/RunOnly  | E2116B           | 45            |
| ClearCase 1.1 License-To-Use                                       | B3285A           | 21            |  |                  |               |
|  |                  |               | HP PerView Analysis Software for HP 9000 Series 700              | H5289A           | 27            |
| HP MPower Client 2.0 License-To-Use                                | B3387BB          | 10            | HP PerView full agent license for HP 9000 HP-UX systems          | H5292A           | 27            |
| HP MPower Server 2.0 License-To-Use                                | B3388BB          | 10            | HP PerView full agent license for Sun SPARC systems              | H5293A           | 27            |
| Incremental Modem Line License-To-Use                              | B3389BB          | 10            | HP PerView agent license for HP 9000 HP-UX desktop systems       | H5294A           | 27            |
|  |                  |               | HP PerView agent license for Sun SPARCdesktop systems            | H5295A           | 27            |
| HP Micro Focus Toolbox Media                                       | B3452AA          | 17            | HP PerView full agent license for IBM RS6000 systems             | H5963A           | 27            |
| HP Micro Focus Toolbox   | B3452AB          | 17            | HP PerView agent license for IBM RS6000 desktop systems          | H5964A           | 28            |
| HP Micro Focus Dialog System Media                                 | B3454AA          | 17            |  |                  |               |
| HP Micro Focus Dialog System Concurrent User License               | B3454AB          | 17            | HP OV Node Manager for NetWare Station Media and Documentation   | J1040AA          | 34            |
| HP PerfRX Analysis Software License-To-Use                         | B3467AA          | 28            | HP OV Node Manager for NetWare Station Agent                     | J1041AA          | 34            |
| HP PerfRX Analysis Software Media and Manuals                      | B3468AA          | 29            | HP OV Node Manager for NetWare Station Manager License-to-Use    | J1042AA          | 34            |
| HP Programmer's Toolset Media                                      | B3477AA          | 16            | HP OV Node Manager for NetWare Station Agent License-To-Use      | J1042AB          | 34            |
| HP Programmer's Toolset License-To-Use                             | B3478AB          | 16            | HP OV Node Manager for NetWare Stations User's Documentation     | J1043AA          | 35            |
| HP Programmer's Toolset Manuals                                    | B3479AA          | 16            | HP OV Node Manager for Netware Media and Documentation           | J1045AA          | 35            |
| ALLBASE/Replicate Version G.0 for Series 700                       | B3480B           | 24            | HP OV Node Manager for Netware Agents Media and Documentation    | J1046AA          | 35            |
| French Run-Time HP-UX Instant Ignition                             | B3485A           | 3             | HP OV Node Manager for NetWare Servers                           | J1047AA          | 34            |
|  |                  |               | HP OV Node Manager for NetWare Server Agent License-To-Use       | J1047AB          | 34            |
| HP Apollo Pascal Media and Manuals                                 | B3513AA          | 16            | HP OV Node Manager for NetWare Servers User's Documentation      | J1048AA          | 35            |
| HP Apollo Pascal License-To-Use                                    | B3514AB          | 16            | HP OV Node Manager for NetWare License-To-Use (Bundle)           | J1050AA          | 34            |
| English Desktop HP-UX Instant Ignition                             | B3530AA          | 3             | HP OV Node Manager for NetWare Agent, License-To-Use (Bundle)    | J1050AB          | 34            |
| German Desktop HP-UX Instant Ignition                              | B3530AD          | 3             | HP OV SNA Node Manager Media and Documentation                   | J1051AA          | 35            |
| Spanish Desktop HP-UX Instant Ignition                             | B3530AE          | 3             | HP OV SNA Agent MVS Cartridge Media                              | J1052AA          | 35            |
| French Desktop HP-UX Instant Ignition                              | B3530AF          | 3             | HP OV SNA Node Manage License-To-Use                             | J1053AA          | 34            |
| Japanese Desktop HP-UX Instant Ignition                            | B3530AJ          | 3             | HP OV SNA Node Manager MVS Agent License-To-Use, 10 Subareas     | J1053AB          | 34            |
| Korean Desktop HP-UX Instant Ignition                              | B3530AV          | 3             | HP OV SNA Node Manager Documentation                             | J1054AA          | 35            |
| Italian Desktop HP-UX Instant Ignition                             | B3530AZ          | 3             |  |                  |               |
| Spanish Run-Time HP-UX Instant Ignition                            | B3531AE          | 3             | HP ISDN Link 64kbs   | J2104A           | 38            |
| Korean Run-Time HP-UX Instant Ignition                             | B3531AV          | 3             | TCP/IP to ISDN Gateway/Router for ISDN Link 64kbs                | J2105A           | 38            |
| Italian Run-Time HP-UX Instant Ignition                            | B3531AZ          | 3             | TCP/IP to ISDN Gateway/Router for ISDN Link 56kbs and 64kbs      | J2108A           | 38            |
| HP Programmer's Toolset Instant Ignition                           | B3550AA          | 16            | HP ISDN Link 56kbs and 64kbs                                     | J2109A           | 38            |
| C Softbench 3.3, License-To-Use                                    | B3560BB          | 18            | NS/9000 Network Services   | J2140A           | 37            |
| C SoftBench 3.3 End-User Kit                                       | B3562BA          | 18            | X.25/9000 Link Product   | J2159A           | 38            |
| C SoftBench 3.3 Japanese End-User Kit                              | B3562BJ          | 19            | HP OTS/9000  | J2160A           | 39            |
|  |                  |               | HP MMS/9000  | J2161A           | 39            |
| HP GancePlus License-To-Use  | B3690AA          | 28            | HP X.400/9000  | J2162A           | 39            |
| HP GancePlus Media and Manuals                                     | B3691AA          | 28            | HP FTAM/9000   | J2163A           | 39            |
| HP GancePlus Pak License-To-Use                                    | B3698AA          | 28            | HP Token Ring/9000   | J2165A           | 37            |
| HP GancePlus Pak Media and Manuals                                 | B3699AA          | 28            |  |                  |               |
|  |                  |               | SNAPplusLink   | J2226A           | 36            |
| HP-RT Developer's Kit License-To-Use                               | B3799AB          | 44            | SNAPplus3270   | J2227A           | 36            |
|  |                  |               | SNAPplusRJE  | J2228A           | 36            |
| HP-RT Developer's Kit Software and Manuals                         | B3800AA          | 44            | SNAPplusAPI  | J2229A           | 36            |
| VME Backplane Networking License-To-Use                            | B3802AA          | 44            | SNAPplus3179G  | J2230A           | 37            |
| VME Backplane Networking Software and Manuals                      | B3803AA          | 44            | STREAMS/UX for HP9000 Series 700                                 | J2232A           | 39            |
| STREAMS License-To-Use   | B3808AA          | 44            | NetWare for the HP9000   | J2239A           | 12            |
| OTSrt Software and Manuals   | B3809AA          | 44            | HP LAN Manager for UNIX for HP 9000, Series 700/800, Version 2.2 | J2256A           | 13            |
| HP-UX Run-Time Environment, 2 user                                 | B3814AA          | 6             |  |                  |               |

## Index by Product Number

| Description   | Product # | Page # | Description  | Product # | Page # |
|---|-----------|--------|--|-----------|--------|
| LAN/9000  | 25567B    | 37     | C ++ Developer Media and Documentation                           | B2407B    | 20     |
|   |           |        | Fortran/9000 License-To-Use for Series 700 workstation           | B2408A    | 15     |
| HP OpenView Interconnect Manager                        | 27361B    | 33     | C/ANSI C Compiler  | B2413A    | 14     |
|   |           |        | Pascal License-To-Use for Series 700 workstation                 | B2414A    | 15     |
| HP MPower ScanJet Ilcx Interface Kit                    | A2229BA   | 11     | COBOL/HP-UX (Micro Focus) Developer's Package                    | B2430AA   | 16     |
|   |           |        | COBOL/HP-UX (Micro Focus) Developer's Package                    | B2430AB   | 16     |
| Apollo Token Ring (ATR) for Model 730 & Model 750       | A2544A    | 37     | COBOL/HP-UX (Micro Focus) Compiler                               | B2431AA   | 16     |
| Apollo Token Ring (ATR) for Model 720                   | A2545A    | 37     | COBOL/HP-UX (Micro Focus) Compiler                               | B2431AB   | 16     |
|   |           |        | COBOL/HP-UX (Micro Focus) Run-Time System                        | B2432AA   | 17     |
| HP TeleShare U.S. Version                               | A4012AA   | 11     | COBOL/HP-UX (Micro Focus) Run-Time System                        | B2432AB   | 17     |
| X.25/9000 Link Product for Series 712 Workstations      | A4015A    | 38     | Japanese HP-UX Run-Time Environment, 8 user                      | B2487A    | 6      |
|   |           |        |  |           |        |
| HP OpenView Extensible SNMP Agent                       | B1037B    | 34     | Encapsulator 3.2 License-To-Use                                  | B2606B    | 20     |
| HP OpenView Enterprise Management Station               | B1040B    | 32     | Encapsulator 3.2 End-User Kit                                    | B2616B    | 20     |
|   |           |        | Encapsulator 3.3 Japanese End-User Kit                           | B2616BJ   | 19     |
| UIM/X 2.5 License-To-Use                                | B1183B    | 21     | C ++ SoftBench 3.3, License-To-Use                               | B2617B    | 18     |
| UIM/X 2.5 End-User Kit                                  | B1186B    | 21     | C ++ SoftBench 3.3 End-User Kit                                  | B2620B    | 18     |
| UIM/X 2.5 Japanese End-User Kit                         | B1186BJ   | 19     | C ++ SoftBench 3.3 Japanese End-User Kit                         | B2620BJ   | 19     |
| UIM/X 2.5 Library Source Code                           | B1189B    | 21     | Transfer License Administration Fee for SoftBench, Encapsulator, | B2633A    | 21     |
| HP MPower Client 2.0 Media and Documentation            | B1194BA   | 10     | Passwd/Etc   | B2681A    | 43     |
| HP MPower Server 2.0 Media and Documentation            | B1195BA   | 10     |  |           |        |
|   |           |        | Japanese HP-UX 8.0x Documentation                                | B2815A    | 7      |
| HP Visual Editor 2.1 License-To-Use                     | B1504A    | 45     | Japanese HP-UX 9.0 Documentation                                 | B2815B    | 7      |
|   |           |        | Traditional Chinese HP-UX Run-Time Environment, 2 user           | B2816A    | 6      |
| Media & Documentation for Task Broker software          | B1732B    | 25     | HP-UX 8.07 software on CD-ROM Media                              | B2826A    | 4      |
| Task Broker License-To-Use up to 10 workstation/systems | B1740L    | 25     | DMX  | B2895A    | 43     |
| Task Broker License-To-Use up to 50 workstation/systems | B1741L    | 25     |  |           |        |
| Task Broker Site License-To-Use                         | B1742L    | 25     | HP DCE Quickstart Bundle   | B2903A    | 26     |
|   |           |        | English Run-Time HP-UX Instant Ignition                          | B2910A    | 3      |
| HP Performance Collection Software                      | B1806A    | 29     | Japanese Run-Time HP-UX Instant Ignition                         | B2911A    | 3      |
|   |           |        | German Run-Time HP-UX Instant Ignition                           | B2912A    | 3      |
| HP OpenSpool  | B1900B    | 31     | DCE NFS-DFS Server Gateway License                               | B2918AA   | 25     |
| HP OpenSpool Software Documentation                     | B1907B    | 32     | DCE DFS Server License   | B2919AA   | 25     |
| HP OpenSpool Supplementary set of filters (SharedPrint) | B1917B    | 32     | DCE Core Services, media & documentation, US Version             | B2920A    | 25     |
| HP OmniBack Base License                                | B1922A    | 29     | DCE Core Services, media & documentation, International Version  | B2921A    | 25     |
| HP OmniBack/Turbo Base License                          | B1923A    | 30     | DCE Application Development Tools, media & doc                   | B2922A    | 26     |
| HP OmniBack/Turbo HP-UX 8.05 or 8.07                    | B1929A    | 31     | DCE Client License   | B2923A    | 25     |
| HP OmniBack/Turbo HP-UX 9.0                             | B1929B    | 31     | DCE CDS Server License   | B2924A    | 25     |
| HP OmniBack for HP-UX 8.05 or 8.07                      | B1945A    | 30     | DCE Security Server License                                      | B2925A    | 25     |
| HP OmniBack HP-UX 9.0                                   | B1945B    | 30     | DCE Application Development Tools License                        | B2926A    | 26     |
| HP OmniStorage Manager License-To-Use (<=20GB)          | B1970AA   | 31     | HP DCE hardcopy documentation                                    | B2927A    | 26     |
| HP OmniStorage Manager License-To-Use (<=120GB)         | B1971AA   | 31     | HP ARTCore Development Environment                               | B2930A    | 42     |
| HP OmniStorage Manager License-To-Use (<=400GB)         | B1972AA   | 31     | HP ARTCore Run-Time Libraries                                    | B2931A    | 42     |
| HP OmniStorage Manager License-To-Use (>400GB)          | B1973AA   | 31     |  |           |        |
| HP OmniStorage Media and Documentation                  | B1977A    | 31     | HP Branch Validator License-To-Use                               | B3095A    | 21     |
|   |           |        | HP Branch Validator End-User Kit                                 | B3097A    | 21     |
| PowerShade 3D surfaces rendering software               | B2156C    | 41     |  |           |        |
| HP MPower Image Developer's Kit                         | B2157A    | 10     | HP ALLBASE/SQL Version G.0 Runtime for Series 700                | B3146A    | 22     |
|   |           |        | HP ALLBASE/SQL Version G.0 Development for Series 700            | B3147A    | 23     |
| NLIO Simplified Chinese                                 | B2213A    | 6      | HP-UX Run-Time Environment, 32 user                              | B3150A    | 4      |
|   |           |        | HP Nihongo COBOL Developers Package                              | B3152A    | 17     |
| HP-UX software on DDS Media                             | B2352A    | 4      | HP Nihongo COBOL Compiler  | B3153A    | 17     |
| HP-UX Run-Time Environment, 8 user                      | B2353A    | 4      | HP Nihongo COBOL Run-Time System                                 | B3154A    | 17     |
| HP-UX C/ANSI C Developer's Bundle                       | B2354A    | 14     | HP PEX 5.1 3D Development Environment                            | B3176A    | 41     |
| HP-UX 8.07 Documentation                                | B2355A    | 7      | HP PEX 5.1 Run-Time Libraries                                    | B3177A    | 41     |
| HP-UX 9.0 Documentation                                 | B2355B    | 7      | HP ALLBASE/SQL Version G.0 Runtime for Series 700 (Japanese)     | B3197A    | 23     |
| HP-UX Developer's Toolkit                               | B2356A    | 14     | HP ALLBASE/SQL Version G.0 Development for Series 700 (Japanese) | B3198B    | 24     |
| HP-UX General Programming Tools                         | B2357A    | 14     |  |           |        |
| HP PHIGS 2.2 Development Libraries. HP-UX 8.05 & 8.07   | B2363C    | 41     | HP Ready-to-Wear (RTW) Client License                            | B3231AA   | 8      |
| HP PHIGS 2.3 Development Libraries. HP-UX 9.0           | B2363D    | 41     | HP Ready-to-Wear (RTW) End-User Documentation - English          | B3232AA   | 8      |
| HP PHIGS 2.2 Run-Time Libraries. HP-UX 8.05 & 8.07      | B2364C    | 41     | HP Ready-to-Wear (RTW) End-User Documentation - German           | B3232AD   | 8      |
| HP PHIGS 2.3 Run-Time Libraries. HP-UX 9.0              | B2364D    | 42     | HP Ready-to-Wear (RTW) End-User Documentation - Spanish          | B3232AE   | 8      |
| Japanese HP-UX Run-Time Environment, 2 user             | B2387A    | 5      | HP Ready-to-Wear (RTW) End-User Documentation - French           | B3232AF   | 8      |
| Korean HP-UX Run-Time Environment, 2 user               | B2395A    | 5      | HP Ready-to-Wear (RTW) End-User Documentation - Italian          | B3232AZ   | 8      |
| German HP-UX Run-Time Environment, 2 user               | B2396A    | 5      | HP Ready-to-Wear (RTW) Client Media for Series 700 - English     | B3233AA   | 9      |
| French HP-UX Run-Time Environment, 2 user               | B2397A    | 5      | HP Ready-to-Wear (RTW) Client Media for Series 700 - German      | B3233AD   | 9      |
| French HP-UX Run-Time Environment, 2 user               | B2397A    | 6      | HP Ready-to-Wear (RTW) Client Media for Series 700 - Spanish     | B3233AE   | 9      |
|   |           |        | HP Ready-to-Wear (RTW) Client Media for Series 700 - French      | B3233AF   | 9      |
| HP C++ 3.0  | B2402A    | 15     | HP Ready-to-Wear (RTW) Client Media for Series 700 - Italian     | B3233AZ   | 9      |
| HP C++ Media and Documentation                          | B2403A    | 15     | HP Ready-to-Wear (RTW) Server License, Price per Server          | B3234AA   | 8      |
| C ++ Developer License-To-Use                           | B2406B    | 20     | HP Ready-to-Wear (RTW) System Configuration documentation        | B3235AA   | 8      |

## Index by Product Number

| <u>Description</u>                                      | <u>Product #</u> | <u>Page #</u> |
|---|------------------|---------------|
| HP OpenView SNMP Developer's kit                        | J2311A           | 32            |
| HP OpenView SNMP Platform                               | J2314A           | 32            |
| HP OpenView Network Node Manager                        | J2317A           | 32            |
| HP OpenView Distributed Management Developer's Kit      | J2320A           | 33            |
| HP OpenView Distributed Management Platform             | J2323A           | 33            |
| HP OpenView X.400 Manager                               | J2387A           | 40            |
| DCE GDS Server License                                  | J2392AA          | 25            |
| X.500 Directory Server/Client Series 700 License-To-Use | J2394AA          | 40            |
| X.500 Directory Server/Client Series 700 Media          | J2395AA          | 40            |
| X.500 Directory Client Series 700 License-To-Use        | J2396AA          | 40            |
| X.500 Directory Client Series 700 Media                 | J2397AA          | 40            |
| Manual for X.500 Directory for Series 700               | J2398AA          | 40            |





UNIX is a registered trademark of UNIX System Laboratories Inc. in the U.S.A. and other countries.

Adobe and PostScript are trademarks of Adobe Systems Incorporated which may be registered in certain jurisdiction.

Smartmodem 1200 is a trademark of Hayes Microcomputer Products, Inc.

MS-DOS is a U.S. registered trademark of Microsoft Corporation.

Motif, OSF/Motif, OSF, and OSF/1 are trademarks of the Open Software Foundation in the U.S. and other countries.

The information contained in this document is subject to change without notice.