










Autumn-Winter 82/83



Magnetic media page 2

Cables and connectors 29



Software and documentation 43

Add-on hardware 56



HP Computer Museum www.hpmuseum.net

For research and education purposes only.



It's easy to order from HP

Special fast-order direct phone lines for computer supplies are now available in many countries-including the ones listed below—offering on-line price and availability information, as well as fast order entry:

 WEST GERMANY07031-667829 07031-223133 THE NETHERLANDS020-470639

Of course, orders may be placed in the regular way through local HP sales offices in those areas not yet served by these special phone lines.

Quality products when you need them, off-the-shelf

Hewlett-Packard maintains an extensive inventory of media and operating supplies in many locations,

so that we can responsively handle your order when we receive it.






Yes, this HP Computer Users Catalog makes it easy for you to select and order quality-tested HP supplies and accessories of all types — including more than 190 new products on the following pages.

Optimize your HP equipment performance

You have come to expect excellent performance and dependable service from HP computer equipment. Our high-quality, off-the-shelf companion products — magnetic media, operating supplies, workstation furniture and more — designed and tested to ensure they bring out the best performance in your HP computer equipment.

Supplies ordered from this catalog meet or surpass stringent compatibility requirements for use with HP equipment. You can expect longer, trouble-free equipment life when using HP-tested (often, HP manufactured) media and supplies.





this symbol, which identifies each of those new products—including (for example) our new ergonomic chairs on page 38.

Inexpensive add-on hardware

You can frequently extend computer or personal productivity by adding a printer, plotter or other low-cost hardware item to your HP computer system. We have listed several such HP add-on hardware products at the rear of this catalog, for your reference. Please contact your regular HP sales representative to place an order for these items.

Indexes

Alphabetical listing of catalog items
Computer equipment reference
Product number listing of catalog items
Sales office listing68





Your high performance HP equipment deserves HP high performance magnetic media.

You know that the up-time of your equipment directly generates savings through increased productivity. The reliability of HP Magnetic Media lets you cash in on these savings. Our products also minimize the wear of both media and read/write heads, which means less maintenance and lower service costs.

Tests on HP drives show significant differences between media in terms of wear and data integrity. Only media meeting very high specifications are approved for our customer shipments. With HP products, you can feel confident that you will obtain consistent, high-quality results and an increase in overall performance.

HP engineers spend many person-months designing and selecting the optimum (not just "compatible") media for their drives. Many vendors offer media "compatible" with some of HP's tape or disc drives; however, media from HP has been designed, produced and/or selected based on its superior performance characteristics on HP drives.

Drive/Media Warranty

Any damage sustained to the heads or media, or any consequential damage resulting from the use of non-HP media or cleaned media is excluded from warranty or service contract coverage, but will be repaired subject to HP's standard time and material charges. Use of non-HP media or cleaned media, however, does not affect warranty or service contract coverage of other components of the drive not associated with the head-media interface.



Our rigid discs are 100% tested, formatted and ready for immediate use.

Hewlett-Packard designs and manufactures disc drives offering exceptional performance and reliability over a wide range of environments. Using proper disc media is essential for the successful and optimum operation of these drives.

Every HP rigid disc pack and cartridge is 100% tested and certified for use on HP drives (see story page 4 on how HP makes and tests disc packs). Dynamic testing dramatically increases reliability by reducing surface imperfections or imbalances. Our media also undergo exhaustive electromagnetic data transfer testing under "worst case" conditions. This ensures optimum media error performance, as well as interchangeability of disc packs and cartridges between similar model disc drives.

Because of the unique interdependence of total disc performance and the head/media interface, disc drive specifications and reliability can be assured when using HP media products.

Two more reasons to use HP rigid discs:

- They are formatted and ready for immediate use on their respective drives, saving up to 30 minutes per disc pack.
- HP rigid discs are guaranteed to have available spare tracks on every surface.

Undesirable alteration of the media surface environment can result from improper cleaning. The cleaning of HP media products is, therefore, not recommended.

Any damage sustained by the heads or media, or any consequential damage resulting from the use of non-HP media or improperly cleaned media will not be covered under warranty or service contract.

OUGEEN	EL EV DICC DOUE	SYSTEM		SYSTEM DIS	SCDRIVE		TAPE	DRIVE
SYSTEM	FLEX DISC DRIVE	264X	7906H/M	7908/11/12P	7920M	7925M	7970E	7976A
Series 80	#5¼" Opt. If 8" Opt. 10 flex discs (box 92190A) (box 92195A)							
125	# 514" Opt. # 8" Opt. 10 flex discs (box 92190A) (box 92195A)							
250	10 flex discs 10 formatted (box 92195A) or (box 92195F)		1 cartridge (12940A)					
1000-L/5	10-20 flex discs (1-2 boxes 92190A)			Wind St				
000-L/10	10-20 flex discs (1-2 boxes 92195A)	10 mini- cartridges (2 boxes 98200A)	1 cartridge (12940A)				Harli	
1000/40		10 mini- cartridges (2 boxes 98200A)	1 cartridge (12940A)		1 pack (13394A)	1 pack (13356A)		
1000/45		10 mini- cartridges (2 boxes 98200A)	1 cartridge (12940A)		1 pack (13394A)	1 pack (13366A)		
1000/60		10 mini- cartridges (2 boxes 98200A)	1 cartridge (12940A)	5 high density data cartridges (1box 88140L/S)	1 pack (13394A)	1 pack (13356A)		
1000/65		10 mini- cartridges (2 boxes 98200A)	1 cartridge (12940Å)	Shigh density data cartridges (150x 88140LS)	1 pack (13394A)	1 pack (13358A)		
3000/111		10 mini- cartridges (2 boxes 96200A)			1 pack (13394A)	1 pack (13356A)	10 reels 2400' (1 box 92150F)	10 reets 2400' (1 box 92150P)
3000/30	10 flex discs (box 92195A)	10 mini- cartridges (2 boxes 98200A)	1 cartridge (12940A)		1 pack (13394A)	1 pack (13356A)	10 reels 2400' (1 box 92150F)	10 reels 2400' (1 bax 92150P)
3000/33	10 flex discs (box 92195A)	10 mini- cartridges (2 boxes 98200A)	1 cartridge (12940A)		1 pack (13394A)	1 pack (13356A)	10 reels 2400° (1 box 92150F)	10 reels 2400' (1 box 92150P)
3000/40	# Opt. 010 10 flex discs (1 box 92195A)	10 mini- cartridges (2 boxes 98200A)		5 high density data cartridges (1 box 88140LS)	1 pack (13356A)	1pack (13356A)	10 reels 2400' (1box 92150F)	10 reels 2400' (1 box 92150P)
3000/44	10 flex ciscs (box 92195A)	10 mini- cartridges (2 boxes 98200A)	1 cartridge (12940A)		1 pack (13394A)	1pack (13356A)	10 reels 2400' (1 box 92150F)	10 reels 2400' (1 box 92150P)
3000/64	# Opt. 010 10 flex discs (1 box 92195A)	10 mini- cartridges (2 boxes 98200A)		5 high density data cartridges (1 box	1 pack (13394A)	1 pack (13356A)	10 reels 2400' (1 box 92150F)	10 reels 2400 (1box 92150P)

Rigid discs and accessories



The 10 steps to quality in HP-made packs

- 1. Visually inspect raw disc platters.
- Mechanically analyze for disc flatness and roughness.
- Electronically evaluate magnetic properties.
- Assemble into multi-disc packs (see photo).
- Dynamically balance for vibration-free rotation.
- Mechanically analyze, a second time, for disc flatness and roughness.
- 7. Burnish disc surfaces.

- Magnetically purify (degauss) all surfaces.
- Write permanent servo code bands on one disc in the back.
- Fully test each pack on a drive similar to yours under "worst case" conditions.

Rigid disc cartridge, 2.5 Mb 12869A Formatted disc

cartridge. Front loading. For HP 7900A, 7901A, 9880B, 12960A, 12961A, 30110A Disc Drives and Subsystems.

92206D Rigid disc rack. Keep your cartridges right where you want them. Our mobile 9-disc capacity storage rack makes organization and retrieval of invaluable data and programs easy. This superior quality rack features heavy gauge steel wire with nickel-chrome plating. Rubber non-skid feet protect your furniture.

· Easy to attach and remove.

- Built-in latch keeps cartridge access door closed when not on drive.
- Positive, safe horizontal stacking of up to six (6) cartridges.
- Light-weight approximately 0.9 lbs. (0.4 kg)
- · Made of heavy duty, high impact plastic.
- Three sturdy positive action clips keep 92206H in contact with cartridge bottom preventing contamination build up.

Rigid disc cartridge, 9.8 Mb 12940A Formatted disc cartridge.

Front loading. For HP 7905A, 7906H/M/S, 12962C/D, 13180A/B Disc Drives and Subsystems.





92206H Cartridge cover

Protective bottom cover for disc cartridges

92206H Box of 6 bottom covers for the HP 12940A and HP 12869A disc cartridges. Protects cartridge from damage caused by operator mishandling and minimizes contamination of disc surfaces. (Please note that the HP 92206D rack will not hold HP disc cartridges with 92206H Bottom Covers). Rigid disc pack, 50 Mb 13394A Formatted disc pack. For HP 7920H/M/S Disc Drives.



Rigid disc pack, 120 Mb 13356A Formatted disc pack. For HP 7925H/M/S Disc Drives.




92206D Rigid disc rack

Flexible discs and accessories

Hewlett-Packard's premium quality flexible discs optimize performance of HP drives.

Flexible discs, 0.25 Mb 92190A Box often 5.25 inch double-sided discs. Unformatted, in protective envelopes. Includes write-protect, jacket and storage box labels. For use with HP 82900 series Disc Drives, 9135A Disc Drive, HP 2642A Display Terminal and HP 9826/36 Desktop Computers.



SAVE! Unformatted discs, supplied in five handy FlexFile storage units, each holding ten discs (total 50 discs). Money-saving way to get HP FlexFiles, described on page 6, when you buy quality HP discs. Interlocking FlexFile design, so you can easily arrange them vertically or horizontally to suit your needs. Index labels and instructions included.

Flexible discs, 1.2 Mb 92195A Box of ten 8 inch double-sided discs.

Unformatted, in protective envelopes. Includes write-protect, jacket and storage box labels. For use with HP 250, 300, 3000/30, 3000/33 Systems and HP 9895A Disc Drives.

92195L FlexFile package of fifty 8 inch double-sided discs. SAVE!

Unformatted discs, supplied in five handy FlexFile storage units, each holding ten discs (total 50 discs). Money-saving way to get HP FlexFiles, described on page 6, when you buy quality HP discs. Interlocking FlexFile design, so you can easily arrange them vertically or horizontally to suit your needs. Index labels and instructions included.


92195F Box often 8 inch double-sided discs, HP 250 formatted. Already formatted for use on your HP 250 system. Can save approximately 10 minutes of formatting/initializing time per disc. Use only on HP 250 systems.

Flexible discs, 0.5 Mb 9164-0105 Box often 8 inch single-sided discs.

Unformatted, in protec-

tive envelopes. Includes write-protect, jacket and storage box labels. For HP 1000 models 20

& 25 (2174A/B & 2175A/B), 9896A Systems; 12732A & 12733A Subsystems; 9885M/S Disc Drive.



Flexible disc drive head cleaning kits

HP recommends preventive cleaning of HP flexible disc drive heads when there is suspicion of contamination, after an incidence of media damage or when read errors are occurring at a higher than normal rate. HP's convenient cleaning kits provide you:

- · 2 cleaning discs
- 1-4 ounce bottle of cleaning solution
- 1 easy-pour dispensing cap
- · Instruction for running cleaning programs for various system/drive configurations



92190L FlexFile pack



92193A/B Cleaning kits


92193A Head cleaning kits for 5.25 inch flexible disc drives.


92193B Head cleaning kit for 8 inch flexible disc drives.

See cleaning supplies on pages 27 and 28.

HP flexible discs do make a difference

When you buy HP flexible discs, you are assured they are carefully matched to your HP disc drives for optimum performance. We select flexible discs for the HP label only after rigorous qualification tests based on three key characteristics - disc wear life and error rate, and the disc manufacturer's ability to consistently meet our specifications without batchto-batch variations.





Left to right: 1.92194P Flex disc hanging file pages; 2.92194A Flex disc album file; 3.92194J Flex disc easel binder; 4.92194G Flex disc portable album file; 5.92194E FlexFiles; 6.92194R Flex disc mailer; 7.92194Z Flex disc shipping case; 8.92194T Flex disc attache carrying case.

Desktop file for flexible discs

Designed to provide protection, organization and easy retrieval of invaluable data and programs. This attractive, durable, smoke-colored acrylic file holds up to 60 discs. Aiding the organization and retrieval of discs are five index dividers with adjustable tabs.

92194A Desktop file for 5.25 inch flexible discs.

92194B Desktop file for 8 inch flexible discs.

FlexFile storage system for flexible discs

The HP FlexFile provides you with the most "flexible" disc storage system! Its modular interlocking design allows you to add new units as your needs expand and makes the most of your work space. Individually or in stacks, they can be used vertically or horizontally by simply readjusting the inside disc retaining gate. Open the FlexFile drawer and the discs are automatically flipped forward for easy access. The FlexFile offers sturdy, portable, dust-free protection and takes only seconds to interlock or separate. Constructed of high impact polystyrene.

92194E FlexFiles for 5.25 inch flexible discs. A package of five FlexFiles. Each FlexFile holds up to ten discs. Includes adhesive index labels and instructions.

92194F FlexFiles for 8 inch flexible discs. A package of five FlexFiles. Each FlexFile holds up to ten discs. Includes adhesive index labels and instructions.

Portable album file for flexible discs

Fragile flexible discs will be protected, organized and easily accessed because of several unique features of this filing system. Crimped pockets cushion each disc, preventing wrinkles or bends. The floating axle design eliminates additional stress if the binder is dropped or closed. Discs are kept secure in a vinyl cover with a velcro fastener. Easy and fast access and re-filing are aided by color coded index stripes for each pocket. File organization is further enhanced with an index on the spine of the album for listing discs. Capacity – 20 discs.

92194H Album file for 8 inch discs.

Binder storage for flexible discs

3-Hole, 1.5 inch easel binder kit with 20 pebbled, static-resistant vinyl pages for safe, convenient and economical filing of flexible discs with supporting documentation. File cards are included to help identify each disc. The easel binder provides efficient access and replacement of the discs at the user's work station.

92194J Easel binder kit for 5.25 inch discs. Capacity 40 discs.

92194K Easel binder kit for 8 inch discs. Capacity 40 discs.

3-ring binder pages for flexible discs

A package of 20 pebbled, static-resistant vinyl pages for filing flexible discs. File cards are included to help identify each disc.

92194L Package of 20 pages for 5.25 inch discs. Capacity 40 discs.

92194M Package of 20 pages for 8 inch discs. Capacity 40 discs.

Hanging file pages for flexible discs.

Protect and organize your valuable discs by filing them on any 12.25 in. (311 mm) wide suspension frame. These heavy-duty pages are made of pebbled, static-resistant vinyl. File cards are included to help identify each disc.

92194P Package of 20 hanging file pages for 5.25 inch flexible discs. Capacity 40 discs.

92194Q Package of 20 hanging file pages for 8 inch flexible discs. Capacity 20 discs.

grams and data on flexible discs. The velcro fastener is secure, eliminating any pressure on the discs during opening and closing.

92194R Box of five mailers for 5.25 inch flexible discs. Each mailer holds up to five discs.

92194S Box of five mailers for 8 inch flexible discs. Each mailer holds up to five discs.

Attache carrying case for flexible discs

Convenient traveling storage for up to 75 discs and 1.5 in. of printed materials (8.5 x 16 in.: 216 x 406 mm). The heavy gauge vinyl coated board, quality construction and deluxe locks and handle ensure protection and security for your valuable data and software.

92194T Attache carrying case for 5.25 inch flexible discs.

92194U Attache carrying case for 8 inch flexible discs.

Flexible disc shipping case

Feel secure in shipping your flexible discs! The safe and simple design protects your valuable media from the rigors of shipment. This molded plastic shipping case offers strong, lightweight protection for your flexible discs. Dual-size foam interior which holds up to ten of either size disc.

92194Z Flexible disc shipping case for 5.25 inch and 8 inch discs.

Three write-on mailing cards are included.

Flexible disc mailers

These mailers provide a stress-free journey for up to five discs mailed in envelopes or carried in a briefcase. The heavy duty vinyl construction gives a clean, sturdy and reuseable technique for distributing pro-

Tape cartridges and accessories

Mini data cartridges

These rugged HP-manufactured storage devices are each 100% tested mechanically

(for proper tape tension and drive force requirements) and electromagnetically (for error-free data recording). Metal backplate construction helps ensure accurate alignment of tape guides and other internal parts, while providing a grounding surface to protect the minicartridge from effects of static electricity.

98200A Box of five mini data cartridges, each with own protective plastic box. Used with HP series-1000 and 3000 Computer Systems; HP 264X-series Display Terminals; HP 85A, 9815A/S, 9825A/S, 9831A, 9835A/B (System 35) and 9845A/B/C/S/T (System 45) Desktop Computers; HP 9915A option 001 Modular Computer, 9875A, 9877A Tape Units. Also used on non-HP products where reliable, high-performance minicartridges are desired. For larger end-user and OEM quantity discounts, contact us.



Better turn-on, longer life with HP mini data cartridge

Through HP's new improved manufacturing processes, our HP 98200A mini cartridge now offers better turn-on (start-up) performance and longer operating life — minimum 6000 cycles (a cycle is one round-trip pass of the tape from one end to the other, and return), in most general-use applications. Actual performance will vary, depending on specific application.

NOTE: All mini cartridges work best when "conditioned" before use (by making one total forward/ rewind cycle), and by rewinding after each use.

Mini data cartridge storage 92194D Desktop file for mini data car-

tridge. Designed to provide protection, organization and easy retrieval of invaluable data and programs. This attractive, durable, smoke-colored acrylic file holds up to 24 mini data cartridges (HP 98200A).

92206A Mini data cartridge rack.

Mobile and Stackable! Chrome-finished steel racks are designed for fingertip accessibility of up to 16 cartridges or digital cassettes. Racks are stackable for space saving convenience. Buy three and save.

92167M Storage binder holds 6 mini data cartridges inside front cover. The cartridges are held secure in the molded storage compartments while in their protective plastic boxes. One or two molded binder inserts can be placed in this binder increasing the storage capacity to 12-18 cartridges (see 92167N). (continued next page)




Left to right: 1.92206A Mini data cartridge rack; 2.92167M Mini data cartridge storage binder; 3.92167N Mini data cartridge molded binder insert; 4.92194D Mini data cartridge desktop file; 5.92194C Digital cassette desktop file; 6.92167L High density data cartridge album.

Documentation pertinent to the data and programs recorded on the cartridges can be organized in the standard 2 inch 3-ring mechanism and in a vinyl pocket inside back cover. Protection for the 3-hole documentation is provided by two sturdy page protectors. The outside of the binder is finished in padded bone-colored vinyl.

92167N Molded binder insert. Package of three inserts. Each insert holds six minicartridges (while in their plastic boxes) and can be held by the sturdy brass-ringed eyelets in a 3-ring binder (sizes 0.5 inch and up). The molded storage compartments are the same quality design and construction as used in the 92167M storage binder. These inserts provide an excellent technique for consolidating programs and data on minicartridges with supporting documentation in standard 3-ring binders. One or two inserts can be added to the storage binders increasing the storage capacity to 12-18.

High density data cartridge

These formatted data cartridges are used for backup with the HP



7908/11/12 disc drives. Secondary uses are as a data exchange medium among HP systems, Personal I/O (software distribution), and data/transaction logging. Formatted into 1K user data blocks; requires user-initializing/certifying before use.

88140L Box of five cartridges (67Mb), each with own protective plastic box.

88140S Box of five cartridges (16Mb), each with own protective plastic box.

High density data cartridge storage albums

Now you can organize and transport your HP 88140L/S cartridges in a dust-free album that helps eliminate the mishandling and misplacing of individual cartridges. The albums are constructed of sturdy vinyl, hinged for easy access. Each album holds four cartridges; two in the molded front cover and two in the back cover inserts.

92167L Package of five highdensity data cartridge albums.

Each album holds up to four HP 88140L/S cartridges.

Digital tape cassettes 9162-0050 Individual

digital cassette. With HP label and index card, and sealed in a plastic storage box. Used with HP 9821A C



box. Used with HP 9821A Calculator, 9830A/B Desktop Computer, 9865A Cassette Memory; also non-HP products requiring high-quality digital cassettes. 9162-0053 Unlabeled individual digital cassette. Identical to HP 9162-0050, but

cassette. Identical to HP 9162-0050, but without HP label. For OEM and other customers who record their own software and prefer to apply their own labels.

Desktop file for cassettes 92194C Desktop file for HP digital cas-

settes. Designed to provide protection, organization and easy retrieval of invaluable data and programs. This attractive, durable, smoke-colored acrylic file holds up to 18 digital cassettes.

Magnetic tape and accessories

Premium magnetic tape

HP's 0.5 inch (12.7 mm) computer tape has an extra layer for extra protection of your valuable data. HP tape has a textured substrate (backside coating) which helps protect your data by protecting itself in day-to-day storage and operational use. The backside coating allows air lubrication between tape layers, enabling uniform sliding and the reduction of cinching, thus less lateral tape movement and fewer worn or damaged edges that result in lost data.

The exposed polyester backside on conventional tapes is a major cause of debris that can create dropouts and attendant information loss. HP's new tape with its tex-



tured substrate backing resists scratching and the generation of debris. At the same time, HP tape resists static attraction of airborne particles.

HP back-coated tape means:

Less

- · Edge damage
- Contamination
- · Distortion

Better

- · Data integrity
- Protection of your information Certified to 6250 BPI. Use on all HP 7970, 7971 and 7976 Tape Units and tape subsystems using 0.5 in. (12.7 mm) wide tape.



Personal/desktop computers	page 11	Graphics
Impact printers	page 13	Dust covers
Laser page printers	page 17	Carrying cases
Thermal printers	page 18	Cleaning kits
Terminals	page 19	Miscellaneous

.... page 25
.... page 26
.... page 27
.... page 28


92150D Box of ten 600 ft. (183 m) tapes on reels, in seals (Supersedes 92150A)

92150E Box often 1200 ft. (366 m) tapes on reels, in seals (Supersedes 92150B)

92150F Box of ten 2400 ft. (732 m) tapes on reels, in seals (Supersedes 92150C)

92150P Box of ten 2400 ft. (732 m) tapes on reels, in Easy Load II cartridges. Used with 7976 Autoload tape drives.

Magnetic tape accessories 92150Q Box of 10 empty Easy Load II self-threading cartridges. To be used on 2400 ft. tapes (10.5 in. reels) when using the auto-load feature on HP 7976 tape drives.



Blank white adhesive labels. For quick identification and indexing of your tapes and other items, 1000 labels to a roll.

92150L Mag tape color/numbering kit.

Prevent misfiling! Our simple color-coded numbering system will help you eliminate misfiles in your magnetic tape library. 1000 Labels (numbered 0-999).

- Designed with pressure sensitive labels, which are inserted into label area of Tape-in-Seal cartridges.
- · Each label is provided with location tabs which can be used on library tape racks or cabinets to quickly identify filing spot.

92150M Mag tape sense markers These reflective, pressuresensitive markers offer convenience as Beginning of Tape and End of Tape indicators. 250 markers to a card.



92150L Mag tape color/numbering kit

92150R Tape crimper. Hand-operated carbon steel cutter which forms and cuts the end of 0.5 inch (12.7 mm) mylar computer tape for positive loading on HP 7976 Auto Load Tape Drives.

92150T Transport/carrying case for 2400 ft. magnetic tapes. Holds up to six (6) reels in either tape seals or Easy Load Cartridges. This case combines durable polyethylene and quality construction on the outside with shock-absorbing foam on the inside, insuring reliable protection when carrying or shipping your valuable data and software. Built-in hasp for your personal padlock.



92206T Magnetic tape rack

92206T Magnetic tape rack. Organization means time savings! Our mobile 15 reel capacity storage rack will help you and your people stay organized. Chrome-finished steel rack designed for use with 600 ft., 1200 ft., or 2400 ft. tapes in seals. Order today and transform your desk or shelf into an organized data library. Buy three and save.

Mag tape storage cabinet See 92172D, page 40-41



92150T Transport/carrying case and 92150R Tape crimper

Magnetic alignment tape 9162-0027 Head alignment tape. Has tracks, recorded at 800 BPI, precisely located on its 600 ft. (183 m) length. Used during testing or adjustment of 7- and 9-track head alignment on 0.5 in. (12.7) mm) tape units. In protective canister.


Magnetic tape head cleaning supplies

Although HP does not recommend the cleaning of rigid or flexible disc media we do recommend the periodic cleaning of tape heads, capstans and guides on tape units and those products using high-density data cartridges and mini data cartridges. Such cleaning prolongs tape/head life, and it helps reduce read/write errors due to dust and oxide build-up.

92193X Cleaning solution. See cleaning accessories on page 28. 9300-0468 Box of 50 lint-free wooden swabs with soft urethane foam tips. Use 9300-0767 for cleaning the high-density data cartridge transports.

9300-0767 Box of 50 lint-free plastic swabs with soft urethane foam tips.

Recommended for use in cleaning tape head and capstan in HP 7908/11/12 tape transports. Use with 92193X magnetic head cleaning solution.





Personal/desktop computers

HP Series 80 personal computers



82933A Carrying case with HP-85 inside

82931A Box of 2 rolls thermal paper, blue print.

82954A Box of 2 rolls thermal paper, black print.

82932A Binder for tape cartridge, flexible disc, & documentation.

82933A HP-83/85 carrying case. This soft-vinyl carrying case is designed with foam padding to protect your HP-83/85.

13269A HP-83/85 shoulder strap carrying case. This soft-vinyl case is perfect for safely transporting your HP-83/85 across town or around the world. The soft shoulderstrap makes transporting easy.

82935A Three-ring system literature binder. 82948A HP-83/85 dust cover. Designed of durable, dark tan cloth to protect your personal computer.

82955A HP-87 dust cover. Protect your valuable personal computer with this durable, dark tan cloth cover.

82956A Keyboard overlays for HP-86 and HP-87. One printed and five blank overlays per package.

Mini data cartridges. 98200A; see page 7.

82905A/B printer. See page 17.

Flexible discs. See page 5.

Cables. See page 29.

Series 80 software. See page 50.

Workstations for personal computers. See page 35.

HP 125 personal computer

92160A Box of 24 rolls thermal paper, blue print.

92160B Box of 24 rolls thermal paper, black print.

9282-0929 HP 125 business assistant binder. This three-ring binder is designed

for HP 125 system manuals and other documentation.

Flexible discs. See page 5.

Cables. See page 29.

HP 125 software. See page 46.

HP 9800 series desktop computers

9805A Calculator

Uses ordinary adding machine paper 2.25 in. (57.2 mm) wide.

9282-0511 Individual ribbon, red and black (minimum order 3 ribbons).

9810A Calculator

Magnetic program cards (5060-9152, 9162-0012 & 9162-0045). Listed under 9820A Calculator.

09810-90016 Individual program pad.

9815A/S Desktop computers

Mini data cartridge (98200A; see page 7).

7120-4691 Individual blank key overlay (minimum order 5).

09815-90011 Individual program pad.

9820A Calculator

5060-9152 Individual 6-in. (152.4-mm) magnetic program card, with envelope (minimum order 10).

9162-0012 Individual 6-in. (152.4-mm) magnetic program card, without envelope (minimum order 10).

9162-0045 Individual 10.5-in. (266-mm) magnetic program card, without envelope.

9230-0052 Individual magnetic card holder sheet (minimum order 5). Holds 3 cards; for binder or file.

09820-90016 Individual program pad.

9821A Calculator

Digital tape cassette (9162-0050; see page 8).

Program pad (09820-90016; listed under 9820A Calculator).

9825A/S Desktop computers

98200A Box of 5 mini cartridges, each with own protective plastic box.

These rugged HPmanufactured storage devices are each
100% tested mechanically (for proper
tape tension and drive force requirements) and electromagnetically (for
error-free data recording). Metal backplate construction helps ensure accurate
alignment of tape guides and other internal parts, while providing a grounding
surface to protect the minicartridge from
effects of static electricity.

In addition to the HP 9825A/S, the 98200A Mini Data Cartridges are used with HP 85A, 9815A/S, 9835A/B & 9845A/B/S/T Desktop Computers, 9915A, OPT001 modular computers—as well as with HP 264X-Series Terminals.



For reliable operation, the minicartridge drive in your HP Desktop Computer should be visually inspected and cleaned with the HP Magnetic Head Clean Kit and HP Cleaning Components. See pages 9, 27.

7120-4802 Individual blank key overlay (minimum order 5). Also used with HP 9831A Desktop Computer.



9830A/B Desktop computers

9162-0050 Individual digital tape cassette, in OMO protective plastic box. Also |. used with HP 9821A Desktop Computer. 7120-3510 Package of 6 blank key overlays.



09830-90016 Individual program pad.

9831A Desktop computer Mini data cartridge (98200A; see page 7).

Blank key overlay (7120-4802; listed under 9825A/S).

9835A/B Desktop computers

Mini data cartridge (98200A; see page 7).

7120-6452 Individual blank key overlay (minimum order 5).



9836A Desktop computer

Uses 92190A flexible discs. See page 5. Software for 9836A. See page 47.

9845A/B/C/S/T Desktop computers

Mini data cartridge (98200A; see page 7).

7120-6164 Individual blank key overlay, for 9845A/B/S/T, (minimum order 5).



pg. 7

9915A Modular computer

Opt. 001 uses 98200A mini data cartridges. See page 7.

Thermal paper for HP 9800 series

Hewlett-Packard thermal papers are manufactured to yield high-quality, fade-resistant copies. The paper surfaces are exceptionally smooth to prevent excessive abrasion between

the printhead and paper which leads to premature head wear. Moreover, HP Engineers test these papers on an on-going basis to ensure these quality standards a

Desktop computer model number	Part des	number / cription	Dimensions & measurements	Unit of measure	Cross-reference to other supplies & accessories
9610A 9620A Calculators 9621A	9281-0401	Blue print continuous roll	2.25 in. (57 mm) 250 ft. (76 m) roll	Box of 6 rolls	See: Magnetic data cards Program pads Magnetic program cards Magnetic card holders Digital tape cassette
9815A/S 9625A/S 9835A/B	9270-0479	Blue print continuous roll	2.25 in. (57 mm)	Box of 6 rolls	For 9815A/5 see: 98200A Mini data cartridge Blank key overlay Individual program pad For 9825A/5 see:
	9270-0664	Black print continuous roll	250 ft. 178 m) to i	Box of 6 rolls	98200A Mini data cartridge Blank key overlay For 9835A/B see: 98200A Mini data cartridge Blank key overlay
9845A/B/C/S/T	92161A	Blue print continuous roll U.S. dimensioned	8.5 In. (216 mm)	Box of 6 rolls	For 9845A/B/C/S/Tsee: 98200A Mini data cartridges
	92161B	High-contrast blue print continuous roll U.S. dimensioned		Box of 6 rolls	Blank key overlay
	92161C	High-contrast black print continuous roll U.S. dimensioned	200 ft. (51 m) roll	Box of 6 rolls	
	92161D	Black print page-perforated roll U.S. dimensioned	8.5 in. (216 mm)	Box of 6 rolls	
	92161E	High-contrast black print page perforated roll U.S. dimensioned	200 11, (61 m) rol	Box of 6 rolls	
	92161M	Blue print continuous roll metric dimensioned	8.27 in (210 mm)	Box of 6 rolls	
	92161N	High-contrast blue print continuous roll metric dimensioned		Box of 6 rolls	
	92161P	High-contrast black print continuous roll metric dimensioned	197 ft. [60 m) roll	Box of 6 rails	
	92161Q	Black print page-perforated roll metric dimensioned	8.27 in. (210 mm)	Box of 6 rolls	
	92161R	High-contrast black print page-perforated roll metric dimensioned	0 - 8 197 ft. (60 m) rol	Box of 6 rolls	

Impact printers

Ribbons and p	paper	WELL WELL			A STATE OF THE STA		
Impact printer model number		Part number / description	Dimensions measureme		Unit of measure		Cross-reference to other supplies & accessories
2601A Dalsywheel Printer	92151C	Multistrike. high-capacity, reel-to-reel ribbon cartridges. Black print.		5/16 in. ribbon. 235,000 characters	Box at 12		See: Bidirectional forms tractor pg. 16 Data printout carrier pg. 28 Paper transporter pg. 37 Printer stand pg. 38
	92151D	Fabric, continuous cycle feed ribbon Cartridges. Black print.		5/16in. ribbon, 1 million characters	Box of 12		Printwheel cleaning kit pg. 27 Printwheels, plastic & metal pg. 15
	92157A	Fantold, blank printer paper.	9.5 in. (241 mm 8.5 in. (216 mm)	18 lb. bond, white, 2400 sheets/box	Вох		Printwheel storage album pg. 16 Sound absorbing mat pg. 14 Sound enclosures pg. 14
	921578	Fanfold, 3-hole punched, blank printer paper.	9.9 in (251 mm) 8.5 in. 1216 mm)	15 lb. bond, white, 3200 sheets/box	Вох		
	92157C	Fanfold, micro- perforated printer paper for high-quality word processing applications.	9.5 in. (241 mm) 8.5 in. (216 mm)	20 lb. no. 1 bond, white, 2400 sheets/ box	Вох		
2607A Dot Matrix Line Printer Also 9881A Printer and 12987A Subsystem)	9282-0531	Nylon ribbon, reel-to-reel. Black print.	0,0	3/4 in. ribbon, 36 yards, .005 in. thick.	Each	Minimum order 6 ribbons	See: Paper transporter
	9280-0705	72-column blank printer paper. 82 si	8.5 m. (216 mm) 7.5 m. (191 mm)	15 lb, bond, white, 3200 sheets/box	Вох		
	9280-0218	80-column green-bar printer paper.	9.9 in (251 mm)	15 lb. bond green-bar (1/2 in.), 3200 sheets/ box	Вох		
	9320-1515	132-column blue-bar printer paper.	14.9 in (378 mm)	18 lb. bond blue-bar (1/2 in.), 2400 sheets/ box	Box		
2608 A/S Dot Matrix Printer Impact printer paper: see papers listed under 2601 A S 2607 A above.	92158A	Ribbon cartridges, mobius loop construction, continuous feed. Black print.		3/4 in. ribbon, 60 yards, 30 million characters	Box of 3		See: Alignment guides pg. 16 Layout forms pg. 16 Sound cover kit pg. 16
	92158M	Ribbon cartridges, for optical mark recognition applications. Black print.		3/4 in. ribbon, 60 yards, 3 million characters	Box of 3		
2613A Line Printer (Also 12975A Subsystem) 2617A Line Printer (Also 13053A Subsystem) Impact printer paper: see papers listed under 2601A & 2607A above.	9282-0545	Wide nylon ribbon. Blue/black print.		15in. ribbon. 20 yards. .004 in. thick	Each		VFU tape, prepunched pg. 16 VFU tape, blank pg. 28 VFU tape, punch pg. 28 VFU tape, winder pg. 28
2618A Line Printer (Also 12983A Subsystem) impact printer paper; see papers listed under 2601A & 2607A above.	9282-0543	Wide nylon ribbon. Blue/black print.	6	14-1/2in. ribbon, 20 yards, .004 in. thick	Each		See: VFU tape, prepunchedpg. 16
2619A Line Printer 2611A Une Printer Impact printer paper: see papers listed under 2601A & 2607A above.	1535-3914	Wide nylon ribbon for normal print applications. Blue/black print.	8	14 in. ribbon, 15 yards, .005 in. thick	Each		See: VFU tape, prepunchedpg. 16 Vacuum bagspg. 16
	92230A	Wide nylon ribbon. For high-contrast print applications. Black print.	9	14 in. ribbon, 18 yards, .004 in. thick	Each		

Impact printe	r ribbe	ons and pa	per				
Impact printer model number		Part number / description	Dimens measur		Unit of measure		Cross-reference to other supplies & accessories
2631A/B Dot Matrix Printer 2631G Graphics Printer	92155A	Ribbon cartridges, mobius loop construction, continuous feed. Black print.		3/4 in, ribbon, 55 yards, 15 million characters	Box of 3		See: Print head pg. 18 Paper transporter pg. 37 Print stand pg. 36 Sound cover pg. 16
2635A/B Printing Terminal 2639A Printing Terminal Impact printer paper: See papers listed under 2601A & 2607A above.	92155B	Ribbon cartridges, used with 2631G, opt. 200 only. Black print.		3/4 in. ribbon, 55 yards, 5000 bar code labels (10 char each)	Box of 3		- COMM COVER
2752A Teleprinter	9282-0524	Nylon ribbon, reel-to-reel. Black print.	90	1/2 in. ribbon, 16 yards, .005 in. thick	Each	Minimum order 6 ribbons	Sea: Mylar perforator tape pg. 16 Paper tape, blank pg. 16
	9280-0046	Teleprinter paper, friction feed.	370 ft. (153 mm)	White bond	Each	Order in multiples of 12 only.	
2762B Terminal Printer Impact printer paper: see paper listed under 27524. Also uses 9280-0705 paper listed under 2607A.		Nylon ribbon, reel-to-reel. Black print	90	1/2 in. ribbon, 18 yards. .005 in. thick.	Each	Minimum order 6 ribbons	
2767A Line Printer Impact printer paper: see papers listed under 2801A and 2807A (except 9320-1515)	9300-0427	Wide nylon ribbon. Blue/black print.		9 in, ribbon, 28 yards, .005 in, thick	Each		
82905A/B Dot Matrix Printer Impact printer paper: see paper listed under 2801A	92156A	Ribbon cartridges continuous feed. Black print.		1/2 in, ribbon, 20 yards, 3 million characters	Box of 2		See: Print head
9871A Character Printer Impact printer paper: see papers listed under 2801A & 2607A above	9282-0561	Nylon ribbon cartridge. Black print.	(P)	5/16 in. ribbon, 16 yards, 500,000 characters	Each	Minimum order 6 ribbons	See: Print wheels pg. 17



HP 2601A Printer with 92177A sound pad

2601A Daisywheel Printer

92177A Sound absorbing pad. Help quiet your 2601A or other printers. The main body is made of high-quality felt treated with a stiffening agent which allows continuous lateral motion without fiber break-down. The non-skid rubber bottom holds the pad firmly on your stand or desk, thus preventing "printer creep." The top corners are impregnated with a layer of latex to hold your printer



HP 2601A Inside 92177E sound enclosure

firmly on the pad. Size is 18 x 22 in. (457 x 559 mm). Order several and save.

92177E Sound enclosure. Reduce unwanted noise in your office or work area up to 30%! This sound enclosure is specifically designed to quiet the HP 2601A Printer. The construction of the cabinet allows outside access to the platen knob and front control panel of the printer. A slot in the rear panel allows use of continuous forms. The top is an easy-to-open

acrylic shield which holds in any position. A whisper-quiet fan with on-off switch keeps your printer running cool. An electrical plug on the rear of the enclosure is an added safety feature. It allows you to plug in your printer and turn it on or off by using the fan switch. This helps ensure that the fan will be on when the printer is operating, preventing heat buildup in the enclosure. Shipped assembled and ready to install. Color is gray sides, dark gray top and back. Size is 25% W x 22½ D x 14½ H in. (653 x 572 x 368 mm). Electrical requirement 110 VAC, 60 Hz.

NOTE: Shipped by truck.

92177F Sound enclosure. This enclosure is equipped with a 220 VAC cooling fan, heavy-duty line cord and a CEDEC (see page 31, 8120-1369) standard plug for international use. This unit does not have an additional electrical outlet on rear of enclosure. Other specifications are the same as 92177E.

2601A Impact printer







The HP 2601A offers complete interchangeability between metal and plastic daisy print wheels. The pitch or characters per inch is usually identified in the print wheel title, i.e., a 10 represents a

10-pitch and 12 is 12-pitch. The courier 72 is an exception; it is 10-pitch. A PS indicates a proportionally spaced wheel.

See 92193C Printwheel clean kit page 27.

Plastic Print Wheels—96 Character

Part number 92252A

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz -¢,.:;=+\$0%()[]()>=<-,~`?!@#/!\&" 0123456789

Courier 10 Part number 92252B ABCDEFGHIJKLMNOPORSTUVWXYZabcdefghijklmnopgrstuvwxyz -E,.:;-+S#8[][]()>=<- * " ?!@*/|\6" 0123456789

Part number 92252C Manifold 10 ABCDEFGHIJKLMNOPQRSTUVWXYZABCDEFGHIJKLMNOPQRSTUVWXYZ -¢,.:;-+\$*%()[]()>=<='60?!8#/|\&" 0123456789

APL-10 Part number 92252D uinle_Var. • □| TO *?p[~+uw=+∈ABCDEFGHIJKLMNOPQRSTUVWXYZ -...([+;<={]++vn;x;\$]20\" 0123456789

OCR-A 10 Part number 92252E ABCDEFGHIJKLMNOP@RSTUVWXYZabcdefghijklmnopqrstuvwxyz *A+.:5-+\$£%XU&\${}H=3+'|.*|*/088" 0123456789

Part number 92252F OCR-B 10 ABCDEFGHIJKLMNOPGRSTUVWXYZabcdefghijklmnopgrstuvwxyz

nf,.:;-+\$#%()[]()>=<"'"'?!D*/|\8" 0123456789 Courier Legal 10A Part number 92252G

ABCDEFGHIJKLMNOPCRSTUVWXYZabcdefghijklmnopqrstuvwxyz _c,.:;-+\$#85+[]();=5"1007!@*/4"5" 0123456789 Elite 12 Part number 92252H

ABCDEFCHIJKLMNOPQRSTUWWXYZabcdefghijklmnopqrstuvwxyz -¢,.:;-+\$#\${}[]()>=("'"?!6*/!\&" 0123456789

Part number 92252J Prestige Elite Legal 12A ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz

0123456789 4c . . : ; -+ 5#2 k4 []() += 5 - " e 1 ? 1 8 * / - 6" Courier 72 Part number 92252K

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopgrstuvwxyz -c,.:;-+\$#%[][]()>=<-*^*?!@*/1\&*

General Scientific Part number 92252L ~~"_/){±•~/+\/+LA^+, "/#|/L•=!.

German Pica 10A Part number 92252P ABCDEFGHIJKLMNGPGRSTUVWXYZabcdefgnijklmnopgrstuvwxyz 0123456789 | \$. .:; -+\$£%#GXG()>=<~'^ 718#/854"_

German Courier 10 Part number 92252U

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopgrstuvwxyz \$!"E\$%& () *+,-./:; <=>?BÄÖÜ^ 0123456789 'äöü~ |

German Elite 12 Part number 92252

ABCDEFGHIJKLMNCPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz Part number 92252V \$!"£\$%&!()*+,-./:;<=>?BXOU"_"NOU"| 0123456789

French Pica 10 Part number 92252Q ABCIEFGHIJKLMNCPCRSTUVWXYZabodefghijklmncpqrstuvwxyz C123456789 | Fr.:;-+\$£%éè°\$()>=<"."?!à"/ûç&"_ 0123456789

French Prestige Cubic 10 Part number 92252W

ABCDEFGHIJKLMNUPQRSTUVWXYZabodefghijklmnopqrstuvwxyz 0123456789 81"£\$%&'()*+,-./:;<=>?à°ç§* "éûè"|

U.K. Courier 10 Part number 92252X ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz 0123456789 5!"ES%&'()*+,-./:;<=>?@[\]^_`{|}-#

Kana Gothic Elite 12 Part number 92252T ABCDEF GHIJKLMNOPQRSTUVW#YZ 939FIEht299593Fa94Fx9564PI

Note: Some special characters and symbols may not correspond with USASCII keyboards.

Metalized Print Wheels—88 Character

Part number 92153A Titan 10

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 0123456789 ¢10#'\$8&(*)_,+%=%,?:";-./.

Pica 10 Part number 92153B ABCDEFGHIJKLMNOPQRSTUVWXYZ abodefghijklmnopqrstuvwxyz

0123456789 **は!個が*事務を(*) ,+====,?:*;-./.** Elite 12

Part number 92153C ARCDEFOHLJKLMNOPORSTUVWXYZ shodefghi Kulmnoporstuvwxyz

#!@#'\$%&(#)_,+2=3,?:";-./. 0123456789

Part number 92153D Letter Gothic 12 ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

\$!0#'\$%&(*)_,+4=12,7:";-./. 0123456789 Bold PS Part number 92153E

ABCDEFGHIJKLMNOPQRSTUVWXYZ sbedefghijklmnopqrstuvwxyz 0123456789 e!@#'\$%&(*)_,+ {= 1,?:";-./.

Metalized Print Wheels—96 Character

757_1RN*2417-tx73.0.4+)18/98765*X7¥#Z9EPDJ@U

Part number 92153U Titan 10

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz 0123456789 'c,.:;-+\$#%[)[]()>=<^^^?1@*/[\&*_

Financial 10 Part number 92153V ABCDEFGHIJKLMNOPORSTUVWXYZ7≠cd6f181 * B4m5ØΦ/41295327€

0123456789 4],..,-+\$#₩{}[\C\$π=#~~~?!®*/#~&¿_

Cubic PS 96 Part number 92153W ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijk!mnopgrstuvwxyz 0123456789 '¢,.:;-+\$#%[|[]()>=<- ' ?!@*/|\&"_

Note: Typestyle examples are photographically reduced.

92252 Series plastic 96-character wheels, box of 6. (supersedes 92152 series).

92153 Series metalized 88-character wheels.

92153 Series metalized 96-character wheels.

Impact printer supplies

Ribbons and paper. See pages 13 and 14.



92167W Print wheel album

92167W Print wheel storage album. Organize your HP 2601A daisy print wheels with our Print Wheel Storage Album. It has a capacity of 6 print wheels and is ruggedly constructed to prevent damage while providing a dust-free storage environment. Snap the print wheels in place, close cover and store this handsome album wherever you like. Bone color with black accent. Size is 9½ x 11% in. Order several and save.



26010A Bidirectional forms tractor

26010A Bidirectional forms tractors.

Add the convenience of continuous forms to your HP 2601A printer. The tractors install easily over existing platen and are advanced as the platen turns. The tractor wheels are adjustable to accept up to 16 in. form widths. With the forms tractors installed, the HP 2601A will fit completely inside the 92177E/F sound enclosures.

2607A Dot matrix line printer

Paper widths accepted: 4.0 in. (100 mm) minimum; 14.8 in. (377 mm) maximum.

02607-80024 Individual pre-punched VFU tape. 66 lines per page.

02607-80015 Roll of 8-channel blank VFU tape. 20 ft. (6.1 m) long.

02607-60230 VFU tape kit. Roll of blank tape, plus 20 splices.

2608A/S Dot matrix printer

Paper widths accepted: 4.9 in. (125 mm) minimum; 16.1 in. (385 mm) maximum.

02608-60091 Package of layout forms. Total 250 sheets on 5 pads.

02608-60092 Package of 10 alignment guides. (2608A printers with chrome tractors).

92159A Package of 10 alignment guides (2608A printers with black tractors).

26004A Sound cover kit. Designed to quiet your 2608A/S Printer. Included in the cover is a built-in static eliminator which reduces paper static buildup and aids in proper paper stacking.

2613A Line printer

Paper widths accepted: 4.9 in. (124 mm) minimum; 16.7 in. (426 mm) maximum. Individual pre-punched VFU tape. Also used with HP 2617A, 2618A and 2619A Printers.

02613-80001 (66 lines/page) **02618-80003** (88 lines/page)

2617A Line printer

Paper widths accepted: 4.0 in. (100 mm) minimum; 16.7 in. (426 mm) maximum. **Ribbon and VFU tape:** Same as for HP 2613A Printer.

2618A Line printer

Paper widths accepted: 4.0 in. (100 mm) minimum; 19.0 in. (495 mm) maximum. **VFU tape:** Same as for HP 2613A Printer.

2619A Line printer

Paper widths accepted: 3.5 in. (89 mm) minimum; 19.5 in. (495 mm) maximum. **VFU tape:** Same as for HP 2613A Printer.

9300-0750 Package of 3 vacuum bags (minimum order 5 packages).

NOTE: locally available regular Type G short bags (Hoover PN 43651-060) may be used.

2631A/B Dot matrix printer

Paper widths accepted: 2.2 in. (56 mm) minimum; 15.7 in. (400 mm) maximum.

2631G Graphics printer

Uses same supplies as HP 2631A/B Printer.

92154G Print head. Replacement Print Head for 2631G
Opt. 200. Also fits
other 263X-series
printers.

2635A/B Printing terminal

Paper widths accepted: 2.2 in. (56 mm) minimum; 15.7 in. (400 mm) maximum. Uses same supplies as 2631A/B Dot matrix Printer.

2639A Printing terminal

Uses same supplies as HP 2635A/B above.

263X Family sound cover 26090A Sound cover. Help

quiet your HP 2630 (family printers with this easily installed abatement cover. It will reduce printing noise up to 10 dB. Includes moun

10 dB. Includes mounting clips, paper intake shield and instructions.

Cables. See page 29.

Printer stands. See page 36.

2752A Teleprinter

92231B Paper perforator tape, Box of 28 Rolls. (Supersedes 9280-0063.) Oiled gray paper tape, 1 in. (25.4 mm). Each roll 1000 ft. (305 m) long.

Mylar perforator tape 0460-0747 Roll of aluminized mylar tape; 1 in. (25.4 mm) wide, 1000 ft. (305 m) long. Gold/Green color.

82905A/B Dot matrix impact printer

Paper widths accepted: 4 in. (102 mm) minimum; 10 in. (256 mm) maximum.

92154P Print head. Reliable and user installable. Average life is 50 to 100 million characters.





92171S Desktop printer stand

92171S Desktop printer stand. This unique smoked acrylic printer stand is designed for use with the HP 82905B printer.

Improves paper flow. Fanfold paper conveniently fits inside the printer stand—providing organization and improved paper flow while printing. Printer stand holds paper size 4 in. (102 mm) to 10 in. (254 mm) wide.

Looks professional. This attractive printer stand lends a professional look to any work environment.

Sized right. The stand measures 15 in. (380 mm) W x 14 in. (355 mm) D x 3-3/8 in. (85 mm) H. The right size for personal/office workstations.

For impact printer ribbons and paper, see page 13.

9871A Character impact printer

Paper widths accepted: 2.0 in. (50 mm) minimum; 15.0 in. (381 mm) maximum.

Package of 3 print discs. Each package contains 3 identical, 96-character print discs. Available in following character sets:

1530-0697 (Standard)

1530-1810 (European)

1530-1811 (ASCII)

1530-1851 (Katakana)

1530-1895 (Cyrillic)

1530-2022 (APL)




Laser page printer

92180A Toner. Specially formulated for the HP 2680A Laser Page Printer. Meets HP warranty requirements. Box of 12 one-kilogram bags. Depending on print density, one kilogram will provide 16 to 20,000 pages of output. Six boxes is 6months supply under normal usage.

92180D Drum kit. Replacement drum for HP 2680A Laser Printer. Includes new cleaner blade. NOTE: Drum coating contains cadmium sulfide and must be handled with care. The old drum should be returned to Hewlett-Packard for proper disposal. Return instructions vary depending upon location. Check with your local HP office for details.

92180T Maintenance tool kit. Contains all basic tools needed to perform scheduled maintenance on the HP 2680A Laser Printer. Includes corona stringing tool, magnetic-orientation tool, cleaner blade pressure tool. Comes in plastic tool case.

92181A Disposal containers. Box of 6 plastic containers for collection and clean disposal of used toner. Two boxes is 6-months supply under normal usage.



92182A Carrier. Box of 24 bottles for replenishing the electrophotographic process of the HP 2680A. One box is 6-months supply under normal usage.

92182D Developer. Box of six bottles for use during maintenance of the HP 2680 Laser Printer. One bottle is needed every time drum is replaced. One box is 6-months supply under normal usage.

continuous forms on the splicing table. One box is 6-months supply under normal usage.

92184A 18-lb. (69-gm/sq. meter) continuous fan-fold paper. Dimensions are 12 x 8.5 in. (305 x 216 mm), including pin feed strips. Yields 11 x 8.5 in. (279 x 216 mm) finished copies. 3600 Sheets per box, 45 boxes per pallet. Sold only in pallet load quantities, minimum order one pallet, 9 pallets is 6-months supply under normal usage.

92183A Splicing tape. One box contains 6 rolls of splicing tape for joining boxes of

Thermal printers

Paper

Hewlett-Packard thermal papers are manufactured to yield high-quality, fade-resistant copies. The paper surfaces are exceptionally smooth to prevent excessive abrasion between the printhead and paper which leads to premature head wear. Moreover, HP Engineers test these papers on an on-going basis to ensure these quality standards are met.

Thermal printer model number	Part number & description	Dimensions & measurements	Unit of measure	Cross-reference to other supplies & accessories
2671A 2671G	92160A Blue print. Continuous roll. U.S. dimensioned.	8.5 in. (215 mm)	Box of 24 rolls	See: Printer/plotter stand
2673A	921608 Black print. Continuous roll. U.S. dimensioned.	100 H. (30 5 m) roll	Box of 24 rolls	Cablespg. 2
	92160C Black print. Page-perforated roll. U.S. dimensioned.	9.5 in (216 mm)	Box of 24 rolls	
		100 H. (30.5 m) roll 8 S in. (215 mm)		
	92160M Blue print, Fanfold pack, U.S. dimensioned.	11 mm [279 mm]	Box of 4 packs	
	92160N Black print. Fanfold pack. U.S. dimensioned.	330 sheets per pac		
7240A 7245B	9270-0607 Black print. Page-perforated roll, Metric dimensioned.	8.27 in = E (210 mm) = E	Box of 2 rolls	See: Thermal print head
	9270-9700 Blue print. Page-perforated roll. Metric dimensioned.	200 H. (81 m)	Box of 2 rolls	
	9270-6090 Black print. Continuous roll U.S. dimensioned.	8.5 to 1216 mm)	Box of 2 rolls	
	9270-9959 Blue print. Continuous roll. U.S. dimensioned.	200 H. (61 m)	Box at 2 rolls	
	9270-0605 Black print. Page-perforated roll. U.S. dimensioned.	9.5 in. (241 mm)	Box of 2 rolls	
	9270-9699 Blue print. Page-perforated roll. U.S. dimensioned.	0) = E	Box of 2 rolls	
7310A	9270-0680 Black print. Continuous roll, Metric dimensioned.	B.27 in (210 mm)	Box of 6 rolls	
	9270-9681 Blue print. Continuous roll, Metric dimensioned.	246 ft. 175 m1	Box of 6 rolls	
	9270-0682 Black print. Continuous roll. U.S. dimensioned.	8.5 in. (216 mm)	Box of 6 rolls	
	9270-0683 Blue print. Continuous roll. U.S. dimensioned.	246 lt. (75 m)	Box of 6 rolls	
9666A/B HP 12996 Subsystem	9270-0488 Black print. Continuous roll.	8.75 in. (222 mm)	Box of 6 rolls	
	9281-0414 Blue print. Continuous roll.	250 H. (75 m) roll	Bax at 2 rolls	
9876A	9270-0640 Black print. Fanfold pack. U.S. dimensioned.	immile 6	Box of 4 packs	
	9270-0641 Blue print. Fanfold pack. U.S. dimensioned.	330 sheets per pack	Box of 4 packs	
	9270-0642 Black print. Fanfold pack. Metric dimensioned.	6.27 in. (211 mm)	Box of 4 packs	
	9270-0643 Blue print. Fanfold pack. Metric dimensioned.	330 sheets per pack	Box of 4 packs	

Terminals

Thermal paper for terminals

Hewlett-Packard thermal papers are manufactured to yield high-quality, fade resistant copies. The paper surfaces are exceptionally smooth to prevent excessive abrasion between the printhead and paper which leads to premature head wear. Moreover, HP Engineers test these papers on an on-going basis to ensure these quality standards are met.

	Terminal model number	,	Part number & description	Dimensions & measurements	Unit of measure	Cross-reference to other supplies & accessories
262X 2675A	Interactive terminals	92160A	Blue print continuous roll U.S. dimensioned	8.5 in (216 mm)	Box of 24 rolls	For 252X and 2575A see: 1420-0259 Battery pg. 19
		92160B	Black print continuous roll U.S. dimensioned	0 100 H. (30.5 m) roll	Box of 24 rolls	For 2875A see: 98200A Mini data cartridge
3075A 3076A 3077A	Data capture terminals	82045A	Blue print continuous roll	2 25 in. (57 mm)	Box of 6 rolls	See: 92193X Cleaning solution pg. 28

2382A Office display terminal

13269B Carrying case. Make carrying easy and protect your HP 2382A terminal with this rugged, soft-sided vinyl case with a handy shoulder strap. An internal pocket holds the keyboard and keeps it from vibrating against the display monitor. Space is provided to slip a small modem inside.

Need a 2382A terminal fast? See page 57.

262X Interactive terminals



92171H CRT trav

92171H CRT tray. The solution to workstation clutter is here. This unique smoked acrylic CRT tray allows work documents to be neatly stacked on top of your HP 262X- and HP 262X-Series Terminals.

Stays in place. Rubber feet keep the CRT tray securely in place on top of your terminals. The curved front lip of the tray also hooks over the edge of work surfaces to organize the inflow and outflow of paperwork around terminals. The net result is increased operator efficiency.

Easy to use. The tray has an open front and a handy thumb notch for easy access to contents.

Holds up to 132-column printout. Tray measures 16 in. (41 cm) W x 12 in. (30.5 cm) D x 21/2 in. (6.4 cm) H.

1420-0259 Battery for 262X terminals.

264X-Series display terminals

Following supplies are used with HP Models 2640 through 2649 CRT Display Terminals.

92190A Flexible discs for HP 2642A. See page 5.

92171P Palm rest. Helps all those who use CRTs daily, to support their wrists and maintain proper forearm angle with the keyboard. The support is also for use with the 264X series and is height adjustable up to 1/2 in.

98200A Box of 5 Minicartridges, each with own protective plastic box. For HP terminals equipped with minicartridge

drive.





13269B Carrying case



92171P Palm rest

Your terminal's minicartridge drive should be kept clean for continued reliable operation. See Cleaning Kits and Swabs listed on page 27.

92171H CRT tray. See 262X listing.

92171F Printer/plotter stand for 264Xseries terminals. Save valuable workstation surface area with this platform, which provides a level surface for your terminal printer or plotter. There are many other uses for this versatile terminal accessory. (Slots are provided for the front feet of the 2671-series Printers.)



92171F Printer/plotter stand

7120-5525 Individual blank key overlay (minimum order 5). Label template fits around user-defined "soft" keys on terminal.

3075A, 3076 & 3077A **Terminals**

82045A Box of 6 rolls thermal printer paper.

Graphics



Plotter model no.	Fiber	-tip pens	Draftin	g pens	Roller-bal pens
	Paper writing	Overhead transparency	Short body	Long body	
7220	•	•	•		
7221		•	•		
7225	•	•			
7470	•	•			
7580	•			•	•
7585	•			•	•
9872	•	•	•		
Older plotters 7200, 7202, 7203, 7210, 9125, 9862	•				

Drafting and roller-ball pens



Drafting pens short body



A D D

For use with 7220, 7221, and 9872 graphics plotters.


5061-5060 Drafting pen, short body. Used with plotter points listed below. Two pen bodies and pen boots per package.


Plotter points (tungsten), used with drafting pen, short body. 9300-0955 Point size, .18 mm**

9300-0956 Point size, .25 mm** 9300-0957 Point size, .35 mm

9300-0958 Point size, .50 mm

9300-0959 Point size, .70 mm 9300-0960 Point size, 1.00 mm





07580-60025 Drafting pen, long body. Used with plotter points listed below. One pen body per package.

Plotter points (tungsten), used with drafting pen, long body.

9260-0742 Point size, .18 mm**


9260-0741 Point size, .25 mm** 9260-0588 Point size, .35 mm

9260-0744 Point size, .50 mm

9260-0579 Point size, .70 mm 9260-0743 Point size, 1.00 mm

Roller-ball pens

For use with **7580** and **7585** graphics plotters.



Narrow line width (.3 mm)

5061-5034 (Red)

5061-5036 (Blue)

5061-5035 (Green)

5061-5033 (Black)



9260-0596 Drafting ink. Used with drafting pens. ¾ oz. bottle, black.

^{**}For special fine-line plotting only. These narrow pen tips require more cleaning and care than wider pen tips. Therefore, we do not recommend these fine-line tips for general use on the 7580A and 7585A plotters.

^{*}Note: Quantity discounts apply to purchase of single part numbers only.


Fiber-tip pens



Paper writing pens (newer plotters)

For use with **7220**, **7221**, **7225**, **7470**, **7580**, **7585**, and **9872** graphics plotters.

Single-color pen packages (5 pens/pkg.)



-

Overhead transparency pens


For use with **7220**, **7221**, **7225**, **7470**, and **9872** graphics plotters.

Single-color pen packages (5 pens/pkg.)



Multi-color pen packages





Multi-color pen packages (4 pens/pkg.)



Transparency ink solvent

5060-6828 Container of 1 fluid oz. (29.6 ml)



Lime Green

Paper writing pens

For use with 7200-7203, 7210, 9125, and 9862 plotters.

Lime Green

Same-color pen packages (5 pens/pkg.)





Plotter pen holder

07225-40054

This sturdy organizer holds up to four fiber-tip, roller-ball, or short-body drafting pens.

*Note: Quantity discounts apply to purchase of single part numbers only.

Graphics plotter media size guide

ANSI	Dimensions in inches	A 8½ × 11	B 11 × 17	D 22 × 34	E 34 × 44
ISO	Dimensions	A4	A3	A1	A0
	in millimeters	210 × 297	297 × 420	594 × 841	841 × 1189

Media selection guide

	Blank	olotter paper		(Overhead t	ransparency film
Media siz	ze Part no.	Quantity/ pkg.	N	edia size	Part no.	Quantity/ pkg.
A	9280-0589	50 sheets		A	9270-0639	100 sheets
	9280-0517	300 sheets				
A4	9280-0588	50 sheets		A4	9270-0360 For use with	50 sheets
	9280-0519	300 sheets			7470A only.	
11 x 16.5 i (280 x 420 n		100 sheets			Traci	ng bond
11 x 16.5 i (280 x 420 n		300 sheets	Me	dia size	Part no.	Quantity/ pkg.
D	9280-0527	200 sheets	ION	D	9280-0600	150 sheets
A1	9280-0528	200 sheets	5	A1	9280-0599	150 sheets
≅ E	9280-0587	150 sheets	=	E	9280-0598	150 sheets
■ A0	9280-0590	150 sheets	S	A0	9280-0597	150 sheets
English size	9280-0493	One roll (200 ft.)				
<u>d</u>	†1 in. × 200 ft. (279 mm × 61 m)					
Metric	9280-0494	One roll (200 ft.)				
d	297 mm × 61 m (11.69 in. × 200 ft.)					

		Poly	rester film		Vellum				
Med	dia size	Part no.	Quantity/ pkg.	Me	dla size	Part no.	Quantity/ pkg.		
ar.	A	9280-0605	50 sheets		A	9280-0601	150 sheets		
wer.	A4	9280-0608	50 sheets	-	A4	9280-0603	150 sheets		
ac.	В	9280-0607	50 sheets	are a	В	9280-0602	150 sheets		
8	A3	9280-0606	50 sheets	150	A3	9280-0604	150 sheets		
	D	9280-0526	50 sheets		D	9280-0529	150 sheets		
	A1	9280-0525	50 sheets		A1	9280-0530	150 sheets		
	E	9280-0591	50 sheets	=	E	9280-0593	150 sheets		
HET	A0	9280-0592	50 sheets		A0	9280-0594	150 sheets	The No.	

	Graphics pl	ott	er	п	ne	di	a	co	m	pa	atil	bil	ity	, 6	jui	d	е	ľ					n								and the same
- :	Plotter model number			E				ott siz							Ve	llu							oly							cin d si	Overhead transparency film size
		A	Α4	В	АЗ	D	A1	E	AO	English	Metric	A	A4	В	A3	D	A1	E	AO	A	A4	В	A3	D	A1	E	AO	(Di	n	edia)	
	7220A/C, 7221A/B/C	•		•	•							ŀ		•	•					•			•								•
	7220S/T, 7221S/T	•			•					•	•	•	•	•	•					0		•	•								•
	7225A/B	•																													•
	7470A		•																												•
	7580A						•	•	•			0			•	•	•			ŀ								•			
	7585A				•			•	•			0				•	•	•	•	•		•					•	•	•		
	9872A/B/C				•							0	•							0											•
	9872S/T	•			•					•				•	•					ŀ		•									•
	Older plotters (7200, 7202, 7203, 7210, 9125, 9862)	•	•		•																										

Plotter supplies kits

A convenient way to get an assortment of pens and plotter media for everyday use.

17013A Small-sheet kit (metric) for 7470A and other plotters. Contains 15 pads (750 sheets) of blank A4-size (210 x 297 mm) paper plus the following pens: 10 Black, 10 Red, 5 Green, and 5 Blue. Also includes a sturdy pen holder.

17014A Small-sheet kit for 7470A and other plotters. Contains 15 pads (750 sheets) of blank 8.5 x 11 in (216 x 279 mm) paper plus the following pens: 10 Black, 10 Red, 5 Green, and 5 Blue. Also includes a sturdy pen holder.

17031A Large-sheet kit for 7220, 7221 and 9872 Plotters. Contains 400 sheets of 11 x 16.5 in. (280 x 420 mm) paper plus the following pens: 4 Black, 4 Red, 4 Green, and 4 Blue.

17055A Overhead transparency kit for 7220, 7221, and 9872 plotters; also 7225 if equipped with velocity-select capability. Contains all supplies necessary to prepare up to 200 overhead projection transparencies. Includes 200 sheets of transparency film, each 8.5 x 11 in. (216 x 279 mm); a bottle of ink solvent; and 16 pens in two tip widths and 7 vivid colors. Packaged in convenient storage box with complete instructions.

17057A Overhead transparency kit for the 7470A contains all supplies necessary to prepare up to 50 overhead projection transparencies. Includes 50 sheets of paper-backed transparency film, each 8.5 x 11 in. (216 x 279 mm); and 16 pens in



HP 7470A Graphics plotter

two tip widths and 7 vivid colors. Packaged in convenient storage box with complete instructions.

Printed plotter papers

Box of 100 large sheets, standard grid, available in two weights and two grid sizes:

English (10 x 15 in. grid dimension printed on 11 x 16.5 in.) and

Metric (250 x 380 mm grid dimension printed on 280 x 420 mm).

9270-1024 Metric grid—heavy wt. 9270-1042 Metric grid—light wt. 9270-1004 English grid—heavy wt. 9270-1005 English grid—light wt.

Box of 100 small sheets, Standard Grid, available in two weights and two grid sizes: English (7 x 10 in. grid dimension printed on 8.5 x 11 in.) and

Metric (180 x 250 mm grid dimension printed on 216 x 280 mm).

9270-1023 Metric grid—heavy wt. 9270-1027 Metric grid—light wt. 9270-1006 English grid—heavy wt. 9270-1007 English grid—light wt.

7220, 7221, and 9872 Graphics plotters 09872-60066 Digitizing sight.

9300-0967 Replacement drafting pen boots for short-body drafting pens (when used with 7220, 7221, and 9872 plotters). Two boots per package.

Graphics (cont.)

7240A, 7245B Thermal plotter/printers 07245-60001 Thermal print head.

Thermal printer paper See page 18.

7310 Thermal forms & text printer

Thermal printer paper See page 18.

7580A, 7585A Drafting plotters

The following supplies are for use with the 7580A and 7585A only.

Plotter pens and plotting points. See page 20.

Plotter media. See page 22.

07580-60035 Fiber-tip pen carousel. Holds 8 fiber-tip pens. See page 21 for paper-writing fiber-tip pens.

07580-60081 Drafting pen carousel. Holds 8 long-body drafting pens. See page 20 for long-body drafting pens.

07580-60082 Roller-ball pen carousel. Holds 8 roller-ball pens. See page 20 for roller-ball pens.

4320-0361 Replacement pen boots for fiber-tip and roller-ball pen carousels.

4320-0365 Replacement pen boots for drafting pen carousel.


1540-0714 Writing accessories chest, hardwood. Keep your drafting plotter supplies protected and organized.

8710-1386 Grit wheel brush. Helps in cleaning grit wheel.

9282-0905 Cleaning syringe. Used to clean drafting pens, etc.

9282-0908 Drafting pen cleaning solution, 5.2-oz. container.

07585-60191 Slanted digitizing sight for use with 7580A and 7585A drafting plotters.



7580A and 7585A Drafting plotters.

9111A/T Graphics tablet 09111-68701 Package of stylus refills (2 inkless, 3 ink cartridges).

7121-0988 Package of three overlays. Used to protect and hold down documents of 9111A Graphics Tablet.

9872 Graphics plotter See 7220, 7221 listing.

9874A Digitizer 09874-87000 Package of 5 mylar holddown sheets, each 33.5 x 20.5 in. (851 x 521 mm).

09874-67924 Individual holddown magnet, to secure large documents and Mylar Holddown Sheets to platen.



9111A/T Graphics tablet.

7120-7105 Individual bank key overlay (minimum order 5).

Ink cartridge for stylus. Use Papermate Standard Ballpoint Refill (Papermate PN 46301, black ink, fine line), or equivalent.

Dust covers

HP custom covers for your valuable computer equipment.

Protects equipment—saves you money. These protective cloth covers keep dust, dirt, and food away from the vital internal components of your computer equipment. Repairs are reduced and the operating life of your instrument is extended.

Looks professional. Each cover is constructed of durable, dark tan cloth—for a professional look in any workplace. When your computer equipment is in use, these covers fold neatly and easily into a compact bundle for storage in a drawer.

Perfect fit. Each cover is custom designed to provide a perfect fit to your equipment. Special rear cut-outs allow for routing of power and interconnect cables. These protective covers are a wise investment in the future of your equipment. Use the chart below to order a cover for each of your computer products listed below.



Custom HP covers-the professional look in equipment protection.

Dust covers for terminals, plotters, and printers

HP product model no.	Dust cover part no.	
2382	₩ 92250A	
262X	■ 92250B	
264X	€ 92250C	
7220, 7221, 9872A/B	3 9222-0564	
7220, 7221, 9872C	5 9222-0742	
7220, 7221, 9872\$	222-0681	
7220, 7221, 9872T	9222-0741	
7225B	2 9222-0635	
7240A/7245B	2 9222-0607	
7470A	☎ 92250N	
82905A/B	■ 92250T	

Dust covers for personal and desktop computers

HP product model no.	Dust cover part no.
HP-83/85	82948A
HP-87	82955A
HP 125	■ 92250B
9825A/B/S/T	92251H (Replaces 9222-0495)
9826A	32251J (Replaces 9222-0817)
9835A	22251K (Replaces 9222-0594)
9835B	92251H (Replaces 9222-0495)
9845B Opt. 1XX	S2251M (Replaces 9222-0592)

Note: Please make sure that your computer equipment is turned off before placing dust covers on the equipment.

Carrying cases



Protection for those on the go!

Easy transport. Each soft-vinyl carrying case features cushioned padding to protect your valuable computer equipment. These cases are designed for "hand-carrying" transport (not suitable for shipping).

Perfect fit. Each case is custom designed to provide a perfect fit to your computer equipment.

Quality construction. High-quality, heavy-gauge vinyl makes these cases strong and durable. If you're on the go, you and your HP computer equipment deserve these protective carrying cases. Use the chart below to order a carrying case for each of your computer products listed below.

Carrying case styles (see photo at left); style A —far left; style B —center; style C —top right (white); style D —bottom right.

Carrying cases for termi	nals and plotters		
HP product model no.	Carrying case part no.	Carrying case style	
2382A	13269B*	A	
7220, 7221, 9872B/C	1540-0480	В	
7225B, 7470A	1540-0560	В	
7240A, 7245B	540-0558	В	
9111A/T	2 1540-0685	В	
9874	5 1540-0555	В	37-1

HP product model no.	Carrying case part no.	Carrying case style
HP-83/85	13269A*	С
HP-83/85	82933A	D
9825A/B/S/T	3269M (Replaces 98025A)	В
9835 (computer)	3269M (Replaces 98025A)	В
9835 (CRT)	3269R (Replaces 09845-64404)	В
9845 B/C Opt. 175, 275, 280 (computer)	3269Q (Replaces 1540-0491)	В
9845B Opt. 175 (CRT)	3269R (Replaces 1540-0492)	В
9845B/C Opt. 275, 280 (CRT)	3269S (Replaces 1540 - 0669)	В



Cleaning kits



1.92193A; 2.92193C; 3.92193H; 4.92193M; 5.92193V; 6.92193S; 7.92193Y.

Cleaning kits and components for preventive maintenance

Take care of your equipment with the HP Family of Cleaning Kits and Components. Our new kits fill the maintenance needs demanded with your regular operation. You can improve equipment performance by reducing contamination and static. Simply select the appropriate kits for your applications and supplement them with HP accessory cleaning components.

92193A/B Flexible disc drive head cleaning kits. See page 5.

Print wheel clean kit

HP introduces a revolutionary cleaner for your valuable print wheels. Keep your print characters sharp and smudge free without going through a messy cleaning job. Using the HP Print Wheel Clean Kit is a quick and easy process. Simply attach the wheel to the interchangeable wheel holder, then apply cleaning solution to the element pad, close the lid and give the outside knob a few turns. That's all there is to the safe and regular maintenance of your Daisy wheels.

92193C Print wheel clean kit.
Includes the cleaner box, a single element pad, an interchangeable wheel holder and a 4-oz. bottle of cleaning solution. Each pad can be used for approximately 20 cleanings and is then easily replaced. See accessories for refills.

92193D Print wheel clean kit refill.
Included are two 4-oz. bottles of cleaning solution and two cleaner element pads. Each element pad is good for approximately 20 cleanings.

92193H Magnetic head clean kit.
Prolong tape head life and minimize read/write errors by periodically inspecting your mag tape visually and by using this kit regularly. Regular use reduces dust and oxide buildup. Contains two 4-oz. bottles of cleaning solution, 50 lint-free wipes, ten plastic swabs with urethane foam tips and one easy-pour dispensing cap.

92193M Master clean kit. This kit contains all the components necessary for cleaning mag tape and disc drive heads, capstans and guides, terminal screens, printers and all equipment surfaces. Included are one 4-oz. bottle of mag head cleaning solution, one 4-oz. bottle of anti-static solution, one 4-oz. bottle of screen cleaning solution, 10 plastic swabs with soft urethane foam tips, 1 font brush, 16 screen-clean wipes, 50 lint-free wipes, 2 pump spray tops and instructions.

92193S Anti-static kit. This kit is to be used wherever static charges pose a problem to your HP equipment. Contains six 4-oz. bottles of anti-static spray and five 8 x 8 in. lint-free anti-static wipes.

92193V Video clean kit. Clean your CRT terminal screens and other glass sufaces with the two 4-oz. bottles of screen-cleaning solution, fifty 3 x 5 in. lint-free wipes and one easy-pour dispensing cap.

Accessory cleaning components

Supplement and refill your HP cleaning kits with accessory cleaning components. You can save by ordering components in larger quantities based on your normal maintenance program.

92193W Lint-free wipes. Buy in bulk and save! One bag of 100 lint-free thermal-bonded polyester wipes. Safe to use on all HP equipment surfaces. 3×5 in. $(7.6 \times 12.7 \text{ cm})$ each.

92193X Cleaning solution. A box of six 4-oz. bottles. Use with cleaning swabs and compressed air on mag tape drive and flexible disc drive read and write heads, capstans and guides. Safe on all magnetic media surfaces.

92193Y Compressed air cleaner. A box of two 8-oz. cans of compressed air cleaner. Use to clean hard-to-reach spots and to speed evaporation of cleaning solutions. Safe and handy to use. Includes extension spray tube.

9300-0468 Box of 50 lint-free swabs with wood handles. See page 9.

9300-0767 Box of 50 lint-free swabs with plastic handles. See page 9.

Miscellaneous



12575C Cordless tape winder

Cordless tape winder

12575C Tape winder has no power cord to get in your way, yet you save the expense of replacing batteries. It will operate at least 30 minutes without recharging. Input voltage to the recharger is switchable 115/230 Vac, 50-60 Hz. Winder has "touch-to-operate" trigger switch, anodized aluminum tape plate with 3 pins, and comes with its own recharger/holder.

92173Q Data printout carrier

92173Q Data printout carrier. Don't arrive at important meetings with folded and multilated printouts. Use HP's convenient data carrier. It holds up to

2.5 in. of printout (14.9 x 11 in.) or other reports. Constructed of sturdy brown vinyl with zipper and carrying handles. Order several and save.

Optical mark reader cards

Clock marks black non-reflective ink; all other information reflective red ink.

9320-2072 Box of 2000 generalpurpose, 80-column cards. 9320-2074 Box of 2000 generalpurpose, 40-column cards. 9320-2051 Box of 2000 educational basic, 37-column cards.

Program coding forms

Package of 5 pads, 500 sheets total, 3-hole punched (13.5 x 11 in.), 5080-6595 (Fortran) 5080-6596 (Assembler) 5951-4465 (Cobol)

RPG coding forms

Used with HP systems having RPG capability. All are 8.5 x 11 in. except as noted. Alternating shaded fields help eliminate line shifting while coding. Each pad contains 50 sheets.

92168F One pad each of C (Calculating), E (File Extension), H (Control), I (Input), O (Output) forms and one pad printer layout forms. (8½ x 14 in.)

Printer layout forms

92168G Printer layout forms. Package of 10 pads, 500 sheets total (8.5 x 14 in.). Same price and quantity discounts as 92168F above.

02608-60091 Printer layout forms. Package of 5 pads, 250 sheets total (11 x 17 in.) includes vertical format control area.

VFU tape accessories

Following supplies are used with HP 2613A, 2617A, 2618A, 2619A Printers. 4114-0371 Package of 25 blank 12-channel VFU tapes, marked for 66 lines/page up to 140 lines. Self-adhesive.




92231A Tape punch and splicer

92231A 12-Channel VFU tape punch and splicer. Now punch and splice your 12-channel tapes easily and efficiently with HP's new tape punch. Tape moves easily through the punch with bidirectional control knob. Punch will prepare either 6 or 8 lines-per-inch control tapes. Splicing is made easy with the precision registration pins and hold-down arms on the punch. Find out how easy it is to punch and splice VFU tapes. Order one today. (Supersedes 9164-0023)

Pre-punched VFU tape. See listed under appropriate HP Printer.

2894A Card reader punch 9260-0373 Individual ink cartridge.



Improved HP-IB (IEEE-488) cables

10833A/B/C/D HP-IB cables have been improved for better performance in HP Systems. The cable itself is double shielded with additional shielding on the inner layers.

Other major enhancements are:

- Improved crosstalk reduction between control and data lines
- <150PF/metre capacitance
- · Ten times better cable flex life
- Overlapping seam on connector shell for better shielding and grounding characteristics
- Nickel-plated aluminum shell to prevent corrosion
- Stainless steel connecting screws with conductive coating for better electrical contact

The improved cables are completely compatible with and can be used in combination with regular HP-IB cables. However, the continuity and effectiveness of the shielding will be affected.

Length	Regular cable (other HP equivalent)	RFI shielded cable (other HP equivalent
3.3 ft. (1 m)	31389A	10833A
(1 m)	(10631A)	(45529A)
6.6 ft. (2 m)	31389B	10833B
(=)	(10631B)	(45529B)
13.2 ft. (4 m)	31389C	10833C
4	(10631C)	_
1.65 ft. (0.5 m)	77	10833D

31389A/B/C. Many applications, such as plotting data or logging data from instruments, have low data transfer rates and often do not require maximum RFI shielding. In these cases, the regular HP-IB cables will perform well—at a substantial savings. Refer to product specifications to determine which HP-IB cable to use.

HP-IL cables

The Hewlett-Packard Interface Loop (HP-IL) is a bit-serial interface that combines low power, small size and low cost. With the small, 2-wire cable you can interface as many as 30 devices with up to 10 metres of cable between each device. Use with the HP-85, 82938A HP-IL interface and HP 41C, 82160A HP-IL interface. This would allow you to link your HP 41 Hand-held Calculator to an HP Series 80 Personal Computer System. Many other HP-IL-designated devices can also be linked to the HP Series 80 Personal Computer. For more information on HP-IL, see the book HP-IL System: An Introductory Guide to Hewlett-Packard Interface Loop 92233A, page 54.

HP-IL cable number	Length	
NEW 82167A	1.65 ft. (.5 m)	
82167B	3.3 ft. (1 m)	
82167D	16.7 ft. (5 m)	

HP-86 cables

82957A HP-86 4-ft. (1.2-m) printer cable. 36-Pin Connectors both ends.

For use with HP 82905B printer, options 242, 342, 442.

92220M HP-86 25.4-in. (.6-m) monitor cable. Coaxial connectors both ends. For replacement of original HP-86 monitor cable or for addition of an extra monitor.

Cables for the HP 125 personal office computer

The following peripherals can be connected to the HP 125 Computer using the 10833A/B (45529A/B) HP-IB cables. Only one 10833B (45529B) cable can be used in each HP 125 system configuration. Refer to the HP 125 Price/Configuration Guide for supported configurations.

DISC STORAGE:

- 82901M
- 82902M
- 9134A
 9135A
- · 9895A

PRINTERS:

2631B Opt.
 2671A
 046 (HP-IB)
 82905B

PLOTTERS

• 7225B w/17601A • 9872C

The following (RS-232C interfaced) HP printers may be connected to port 2 of the HP 125 Computer with the 13242-60010 (13242G)* cable:

2601A
 2631B

The 13242-60011 (13242H)* cable may also be useful for connecting the HP 125 to a non-HP printer.

The HP 125 Computer can be connected to one or two computers directly or through modems with the following RS-232C cables. See pages 31-33 for details.

FIRST COMPUTER (port 1)

- · 13222-60001 (13222N)*
- · 13222-60002 (13222M)*
- 13222-60003 (13222C)*
- 13222-60005 (13222Y)*

SECOND COMPUTER (port 2)

- 13242-60001 (13242N)*
- 13242-60002 (13242M)*
- 13242-60005 (13242Y)*

For cabling information on other configurations, see the HP 125 documentation, or call your local HP Sales Office (page 68).

* Order the 10-digit part number for fast delivery replacement cables. Order the number in parentheses for a cable for a new system. See page 31 for cable descriptions and prices.

Cut-to-length cable

(Order connectors separately.)

The 92179A and 92179B cables can be used with our Terminal and RS-232C Connector Kits described below, and others.

92179A Unshielded, 12-wire/22-gauge cable. (Minimum order is 10 metres. Maximum continuous length is 450 metres.)

92179B Unshielded, 25-wire/26-gauge cable. (Minimum order is 10 metres. Maximum continuous length is 300 metres.)

92179C Shielded, 3-wire/24-gauge cable. Can be used with the 92224A/B connector kits described below, and others. (Minimum order is 30 metres. Maximum continuous length is 4000 metres.)

92179D Shielded, 5-wire/24-gauge cable. Can be used with the 92225A/B connector kits described below, and others. (Minimum order is 30 metres. Maximum continuous length is 4000 metres.)

Advanced terminal processor connector kits

Each kit contains 4 complete connector assemblies used to build your own custom-length HP 3000-series 64 ATP cables for the RS-232C or RS-422 interface. Order bulk cable separately; see 92179C and 92179D.

These connectors require an HP 92229A crimp tool to crimp the connector shield can to the wire shield (see below).

92224A Kit of four each 3-pin male connectors for ATP RS-232C interface. (See illustration 6M, page 31).

92224B Kit of four each 3-pin female connectors for ATP RS-232C interface. (See illustration 6F, page 31).

92225A Kit of four each 5-pin male connectors for ATP RS-422 interface. (See illustration 7M, page 31).

92225B Kit of four each 5-pin female connectors for ATP RS-422 interface. (See illustration 7F, page 31).



Crimp tool for ATP connectors

92229A Crimp tool for ATP connectors. This precision-machined hand crimp tool is needed to crimp the RF shield included in the 92224A/B and 92225A/B connector kits to the cable shield.

Terminal connector kits

Make up your own special cables. See 92179A/B for cable.

5061-1340 Connector fo 264X terminals (see illustration 2, page 31). Contains one 30-pin female hooded edge connector, plus hardware.

5061-2401 Multipoint connectors for 264X terminals (see illustrations 4M and 4F, page 31). Contains two complete 14-pin connectors (one male and one female) plus hardware.

5061-2412 Connector for 262X terminals (see illustration 1, page 31). Contains one complete 50-pin male connector and hardware. (Use 92178A for 2621B and 2382A Terminals.)

Terminals cabling manual 02640-90185 HP has a helpful guide which provides detailed information (including connector pin assignments and maximum cable lengths) for more than 35 different cables used with HP terminals. Ask for "Data Terminals Cabling Manual, HP publication number 02640-90185."

Maximum cabling distances

To ensure proper performance, be sure to consult the manuals for equipment you are connecting via cable. Check closely the specification for maximum cable length.

Universal RS-232C connector kits

Each kit contains two 25-pin connectors (either 2 male, 2 female or 1 of each), 2 hoods and related hardware. The connectors are gold-plated and the pins are precision-machined for better contact.

92178A Two male connectors in kit (see illustration 3M, page 31).

92178B Two female connectors in kit (see illustration 3F, page 31).

92178C One male connector and one female connector in kit (see illustrations 3M and 3F, page 31).




92178S RS-232 ABC switch

92178S RS-232 ABC Switch Here's an easy way to switch between your peripherals, CPU ports and data-

comm devices without plugging and un-

plugging cables. The 92178S switches between 3 EIA devices (all 24 lines) and your CPU, terminal or printer. Typical applications are shown in the following diagrams.




These 3-way switches feature:

- PC board construction for longer life and greater reliability
- Sealed ceramic gold-plated switch for smooth operation
- Monitor LED lamps which show you status of six signals: TD, RD, RTS, CTS, DSR and DTR.

NOTE: This switch is a customerinstallable device and does not qualify as an item which can be included under Hewlett-Packard systems service contracts. NOT AVAILABLE IN EUROPE.

Plug	Voltage rating	Part number
	125v	8120-1348 Black 8120-1378 Grey
(250v	8120-1351
()	250v	8120-1369
0	250v	8120-1689
•:•	250v	8120-2104

^{*}Order from HP sales office.



1 50-pin male (for 262X Terminals); 2 30-pin female (for 264X Terminals); 3M (male) and 3F (female) standard 25-pin RS-232C connectors; 4M (male) and 4F (female) 14-pin multipoint cable connectors. 5 is a 48-pin connector, not shown. 6M (male) and 6F (female) 3-pin connectors for HP 3000 series 64 ATP RS-232 interface. 7M (male) and 7F (female) 5-pin connectors for HP 3000 series 64 ATP RS-422 interface. Above connectors not to scale.

RS-232C cables

Description	Connector	Connector	Length	Wired for/Connects to	Order this cable # with new system	Order this number for replacement cable	
Extension			16.7 ft. (5 m)	Pins 1-25 wired end-to-end.	(30062C)	31391A	
Cables	3F)	[3M]	33.4 ft. (10 m)		-	31391B	
	4~		50 ft. (15 m)		(30062C, Opt 001)	31391C	
			100 ft. (30 m)	Pins 1-25 wired end-to-end; unshielded.	(30062C, Opt 002)	30062-60012	
	[3M]		12.5 ft. (3.8 m) Pins 1-8, 11, 12, 19, 20, 22, 23, 25 wired end-to-end.		-	02631-60065	
	(3F)		25 ft. (7.6 m)	Hardwire extension; pins 2, 3, 7 wired end-to-end.	(30062D)	30062-60018	
	4	الل	50 ft. (15 m)		-	92215A	
	3F 8	6M	16.7 ft. (5 m)	Adapter cable between HP 3000/64 ATP and existing RS-232C terminal cable.	(30152A)	30152-60001	
	6F	6M	50 ft. (15 m)	Extension cable for HP 3000/64 ATP RS-232C interface.	(30153A)	30153-60001	
	•	Extension cables 3F	Extension cables 3F 3M 3M 3M 3M 6M	Extension cables 3F 3M 3A ft. (10 m) 50 ft. (15 m) 100 ft. (30 m) 3M 12.5 ft. (3.8 m) 3M 25 ft. (7.8 m) 50 ft. (15 m) 50 ft. (15 m)	Extension cables 3F	Connector Length Wired for/Connects to Cable # with new system	Connector Length Wired for/Connects to Cable # with new system number for replacement cable

Description	Connector	Connector	Length	Wired for/Connects to	Order this cable # with new system	Order this number for replacement cabl
Modem cables	rs.	C)	25 ft. (7.6 m)	Connects HP 3000 to modern types 103 and 202S.	(30062B)	30062-60020
	3M)	(3M)	50 ft. (15 m)		(30062B Opt 001)	30052-60021
Modem eliminator cables	[JF]	(3F)	5 ft. (1.5 m)	Bypasses modem and connects 13232P to HP 1000, HP 3000 or another terminal. Unshielded.	(13232U)	5061-2403
	0-	- 0	16.7 ft. (5 m)	Use with 13222M or 13232M on HP 300. Shielded.	-	31390A
Cables for 246X/267X- series terminals (port 1) and HP 125 computer [Not for 26218 or 2382A terminals.]	1		16.7 ft. (5 m)	U.S. modems 103A, 202C/D/S/T, 212A, Vadic 3400 signal-compatible acoustic couplers. Also HP 1000 & 3000 System multiplexers.	(13222N)	13222-60001
			50 ft. (15 m)		_	92217A
			16.7 ft. (5 m)	European 103- or 202C-type modems. Shielded.	(13222M)	13222-60002
			50 ft. (15 m)		_	92217B
	1	~5	6.6 ft. (2 m)	Standard RS-232C communications.	(13222C)	13222-60003
	1	(1F)	50 ft. (15 m)		-	92217C
		(3M)	16.7 ft. (5 m)	3-wire cable with EMP protection for terminal from lightning-induced transients.	(13222Y)	13222-60005
	4	7	50 ft. (15 m)		_	92217D
	D-	6M	16.7 ft. (5 m)	RS-232C interface cable for HP 3000/64 ATP:	(13222X)	92217E
Cables for 262X/267X- series terminals	[3M]	[3M]	16.7 ft. (5 m)	HP 1000, 3000 Systems; U.S. modems 103A, 202C/D/S/T, 212A, Vadic 3400 modems; acoustic couplers (signal compatible only). Shielded.	(13242N)	13242-60001
(port 2), 2621B, 2382A,			50 ft. (15 m)		_	92218A
and HP 125 computer			18.7 ft. (5 m)	European 202C-type modems. Shielded.	(13242M)	13242-60002
			50 ft. (15 m)		-	92218B
			16.7 ft. (5 m)	3-wire cable with EMP protection for terminal from lightning-induced transients.	(13242Y)	13242-60005
			50 ft. (15 m)			92218C
	[3M]	6M	16.7 ft. (5 m)	RS-232C interface cable for HP 3000/64 ATP.	(13242X)	92218D
	[]M	1M	16.7 ft. (5 m)	RS-232-compatible serial printer such as 2601/2631/2635. Shielded.	(13242G)	13242-60010
	[M		16.7 ft. (5 m)	RS-232-compatible serial printers. Shielded.	(13242H)	13242-60011
	The same of the sa	334	16.7 ft. (5 m)	RFI-filtering modem bypass cable for 2621B and 2629L terminals.	(40242Z)	40242-60002
	(i)		16.7 ft. (5 m)	RFI-filtering extender cable for 2621B and 2629L terminals.	(40242C)	40242-60003
	[IM]	3M	16.7 ft. (5 m)	RFI-filtering modem cable for 2621B and 2629L terminals.	(40242M)	40242-60004
Cables for 264X-series terminals	[]	(3M)	15 ft. (4.5 m)	U.S. modems 103A, 202C/D/S/T; signal-compatible acoustic couplers. Also HP 1000, 2000 & 3000 System	(13232A)	02640-60043

escription	Connector	Connector	Length	Wired for/Connects to	Order this cable # with new system	Order this number for replacement cable
Cables for 264X-series terminals (cont.)	2	3M	50 ft. (15 m)	U.S. modems 103A, 202C/D/S/T; signal-compatible acoustic couplers. Also HP 1000 & 3000 System multiplexers.	_	92219A
	Ш	-0	15 ft. (4.5 m)	U.S. modems 103A, 202C/D/S/T, 212A Vadic 3400; signal-compatible acous- tic couplers. Also HP 1000 & 3000 System multiplexers.	(13232N)	02640-60131
			50 ft. (15 m)		-	92219B
			15 ft. (4.5 m)	European 202C-type modems.	(13232M)	5061-2409
			50 ft. (15 m)		-	92219C
	2	5	50 ft. (15 m)	HP 1000/21MX computers with HP 12531D or 12880A interfaces.	(13232B)	02640-60058
	77	~*	5 ft. (1.5 m)	Standard Async D.C. to non-HP computer.	(13232C)	02640-60059
	2	(3F)	50 ft. (15 m)		100	92219D
	7	(3M)	15 ft. (4.5 m)	3-wire cable with EMP protection for terminal from lightning-induced transients.	(13232Y)	02640-60218
		الآث	50 ft. (15 m)		-	92219E
	2	6M	16.7 ft. (5 m)	RS-232C interface cable for HP 3000/64 ATP.	(13232X)	92219F
Multi-point 1st erminal	2		15 ft. (4.5 m) 15 ft. (4.5 m)	U.S. Modems 103A, 202C/D/S/T; signal-compatible acoustic couplers. Also HP 1000, 2000 & 3000 multiplexers. To 2nd HP 264X terminal.	(13232P)	02640-60132
Multi-point 2nd erminals		4M	15 ft. (4.5 m) 15 ft. (4.5 m)	Preceding 264X terminal. Next 264X terminal (or open).	(13232Q)	02640-60133
Multi-point 2nd + terminals	+ [2]	—	15 ft. (4.5 m) 15 ft. (4.5 m)	Power protect cable. If power fails on terminal to which connected, the terminals which follow can still operate. Preceding 264X terminal. Next 264X terminal.	(13232T)	02640-60151
	4	c K	100 ft. (30 m)	Multi-point extension cable.	(13232R)	02640-60134
	<u> </u>	45	250 ft. (77 m)		- S-	92220A
			500 ft. (154 m)		-	92220B
			1000 ft. (308 m)		710	92220C

RS-422 cables										
Description	Connector	Connector	Length	Wired for/Connects to	Order this cable # with new system	Order this number for replacement cable				
RS-422 Extension cable	7M	7F	100 ft. (30 m)	Extender cable for connecting HP 3000/64 ATP and RS-422 interface cable.	(30154A)	30154-60001				
262X Terminals		7M	16 ft. (5 m)	5-wire cable for terminal to HP 3000/64 ATP, RS-422.	NEW (13222P)	92216A				
264X Terminals	2	7M	16 ft. (5 m)	5-wire cable for terminal to HP 3000/64 ATP, RS-422.	(13232I)	92216B				

Personal Computer News



CONTENTS: Personal Computer News

Page

PC-6

PC-7

- PC-1 Micro (31/2-inch) flexible discs
- PC-2 Printer supplies & accessories
- PC-3 Handheld calculators & computers
- PC-4 Series 10 professional calculators
 - . HP-10C scientific
 - · HP-11C advanced scientific
 - . HP-12C advanced financial
 - HP-15C advanced scientific w/matrices
 - . HP-16C for computer science & digital electronics

PC-5 Series 40 handheld computers

- . HP-41C handheld computer
 - . HP-41CV handheld computer with 5X memory
 - Memory extension interface modules
 - · Dedicated peripherals
 - · Software: application pacs
 - · Software: solution books

PC-8 HP-IL peripherals & accessories

PC-9 Series 70 portable computers

- Accessories
- Software: solution books

PC-10 Series 80 personal computers

- PC-11 Speech synthesis module
- PC-12 · Revised software product numbers
 - · Software: new packages

PC-13 Series 100 personal office computers

- · Revised software product numbers
- · Software: new packages

PC-14 Series 200 personal technical computers

- · Revised software product numbers
- · Software: new packages

PC-15 Ergonomic/convenience accessories

- · Display tilt/swivel units
- Keyboard space-saver park
- · Keyboard palm rest

PC-16 HP 9000 technical 32-bit computers

- · Flexible discs & thermal papers
- Workstation tables

HP personal computers: The right tool for the job!

A skilled surgeon obviously requires different tools than an auto mechanic. And in a similar way, Hewlett-Packard has long recognized that individual engineers, scientists and business professionals each have computational requirements unique to their particular discipline or application.

That's why HP offers an exceptionally broad range of personal computers, which are arranged in six series:

- Series 10 professional calculators
- Series 40 handheld computers
- Series 70 portable computers
- Series 80 personal computers
- Series 100 personal office computers
- Series 200 personal technical computers

And because HP is committed to personal computers in the broadest sense, there are many new complementary products such as software packages, peripherals and accessories which have recently been introduced, and which are summarized on the following pages.

Why this supplement?

In particular, we'd like to call your attention to several reasons for this special supplement to the HP Computer Users Catalog (Autumn/Winter 82/83 edition):

1. The introduction of 31/2-inch micro flexible discs as a new HP standard for compact, portable media.

- 2. The recent addition of many new accessories and supplies items for HP personal computers.
- 3. A change to the way in which HP personal computer software packages are numbered, effective 1 November 1982. (Affects all Series 80, 100 and 200 software - please see new product numbers on pages PC-10 through PC-14.)
- 4. The addition of HP handheld and portable computer supplies and accessories, which will be regularly included in future issues of the HP Computer Users Catalog.
- 5. The addition of a reference listing of the HP handheld calculators and computers (and related peripherals). In all, there are more than 100 new

products listed on the following pages of this special supplement.

Compact power: New 31/2-inch micro flexible discs

HP's new 9121D/S mass storage systems for Series 80, 100 and 200 personal computers save precious space on your desk or lab bench. Yet, each 31/2-inch micro flexible disc has a full 270 Kbyte capacity; two discs in the 9121D dual system can give you 540 Kbytes of formatted storage at double the speed of many 51/4-inch systems!

Each disc is uniquely packaged in a hard polymer housing (instead of the



Series 200



traditional vinyl jacket) which protects the media from damage due to jacket bending or improper filing. A protective metal guard slides over the read/write opening when you're not using the disc. And the special hard disc center permits accurate and reliable high-density recording, since the disc is consistently centered precisely on the read/write head.

Since all flexible discs wear out eventually, HP's drives have an exclusive Media Monitor to track each disc's use and tell you when to replace it; there's no more worry about losing data on overused media.

HP is committed to this compact media as its new standard, and major software packages (see pages PC-10 through PC-14) are already available on 31/2-inch micro flexible discs.

92191F Portable album file for 31/2inch micro flexible discs. Keep up to 20 discs secure and at your finger tips in this vinyl-covered file. Velcto cover fastener for fast and easy access. Re-filing is aided by color-coded index strips for each disc pocket. Outside spine has index card for listing discs.

2602A Daisywheel printer

92151H Box of 12 Multistrike ribbon cartridges. High capacity; up to 450,000 characters per cartridge, depending on application. Prints black.

92263-series international wheels. Like USASCII wheels above, but with character sets as indicated:

United King	dom
Courier 10	
Prestige Pica 10	92263B
Prestige Elite 12	92263C
Courier 12	92263D
Bold Face PS	92263E

German	
Pica 10	92263F
Letter	
Gothic 12	922630
Square PS	92263H

Courier 10 . . . 92263M Bold Face PS . 92263N French

Swedish/Finnish

92263J Courier 10 Prestige 92263K Elite 12 Bold Face PS 92263L

Norsk/Danish Courier 10 ... Bold Face PS , 92263Q

Spanish Courier 10 92263R Bold Face PS . 92263S



92191A Box of 10 single-sided 31/2-inch micro flexible discs

(unformatted). Includes write-protect and color-coded file labels.

92262-series USASCII print wheels. These easy-change plastic wheels are notchless and hubless, and are automatically aligned by the printer when dropped in place. Pitch is 10 or 12 (even-spaced characters per inch) as indicated; PS indicates proportionally spaced wheel.

Courier 10 92262A Prestige Elite 12 92262E Prestige Letter Pica 10 92262B Gothic 12 92262F Courier 12 92262D Bold Face PS 92262G Sheet feeder paper trays

Extra trays for new HP 26010D Sheet Feeder, which fits HP 2601A Daisywheel Printer. Fast way to change letterheads, different colored papers, etc.; boosts productivity. For printing charts or other data across long dimension of paper, use "landscape" trays.

92177J (8.5 x 11 in.) 92177K (landscape: 11 x 8.5 in.) 92177L (legal: 8.5 x 14 in.) 92177M (210 x 297 mm/A4)

92177N (landscape: 297 x 210 mm/A4)

Comparison chart: HP handheld calculators/computers

This chart summarizes features and functions found on Series 10 slim-line calculators and Series 40 handheld computers. All units use time-proven RPN logic, and have

high-resolution liquid crystal displays (LCD) that are easy to read in your office or lab, or in bright sunlight outdoors. See the following pages for more details.

	Series 10					Series 40	
Features	Financial	Computer Science		Scientific-			
	HP-12C	HP-16C	HP-10C	HP-11C	HP-15C	HP-41C:CV	
Operating Features							
RPN logic system							
(with 4-register stack) Error recovery (last x)	800-90	100-500	M-01	IID:400			
Maximum number of storage	20	1010	40	21	67	8101	
registers Continuous Memory	20	101R	10	21	67	919*	
Maximum number of digits	10	10F	10	10	10	10	
displayed Number of digits used in							
computation Rechargeable batteries/AC	10	100	10	10	10	10	
recharger						•	
Long-Life disposable batteries			•	•	•	•	
Software Support							
Application Pacs (with modules) Solution Books/Handbooks						1000 HB	
Users' Library programs							
Accessory Puncant							
Accessory Support Memory Modules						•+	
Extended Memory Modules						•	
Time Module Multipurpose rechargeable						1003-011	
battery pack						•	
General Features							
One-year limited warranty			•	•	•	•	
Display separates thousands	555 - 600	•F	•			•	
Diagnostic self-check Error codes/messages	MD-400	000 - 600	60 - 60 E	100-400	100-00		
Redefinable keys					•	•	
Alpha mode/display/keyboard							
Status annunciators Automatic power off	500-500	SSID-500		DD-901	BB-90	1000-SI	
Audible tones						•	
Programming Features							
Maximum number of program		000		000			
lines Shared program/storage memory	99	203	79	203	448	6,433*	
Alpha program labels							
Single-character program labels		6		5	5	56	
Numeric program labels Program review (single- and		10		10	20	100	
backstep)	•		•	•	•		
Insert/delete editing							
GO TO Levels of subroutines	000-00		605-dill	4	7	6	
Conditional tests	2	8	2	8	12	10	
Flags		6		2	10	56	
Pause Indexed looping (DSE, ISG)	000bd00	000,000	800-801	100-400	III - 188	100-48	
Indirect control of:							
Data storage/recall		•				•	
Storage register arithmetic Branching				BB-60	60 - 60 E	100-40	
Looping					•	•	
Display Format					•	•	
Flags Integer/fraction truncation						100 H	
Alpha string manipulation						•	
Dedicated Input/Output Devices							
Card Reader						P	
Printer/Plotter Optical wand						0.0	
HP-IL Peripherals Digital Cassette Drive						P	
Thermal Printer/Plotter						P	
Impact Printer (80-column)						P	
HP-IL/GPIO Interface						P	
HP-IL Video Interface						P	

	1	S	eries 10	No. of Street, or other Persons		Series 40
		Computer				001103 40
Features	Financial	Science		-Scientific -		
	HP-12C	HP-16C	HP-10C	HP-11C	HP-15C	HP-41C/CI
General Arithmetic Features +, -, X, I, Vx, 1/x, CHS					E 400	Marie 1
Ln x e'						
y", Log x, 10", x". #			•	•	•	•
Absolute value					•	
Storage register arithmetic				CONTRACTOR OF THE PARTY OF THE		2000
Business Features						
Maximum number of dedicated	5					
financial registers Solves for:	9					
Number of periods (n)						
compound interest(i) present value (PV), payment, (PMT), future value (FV)						
future value (FV)	•			S	S	S
Simple interest	•			8		S
Amortization (accumulated interest/remaining balance)				S		S
Not present value (NPV) and				9		
internal rate of return (IRR)	•				S	S
Beginning/end of period selection				8	S	8
Calendar functions				3	3	S
Bond:						
Yield-to-meturity	•					S
Price Depreciation (SL, DB, SOYD)				s		S
Scientific Features Solve (root finder)				5		S
Integrate (numerical integration)				S		S
Matrix operations						S
Camplex functions				S	•	S
Bit manipulation		•				
Boolean operators (NOT, OR, AND, XOR)						
Complement modes (1's, 2's,						
unsigned)						
Number base arithmetic (binary, octal decimal, hexadecimal)						•8
Metric conversions						S
Trigonometric functions						
Modes (degrees, radians, grads)			A			
Sin. Sin. Cos, Cos. Tan, Tan.				100	100-00	
Hyperbolics and inverses						S
Rectangular—polar coordinates					•	•
Decimal angle—angle in degrees (hrs)/min/sec.			0094011			
Degrees—radians						
Fixed and scientific notation	•	•F		•		•
Engineering notation			•	•	•	•
Automatic under/over flow Info scientific	•	•F	•			•
Statistical Functions					100	
Percent						
Percent change						
Percent total Mean/standard deviation (1- or 2-						
Mean/standard deviation (1- or 2- variable)						
n, Xx, Xx ² , Xy, Xy ³ , Xxy	•					
Weighted mean	•					8
Linear regression or estimate						S S
Correlation coefficient Normal distribution	5		Messall	S	S	S
Factorial function						
Gamma function				•	•	S
Permutations and combinations	S			•		

Built-in feature or function.
 To be used with the HP-41C only.
 The HP-41C has 3 registers or 441 program bytes built in (expandable to 922 registers or 6.433 bytes with memory modules and extended memory modules). The HP-41CV has 319 registers or 2,233 bytes built in (expandable to 6.433 bytes).
 Peripheral available.

S. Available in software form.
F. Using Floating-Point Decimal Mode.
D. Ten digits are used in computation when in Floating-Point Decimal Mode. Word size is user-specifiable in other modes, up to 64 bits.
R. 16-bit registers.

Series 10 professional calculators



HP-10C



HP-11C



HP-12C



HP-15C



HP's SLIM-LINE Series 10 calculators for professionals provide exceptional computing power, in a compact shirt-pocketsized package. Overall size is a mere 127 x 80 x 15 mm (5 x 31/8 x 5/8 in.), and weight is only 113 g (4 oz.).

All Series 10 calculators have powerful built-in keystroke functions and programming abilities. They automatically turn themselves off after several minutes of non-use, for long battery life; a continuous memory retains your programs or other entered data, even when turned

There are five models in Series 10: three for engineers and scientists, one for computer science and digital electronics, and one for financial applications.

BUY THESE PRODUCTS AT THE AUTHORIZED HP DEALER NEAREST YOU*



HP-10C programmable scientific.

Features: 79 program lines, conditional branching, trigonometrics, logarithms, rectangular-to-polar conversions, statistics.

HP-11C advanced programmable scientific.


Features: 203 program lines, insert/delete editing, 5 user-definable keys, trigonometrics, hyperbolics and inverses, statistics.

00011-90009 solutions handbook for HP-11C

HP-12C advanced programmable financial.

Features: Simple and compound interest, time and money functions, amortization, net present value and internal rate of return, bond yield and price, 99 program

00012-90009 solutions handbook for **HP-12C**





00012-90022 training guide for HP-12C

HP-15C advanced programmable scientific with matrices.

Features: matrix functions (up to 64 elements), complex number functions, solve and integrate, 448 program lines, insert/ delete editing, 5 user-definable keys.

00015-90011 advanced functions manual for HP-15C

HP-16C programmable for digital electronics and computer science.

Features: Four number base modes (binary, octal, decimal, hexadecimal), four Boolean operators (AND, OR, XOR, NOT), word size specifiable up to 64 bits, bit manipulation, 203 program lines, insert/delete editing.

Accessories for Series 10 calculators

82174A replacement soft case (a case is supplied with each new Series 10 calculator).

Hewlett-Packard: Excellence in handheld calculators

The design and quality of Series 10 products build upon Hewlett-Packard's calculator experience that began in 1972, the year HP introduced the world's first "electronic slide rule," the HP-35.

Since then, many thousands of engineers and scientists - who are evaluated on their ability to provide professional quality solutions to problem situationshave turned to HP for professionalquality machines equal to the task.

And students, preparing for professional careers, have similarly found HP handhelds extremely helpful in their studies and practical laboratory work.

See for yourself. Visit the HP dealer nearest you to try out these remarkable, compact programmable calculators. (Contact your local HP sales office for the name and address of the dealer nearest you.)

Series 40 handheld computers



HP-41C and HP41CV Handheld computers

BUY THESE PRODUCTS AT THE AUTHORIZED HP DEALER NEAREST YOU Both powerful Series 40 handheld computers are identical except the HP-41C has 441 bytes and the HP-41 CV has 2233 bytes of built-in memory. Maximum for either machine is 6433 bytes via add-on memory/extension modules. For other details, see table, page PC-3.

The diagram below suggests the great versatility possible with various modules and peripherals which may be plugged into any of 4 ports on every Series 40 computer.

Both models use a liquid crystal display and RPN logic, and have continuous memory. Size: 79 x 144 x 33 mm (3.1 x 5.7 x 1.3 in.).

HP-41C Handheld computer

Includes one 82106A memory module, effective 1 February 1982.


HP-41CV Handheld computer with 5X memory

Memory, extension & interface modules
82106A Memory module (HP-41C only). Each module adds 64 registers; use up to four modules.

82170A Quad memory module (HP-41C only). Adds 256 registers; use one only. Do not use with 82106A modules.

Series 40 products/configuration

This diagram summarizes all Series 40 products, including the various modules (memory, extension & interface) and peripherals which may be plugged into any of the 4 ports available on Series 40 handheld computers.



82180A Extended functions/memory module. Adds 889 bytes extended memory and memory management functions; also programmable size, programmable assign, string functions.

82181A Extended memory module.

Adds 1666 bytes or 238 data registers; use up to two of these modules; requires 82180A.

82182A Time module. Clock functions.

82184A Plotter module. Adds bar code generation and plotting capabilities.

82183A Extended I/O module. Adds flexibility for accessing mass memory device files, and more general I/O capabilities. Requires 82160A. (Available mid-February 1983).

82160A HP-IL interface module (with two 0.8 m cables).

Dedicated peripherals for Series 40 computers

Also see HP-IL peripherals on page PC-7

82104A Magnetic card reader.

00097-13141 Package 40 blank cards, with holder

00097-13143 Package 120 blank cards, with 3 holders

00097-13206 Package 1000 blank cards, without holders

00097-13142 Package 3 card holders, each holds 40 cards

82143A Thermal printer/plotter.

(Uses same supplies & accessories as HP-IL printer/plotter 82162A; see page PC-7.)



Series 30 calculators



L-R: HP-32E, HP-33C, HP-34C, HP-37E, HP-38C.

HP's palm-sized Series 30 calculators have LED (light emitting diode) displays, favored by many for use in dimly-lit work environments. All use RPN logic, and the "C" models have continuous memory which retains entered data even when calculator is rurned off. Size:75 x 140 x 30 mm (3 x 5.6 x 1.2 in.).

HP-32E Scientific with statistics.

Features: Statistics, metric conversions, degrees-to-radians conversions, logarithms, trigonometrics, factorals.

HP-33C Programmable scientific.

Features: 49 program lines, 8 conditional tests, degrees-to-radians conversions, logarithms, trigonometrics, linear regression/estimate.

HP-34C Advanced programmable scientific.

Features: Solve and integrate, trigonometrics, statistics, 210 program lines, 8 conditional tests, insert/delete editing.

HP-37E Business.

Features: Amortization, time and money functions, price, mean and standard deviation, correlation coefficient, factorial.

HP-38C Advanced financial programmable.

Features: Simple interest, time and money functions, net present value and internal rate of return, statistics, 99 program lines, 2 conditional tests.

Accessories for Series 30 calculators.

82110A Replacement case 82109A Battery pack 82087B 110 Vac adapter and recharger 82090B 220 Vac adapter and recharger 82103A Reserve power pack

Series 40 handheld computers (cont.)

82153A Optical wand.

82153-90019 Manual: "Creating your own bar code."

Series 40 accessories 82111A Replacement soft case.

82120A Rechargeable battery pack.

82059B 110 Vac adapter/recharger.

82066B 220 Vac adapter/recharger.

82151A Package 2 module holders.

82152A Package 5 blank key overlays.

82172A Package 50 blank key overlays.



82200A Touchpad

Software for Series 40: Application pacs

Each pack includes pre-programmed application ROM module, to transform your HP-41 into an answer machine for a particular discipline or application. Comprehensive manual included in all pacs, and many also include special keyboard overlays to redesignate keys for the application.

Auto-start duplication ROM	. 00041-15042
Aviation (pre-flight only)	00041-15018
Circuit analysis	00041-15006
Clinical lab & nuclear medicine	00041-15024
Financial decisions	. 00041-15004
Financial decisions (Spanish)	00041-15030

Games	00041-15022
Home management	00041-15023
Machine design	00041-15020
Mathematics	00041-15003
Mathematics (Spanish)	
Securities	00041-15026
Standard applications	00041-15001
Statistics	
Statistics (Spanish)	00041-15028
Stress analysis	00041-15027
Surveying	
Thermal & transport science	00041-15019

Manifarios	00041-15017
Heat carate	00041-15016
Structural analysis	00041-15021

		00041-1504
1	Petroleum fluids	00041-150

Software for Series 40: Solutions books

Programs to help solve general or specialized problems are provided in two forms in every book: step-by-step listings for keystroke entry, and the same information printed in bar code form for fast entry with the HP 82153A optical wand.

Antennas	00041-90093
Business statistics/marketing/sales	
Calendars	. 00041-90145
Cardiac/pulmonary	
Chemical engineering	00041-90100
Chemistry	
Civil engineering	
Control systems	
Electrical engineering	. 00041-90088
Fluid dynamics & hydraulics	00041-90139
Games I	. 00041-90099
Galles	

NEW Games II	00041-90443
	00041-90084
Heating ventilating & air condition	00041-90140

High-level mathematics	00041-90083
Home construction estimating	00041-90096
Lending, savings & leasing	00041-90086
Mechanical engineering	00041-90090
Optometry (general)	
Optometry II (contact lens)	
Physics	
Real estate	00041-90136
Small business	
Solar engineering	
Surveying	
Taxes: 1982	00041-90455
Test statistics	00041-90082
Time module solutions 1	00041-90395

HEN	Structural design (includes cassette)	


Localized software

If you are outside the United States, check with your nearest HP dealer or local HP sales office for the availability of application pacs or solutions books written in your language, or for the technical/trade practices in your country.

Custom software copies

If you have written unique software so that HP-41s can be used in your business or other personalized applications, HP can manufacture special key overlays showing your particular key definitions. And your software can be reproduced in volume on any of four media: digital mini cassettes, plug-in custom ROM modules, magnetic cards, and bar codes. Contact your local HP sales office for more details.

HP-IL peripherals, interfaces & accessories





(L): HP-IL concept; (R): HP-41 computer/ controller on the HP-IL with 82161A digital cassette drive and 82162A thermal plotter/ printer. HP-IL The Hewlett-Packard Interface Loop (HP-IL) is a bit-serial interface for low-cost, battery-operated

systems. Devices on the loop are connected by two-wire cables leading from the output port of one device to the input port of the next, until all devices form a closed loop.

82161A Digital cassette drive.

Stores up to 131 Kbytes, on mini data cassette.


82176A Package of 10 data cassettes.

82177A Package 420 blank labels, for mini data cassettes

HP-IL products/configurations

This diagram summarizes all HP-IL products, as well as an indication of how HP-IL products can be interconnected.

The smallest configuration would typically be one computer and one other HP-IL device.



For battery pack, power adapters, security cable, see 82162A printer/plotter below.

82162A Thermal printer/plotter

Has 100-character buffer, enhanced graphics; automatically centers or justifies copy to left or right margins.

82045A Blue-printing thermal paper,

82175A Black-printing thermal paper,

82044A Security cable 82033A Rechargeable battery pack.

82120A Rechargeable battery pack.†

82059B 100 Vac adapter/recharger.†

82066B 220 Vac adapter/recharger.

82037A Reserve power pack.

BUY THESE PRODUCTS AT THE AUTHORIZED HP DEALER NEAREST YOU **HP-IL** interfaces & cables

82165A GPIO interface

82163A video interface (U.S.)

82163B video interface (Euro).

82160A Series-40 interface.

82938A Series-80 interface.

82167A cable (0.5 m)

82167B cable (1 m)

82167D cable (5 m)

†These items also used with 82143A, 82161A

Series 70 portable computers



HP-75C Portable computer

Hewlett-Packard's new HP-75C is a powerful, battery-operated computer that's so small you can use it anytime, anywhere. It has 16 Kbytes of memory (expandable to 24K), a built-in card reader, and a standard HP-IL interface for peripherals and communications. Truly a portable computing system.

Contact your nearby authorized HP dealer or local HP sales office to see and buy this amazing new computer.

HP-IL peripherals for HP-75C (see page PC-8)

Accessories for HP-75C

All of the following are new accessories and supplies for your HP-75C:

82700A Memory module (8 Kbyres)

82703A Replacement field case

82710A Blank key overlays,

82717A Blank key overlays,

82707A Blank magnetic program cards,

82708A Blank magnetic program cards,

82715A Notebook card holders,

82001B Rechargeable battery pack.

82059B Replacement 110 Vac

82066B 220 Vac adapter/recharger.

82004A Reserve power pack. (Requires

82002A 110/220 Vac recharger (for

Software for HP-75C: Solutions books

All of the following solutions books include magnetic program cards:

Electronics .00075-13008 Math II 00075-13004 Finance ... 00075-13009 Math III 00075-13005 00075-13006 Real Estate . 00075-13010 Games 1 ... Games II ... 00075-13007 Statistics ... 00075-13011 I/O Utilities . 00075-13013 Test

Math I 00075-13003 Statistics ... 00075-13012

Series 80 personal computers

Plug-in modules

A complete listing of plug-in, ROM and interface modules appears on pages 62-63 of HP's Computer Users Catalog (Autumn/Winter 82/83). The newest module appears below:

82967A Speech Synthesis Module. Now your Series 80 computer can speak over 1500 words, sounds and phrases. Software is included which allows you to review, listen, and create the needed phrases and store them for later use by an application program. Software and a startup vocabulary of more than 1500 English words are provided on both 31/2-inch and 51/4-inch flexible discs supplied with the module.

In addition to flexible disc drive, and standard 8-ohm speaker or headphone, requirements are: HP-85, 32 Kbytes memory; HP-86 & HP-87, 64 Kbytes memory. (NOTE: With HP-86, monitor speaker can be used, via additional HP 92220M Monitor Cable.)

HP Series 80 software

Effective 1 November 1982, all Series 80 software product numbers were changed to reflect the kind of media needed -so

almost all software packages now contain a single type media: 31/2-inch or 51/4-inch flexible disc, or (for HP-85) mini data cartridge.

The nearby tables summarize all new software product numbers, as well as the superseded numbers they replaced.

Note that Series 80 software packages described on pages 43-45 of HP's Computer Users Catalog (Autumn/Winter 82/83) are listed under the old, superseded product numbers. New software packages introduced after the Catalog was published are described below.

Software for HP-85 computers

The adjacent chart lists all software packages currently available for HP-85 personal computers. Note that effective I November 1982, you must order the software product number specified for the type of media you use - mini data cartridge, 31/2-inch micro flexible disc, or 51/4-inch mini flexible disc. Superseded product numbers are listed for your reference.

Descriptions for most of these software packages appear on pages 43-45 of HP's Computer Users Catalog (Autumn/Winter 82/83). Packages introduced since that catalog was printed follow:

Finance/Accounting

Portfolio Management. Helps individual investors and professional investment advisors monitor their portfolios. Softkey and prompt-driven commands make it easy to enter investments for net worth valuation and tax planning. A connection with the Dow Jones News/Retrieval® service lets you automatically update the current market value of your portfolio of stocks, bonds, warrants, T-bills and mutual funds. You can also handle cash, real estate, liabilities and other investments. Handles up to 100 different investment items, with an unlimited number of portfolios (35 portfolios stored on each data cartridge or disc).

Dow Jones News/Retrieval is a registered trademark of Dow Jones and Company, Inc.

TAJ™ (The Accounts Jour-naſ™). Fully integrates the journals needed in small business accounting: general ledger, accounts receivable, accounts payable, and payroll. TAJ can handle up to 400 general ledger accounts, 300 customers, 300 vendors and 50 employees. Complete integration: all journals are updated with one posting. Available on disc only.

Software for HP-85 personal computers

	Software package name?	Superceded product number	data cartridge	Product number 3½-inch disc	5%-inch dise	Required for operation++
General Business	VisiCalc [®] PLUS	00085-13042	00085-13111	00085-13311	00085-13511	A,B,E,F,J
	File manager	88103A	n/a	88103A Opt. 630	88103A Opt. 650	B,E,J,M,P
	Information management	00085-13045	n/a	00085-13322	00085-13522	B,E,J,M
Word Processing/	Text editing	00085-13034	00085-13133	00085-13320	00085-13520	
Graphics	Graphics presentations	-13038	-13110	-13310	-13510	A,B,E,F,J
Finance/Accounting	Financial decisions	00085-13004	00085-13103	00085-13303	00085-13503	
	Portfolio management	-13060		-13324*	-13524*	A,D,N
	TAJ'* (The Accounts Journal**) HP+	-16001	n/a	-16001**	-16001**	B,E,K,M
Statistics/Mathematics	General statistics	00085-13003	00085-13102	00085-13302	00085-13502	
	Basic statistics & data manipulation	-13036	-13108	-13308	-13508	
	Regression analysis	-13037	-13109	-13309	-13509	L
	Statistical analysis multi pac (above 3 packages)	-13058	-13117	-13317	-13517	
	Linear programming	-13011	-13106	-13306	-13506	
	Math	-13005	-13104	-13304	-13504	
Engineering	AC circuit analysis	00085-13006	00085-13105	00085-13305	00085-13505	No. To State of the State of th
	Waveform analysis	-13035	-13107	-13307	-13507	
	Electronics engineering multi pac (above 2 packages, plus Math)	-13509	-13118	-13318	-13518	
	Surveying	-13046	-13112	-13312	-13512	
General/Utility	BASIC training	00085-13002	00085-13101	00085-13301	00085-13501	
	Standard pac	-13001	-13119	n/a	n/a	
	Games	-13010	-13120	-13319	-13519	
	Games II	-13057	-13136	-13323	-13523	
Data Communications	Data communications	00085-13044	00085-13134	00085-13321	00085-13521	A,D,E,G,N

- Data cartridge included in 3½-inch and 5¼-inch disc versions of Portfolio management package.
- ** Single package contains both 3½-inch and 5¼-inch discs.
- HP Series 80 software marked with the HP PLUS logo (HP+) is developed and supported by independent companies. This software has been checked through customer references and by a Hewlett-Packard evaluation team for quality, ease of use and installation. HP Series 80 HP PLUS software is available only in the U.S.

General/Utility

Standard Pac. Replacement data cartridge containing standard programs and utilities. (One Standard Pac is supplied with each HP-85.

Data Communications

Data Communications. Turn your HP-85, HP-86 or HP-87 Personal Computer into an intelligent remote terminal that will communicate with other asynchronous computers and terminals. Transmission rates range from 50 to 9600 baud. You can transfer data files to a remote device (uploading) or from a remote device to your HP Series 80 Computer (downloading). Print reports, store and retrieve data, and use other Series 80

peripherals while you are on line.

VisiCalc is a registered trademark of VisiCorp.

TAJ and The Accounts Journal are trademarks of Production Data Systems.

- Additional system elements, if required to operate the software package, are:
- A ROM drawer (HP 82936A)
- B Plotter/printer ROM (HP 00085-15002)
- C Mass storage ROM (HP 00085-15001)
- D I/O ROM (HP 00085-15003)
- E 16 Kbyte memory module (HP 82903A)

Software for HP-86 & HP-87 computers

The following chart lists all software packages currently available for HP-86 and HP-87 personal computers. Note that effective 1 November 1982, you must order the software product number specified for the type of media you use.

Descriptions for most of these software packages appear on pages 43–45 of HP's Computer Users Catalog (Autumn/Winter 82/83). Newer packages appear below:

General business

DATABOOK™ II. Gives an individual or clerical staff a more efficient way to manage time than with

- F HP-IB interface (HP 82937A)
- G Serial interface (HP 82939A)
 H Disc memory (HP 82900-series, 9121D/S, 9134A, 9135A, or 9895A)
- J Plotter (HP 7225B w/HP 17601A module, HP 9872C, or HP 7470A)
- K Printer (HP 82905A/B or HP 2671A/G
- Basic statistics and data manipulation software (HP 00085-13108 -13308, or -13508)
- M Items A,C,F and H listed above
- N Modem (HP 82950A, Opt. 630 or 650)

an appointment book. Useful where time management is critical to efficiency; doctors' offices, legal firms, business executives, and other professional offices. Appointments can be scheduled, cancelled, modified, moved, or held until they can be rescheduled. Openings can be searched by time of day, day of week, or day of year. Print out appointments for the day, display all scheduled appointments for any person, or schedule a conference for all attendees.

FILE/80. Solution-oriented file management system designed to provide user with an efficient method of managing files and producing output (reports, labels, letters) from information in the files.

Series 80 personal computers (cont.)



HP-87 personal computer, with 82901M disc drive and 82905B printer.

Software for HP-86 & HP-87 computers (cont.)

Word processing/Graphics

WORD/80. Complete software product for the generation of memos, letters, and reports. Consists of an editor to create, type, print, and store documents -and a formatter to format and print files created with the editor.

Finance/Accounting

The Peachtree Accounting Series 8 allows you to spend more time on analysis and less on bookkeeping. The five Peachtree accounting modules can be used independently, or together as an integrated system that combines entries in all modules for trial balancing and end-of-period reporting. All five modules have been customized in HP BASIC to take advantage of the unique features of HP Series 80 personal computers. Details follow:

Peachtree General Ledger. Helps track a company with up to 100 departments. Provides a complete set of management reports and automatically posts transactions entered in other Peachtree modules. General Ledger provides flexible chart-of-account setup, and built-in depreciation/amortization calculations.

Peachtree Accounts
Receivable. Helps prepare bills and obtain timely collections from your customers. Use it to print invoices, statements, and aging reports, as well as maintain information on sales taxes, customer accounts, and details for posting to the General Ledger. At the end of a billing period, this AR will execute either a

balance forward or a more detailed openitem customer account, or a combination of the two.

Peachtree Accounts Payable.

Maintain a complete master file on each vendor. This AP can show you which invoices to pay-by due date, discount date, or according to your cash flow requirements. Includes detailed aging reports, automatic posting for recurring invoices, and the ability to apply credits to a specific invoice or as an open credit against a vendor record.

Peachtree Inventory Control. Helps monitor all facets of your inventory operations. Features include three price levels for each item, standard cost or average cost options, and an inventory master file with sales, costs, and reorder information. Handles approximately 1250 inventory items on each 270 Kbyte disc.

PeachPayTM Payroll System.

A complete payroll system you can use by itself, or with Peachtree General Ledger. Maintains a complete employee payroll history and will support weekly, bi-weekly, semi-monthly, and monthly pay periods. Provides 12 deduction categories and 8 earnings categories. Tracks sick and vacation days used and accrued. Tax record maintenance is provided by an annual subscription.

Fixed Asset Accounting. For use by small and medium-sized businesses, accountants, and tax preparers. Program calculates book, federal and state depreciation using a variety of nonrecovery and recovery methods. The program generates 30 reports, including comparisons of book, federal and state methods. Additionally, the program prepares information for several common tax

forms. Assets can be listed by a variety of methods for tracking.

General/Utility

BASIC Training. Self-teaching BASIC language course for novice users. Proceed at your own pace. Prerecorded media provides guide to operation and programming. Prepares users for more advanced operations.

This is a complete software development system supporting UCSD PASCAL*. The UCSD p-System offers the user an integrated operating system including the PASCAL compiler, assembler, editor, linker, and file handler. This system will allow you to develop highly portable applications software, as well as take advantage of the growing library of third-party software developed for the p-System.

FORTRAN-77. This is offered as an add-on FORTRAN-77 compiler module for the user who already employs the UCSD p-System/PASCAL software development system. (NOTE: FORTRAN-77 is not a standalone product.)

UCSD p-System®/FORTRAN-77. This is a complete software development system supporting FORTRAN-77. The p-System offers the user an integrated operating system including the FORTRAN compiler, and assembler, editor, linker, and file handler. This system allows you to develop highly portable applications software as well as take advantage of the growing library of third-party software developed for the p-System.

UCSD PASCAL*. This is offered as an add-on PASCAL compiler module for the user who already employs the UCSD p-SYSTEM/ FORTRAN-77 software development system. (NOTE: UCSD PASCAL is not a standalone product.)

UCSD p-System® Runtime Module. This enables you to execute software developed under the UCSD p-System. This does not, however, support the program development facilities of the p-System such as editing, filing, debugging, linking, compiling,

Data Communications

See HP-85 software section.

Software for HP-86 and HP-87 personal computers

Coffeens assigns rome		Superseded Product number product		number	Required
	Software package name +	number	3½-inch disc	5%-inch disc	operation ††
General Business	MILESTONE® (CP/M) HP+	00087-16009	45580A Opt. 630	45580A Opt. 650	Q
	S DATEBOOK™ II (CP/M) HP+	n/a	45581A Opt. 630	45581A Opt. 650	Q
	VisiCalc* PLUS	00087-13001	00087-13311	00087-13511	64 Kbytes A,J,T
	■ dBASE IITM (CP/M) HP+	00087-16004	-16304	-16004	Q
	≤ FILE/80	00087-13006	-13320	-13520	96 Kbytes
Vord Processing/Graphics	S WordStar® (CP/M) HP+	00087-16001	00087-16301	00087-16001	Q
	SpellStar™ (CP/M) HP+	-16003	-16303	-16003	Q
	MailMerge™ (CP/M) HP+	-16002	-16302	-16002	a
	≤ WORD/80	-13005	-13319	-13519	96 Kbytes
	Graphics presentations	-13002	-13310	-13510	96 Kbytes, A,J,T
inance/Accounting	Peachtree accounting Series 8:	H-13			
	- General ledger HP+	n/a	00087-16310	00087-16010	64 Kbytes
	- Accounts receivable HP+	n/a	-16311	-16011	64 Kbytes
	- Accounts payable HP+	n/a	-16312	-16012	64 Kbytes
	- Inventory control HP+	n/a	-16314	-16014	64 Kbytes
	■ PeachPay™ payroll system HP+	n/a	-16313	-16013	64 Kbytes
	Fixed asset accounting (p-System) HP+	n/a	-16326	-16026	96 Kbytes
	Financial decisions	00085-13004	-13303	-13503	
	Personal tax plan (CP/M) HP+	00087-16006	-16306	-16006	Q
	Personal tax plan (p-System) HP+	n/a	-16323	-16023	96 Kbytes
	Professional tax plan (CP/M) HP+	00087-16005	-16305	-16005	Q
	Professional tax plan (p-System) HP+	n/a	-16324	-16024	96 Kbytes
	Estate tax plan (p-System) HP+	n/a	-16325	-16025	96 Kbytes
Statistics/Mathematics	General statistics	00085-13003	00087-13302	00087-13502	
	Basic statistics & data manipulation	-13036	-13308	-13508	
	Regression analysis	-13037	-13309	-13509	L
	Statistical analysis multi pac (above 3 packages)	-13058	-13317	-13517	
	Linear programming	-13011	-13306	-13506	
	Math	-13005	-13304	-13504	
ingineering	AC circuit analysis	00085-13006		00087-13505	
	Waveform analysis	-13035	-13307	-13507	
	Electronics engineering multi pac (above 2 packages, plus Math)	-13059	-13318	-13518	
	Surveying	-13046	-13312	-13512	
General/Utility	BASIC training	00087-13004	00087-13301	00087-13501	DC Vhutes
	SUCSD p-System®/PASCAL HP+	-13012	-13324	-13524	96 Kbytes
	FORTRAN-77 (p-System add-on)	-13014	-13326	-13526	96 Kbytes
	UCSD p-System®/FORTRAN-77 HP+	-13011	-13323	-13523	96 Kbytes
	UCSD PASCAL® (p-System add-on)	-13013	-13325	-13525	96 Kbytes
	CUCSD p-System* runtime module HP+	-13015	-13327	-13527	96 Kbytes
Data Communications	5 Data communications	00085-13044	00085-13321	00085-13521	A.D.G.N

THP Series 80 software marked with the HP PLUS logo (HP+1) is developed and supported by Independent companies. This software has been checked through customer references and by a Hewlett-Packard evaluation team for quality, ease of use and installation. HP Series 80 HP PLUS software is available only in the U.S.

MILESTONE is a registered trademark of Organic Software, Inc.

DATEBOOK is a trademark of Organic Software, Inc. VisiCale is a registered trademark of VisiCorp. dBASE II is a trademark of Ashton-Tate.

WordStar is a registered trademark of MicroPro International Corporation.

SpellStar and MallMarge are trademarks of MicroPro International Corporation.

PeachPay is a trademark of Peachtree Software, Inc.

Fixed Asset Accounting, Personal Tax Plan,
Professional Tax Plan and Estate Tax Plan were
developed by Aerdvark Software, Inc.: Estate Tax Plan
developed under the supervision of Dr. William A. Raabe

UCSD p-System and UCSD PASCAL are registered trademarks of The Regents of the University of California.

HP-86 and HP-87 computers all require an external printer and disc memory (items H & K below). Additional system elements, if required to operate the software package.

- A ROM drawer (HP 82936A) D I/O ROM (HP 00085-15003)

G Serial Interface (HP 82939A)

Disc memory (HP 82900-series, 9121D/S, 9134A, 9135A, or 9895A)
 Plotter (HP 7225B w/HP 17601A module, HP9872C,

- or HP 7470A)

 K Printer (HP 82905A/B or HP 2671A/G)

 L Basic statistics & data manipulation software (HP 00067-13308 or -13508)
- N Modem (HP 82950A, Opt. 630 or 650)
 CP/M System (HP82900A)
 Plotter ROM (HP 00087-15002)

Series 100 personal office computers



HP-120 (Series 100) and Model 16 (Series 200). Foreground: HP-75C.

HP Series 100 software

Effective 1 November 1982, all Series 100 software product numbers now require the addition of an option number, to reflect the size of flexible disc needed. All software packages now contain a single media: 3½- or 5¼- or 8-inch flexible disc.

The nearby table summarizes all new option numbers for Series 100 software. Note that HP-125 software packages described on pages 46–47 of HP's Computer Users Catalog (Autumn/Winter 82/83) do not include the new option

numbers, and that some "A" suffix software is now superseded by "B" versions.

General business software

management and time scheduling. Uses PERT/CPM techniques to help project leaders and small business owners clarify tasks at hand, and communicate schedules and priorities. (PERT treats projects as a series of events in a time sequence, and is widely used to track progress. CPM treats projects as a series of

activities, and is used in project planning.) Also used with HP-86 & HP-87.

DATEBOOK** II. Gives an individual or clerical staff a more efficient way to manage time than with an appointment book. Useful where time management is critical to efficiency; doctors' offices, legal firms, business executives, and other professional offices. Appointments can be scheduled, cancelled, modified, moved, or held until they can be rescheduled. Openings can be searched by time of day, day of week, or day of year. Print out appointments for any person, or schedule a conference at a time convenient for all attendees.

Finance/Accounting

BPI General Accounting. An easy-to-use double-entry book-keeping system which can produce timely financial reports to aid business decision making. All bookkeeping entries are made into one of six journals. After journal entries are complete, General Accounting automatically posts ledgers, prepares financial statements, and closes the books. Monthly, quarterly, and year-to-date payroll earnings records are kept for every employee.

Software for HP-120 and HP-125 personal office computers

	Software package name:	Product number	3 Yz-inch disk (must also in	5%-inch disc clude an Option nu	B-inch disc umber below)	
General Business	VisiCalo*	45531B	Opt. 630	Opt. 650	Opt. 680	
	Condor'* 20-1 HP+	45550A	Opt. 630	Opt. 650	Opt. 680	
	Condor™ Upgrade 20-1 to 20-2 HP+	45550K	Opt. 630	Opt. 650	Opt. 680	
	Condor™ 20-2 HP+	45550E	Opt. 630	Opt. 650	Opt. 680	
	MILESTONE® HP+	45580A	Opt. 630	Opt. 650	Opt. 680	
	S DATEBOOK" II HP+	45581A	Opt. 630	Opt. 650	Opt. 680	
	S PERSONAL DATEBOOK™ HP+	45582A	Opt. 630	Opt. 650	Opt. 680	
Word Processing/Graphics	Wordstar® HP+	45560A	Opt. 630	Opt. 650	Opt. 680	
	SpellStar™ HP+	45561A	Opt. 630	Opt. 650	Opt. 680	
	MailMerge™ HP+	45562A	Opt. 630	Opt. 650	Opt. 680	
	Word	45533B	Opt. 630	Opt. 650	Opt. 680	
	Graphics	45532B	Opt. 630	Opt. 650	Opt. 680	
Finance/Accounting	BPI general accounting HP+	45552A	Opt. 630	Opt. 650	Opt. 680	
General Utility	SBASIC	45535A	Opt. 630	Opt. 650	Opt. 680	
	Programming package	45536A	Opt. 630	Opt. 650	Opt. 680	
Data Communications	DSN/Link	45534B	Opt. 630	Opt. 650	Opt. 680	

I HP Series 100 software marked with the HP PLUS (HP+) is developed and supported by independent software companies. This software has been checked through customer references and by a Hewlett-Packerd evaluation team for quality, ease of use and installation.

VisiCalc is a registered trademark of Visicorp.

Condor is a trademark of Condor Computer Corporation.

MILESTONE is a registered trademark of Organic
Software, Inc.

DATEBOOK and PERSONAL DATEBOOK are trademarks of Organic Software, Inc.

WordStar is a registered trademark of MicroPro International Corporation.



Series 200 personal technical computers

HP Series 200 software

The Series 200 computers include the compact new Model 16, as well as existing models 26 and 36 (formerly called the HP 9826 and 9836, respectively).

Effective I November 1982, all Series 200 software product numbers now require the addition of an option number, to reflect the size of flexible disc needed.

The nearby table summarizes all new option numbers for Series 200 software. Note that HP 9826/9836 software packages described on pages 47-48 of HP's Computer Users Catalog (Autumn/Winter 82/83) do not include the new option numbers, which must now be included when you order.

Statistics Library, Complete. An economical way to get all the capabilities described for the two individual software packages, Statistics Library parts I and II: Basic Statistics and Data Manipulation, General Statistics, Statistical Graphics, Regression Analysis, Monte Carlo Simulation, Analysis of Variance, Principal Components; Factor Analysis.

Software for Series 200: Models 16, 26 and 36 personal technical computers

	Software package name;	Product number	For Model 16 3½-inch disc (must also i	For Model 16 5W-lech disc include an Option r	Models 28 & 35 5%-inch disc number below)	Required for operation †	
General Business	VisiCalca	98810A	Opt. 630	Opt. 650	Opt. 655	256K	
	Project management	98817A	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	
	Forecasting	98818A	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	
Graphics	Graphics presentations	98815A	Opt. 630	Opt. 650	Opt. 655	256K, B2.0 plotter	
Statistics/Mathematics	Statistics library, part I	98820B	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	
	Statistics library, part II	98820C	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	
	Statistics library, complete	98820A	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	
	Numerical analysis library	98821A	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	
Engineering	AC circuit analysis	98825A	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	
	Waveform analysis	98827A	Opt. 630	Opt. 650	Opt. 655	305K, B2.0, HP-IB printer	
	Linear systems analysis	98826A	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	
	Digital filter design	98828A	Opt. 630	Opt. 650	Opt. 655	256K, B2.0	

[†] VisiCalc is a registered trademark of VisiCorp.

Carrying cases, dust cover

13269P Computer case. Take your compact HP computer along in this rugged, soft vinyl case with handy shoulder strap. Fits HP-120 (Series 100) and Model 16 (Series 200). Internal pocket in lid holds a short or extended keyboard securely during transit, and space is pro-




13269P and 13269T carrying cases

vided for cables and supplies. If your computer has a short keyboard (335 mm or 13.2 inches long, or less), there is enough room to also carry the HP 9121 micro disc drive in the same case. If your computer has a longer (extended) keyboard, use separate carrying case 13269T to carry your disc drive. (NOTE: This is a quality case, well padded to protect your computer, but it is NOT intended for shipment or as checked airline baggage.)

13269T Disc drive case. Padded, soft vinyl case sized to carry the HP 9121 micro disc drive and related cables, as well as a few manuals or other flat paperwork. (NOTE: Can also be used to instead carry the HP 92171V and 92171W tilt and swivel accessories.)


92250A Dust cover set. Durable, dark tan cloth covers provide a professional look to your workplace, while protecting display unit and keyboard from dust, dirt, food particles, etc. Fits the HP-120 (Series 100) and Model 16 (Series 200); also HP 238X terminal.



Use these convenience accessories to: (1) tilt display up/down and (2) swivel equipment right/left for easiest use, and (3) park keyboard out of the way when not in use. See details on page PC-15

^{††} All packages require 256 Kbytes or 305 Kbytes of read/write memory, as indicated—and except for VisiCalc, use BASIC 2.0 (B2.0) language system.

Ergonomic/convenience accessories



 Tilt unit, 2. Swivel unit, and 3. keyboard park for Series 100 & 200 personal computers.

Ergonomic tilt/swivel accessories for your personal computers

Two extremely useful accessories for your HP-120 (Series 100) or Model 16 (Series 200) personal computer make it easy for you to position the display (and, indeed, the entire equipment stack) for the most comfortable, glare-free viewing angle. Means you get increased working comfort and personal productivity, thanks to reduced eye strain, back and neck fatigue.

92171V Display tilt unit. Holds and allows the computer display to be adjusted to exactly the vertical angle desired, over a total 20-degree range (up or down 10 degrees from horizontal), with pushbutton ease. (NOTE: Tilt unit may also be used with HP 238X office display terminals.)

92171W Swivel unit. Normally placed under the HP 9121 disc drive, so that the entire equipment stack (disc drive, tilt unit, display) can be adjusted right or left, as desired. (Can also fit directly under 92171V tilt unit, but

not recommended when disc drive is short-cabled to display.)

Keyboard park saves desk space

Move your personal computer or office terminal keyboard out of your way when you're not using it. You not only open up extra work space on your desk, you also protect the keyboard from accidental spills or other damage.



92171K Keyboard park

92171K Keyboard park. Put it under your HP-120 (Series 100) or Model 16 (Series 200) personal computer equipment stack, or under your HP 238X office display terminal. For keyboards not longer than 335 mm (13.2 inches). Backwall slot carries keyboard cord to rear, for neater appearance. Made of sturdy, smoked acrylic plastic.

Palm rests improve productivity

Those who use computer or terminal keyboards extensively will appreciate HP's palm rest accessories, which offer proper wrist support and help maintain proper forearm angle with the keyboard—which means less fatigue and better keyboard productivity. In addition to new unit below, also see unit for HP 264X terminals on page 19 of HP's Computer Users Catalog (Autumn/Winter 82/83).

92171R Extended keyboard palm rest. Snaps easily into place on HP extended keyboards (425 mm/16.7 inches long) used with the HP-120 (Series 100) personal computer and all HP 262X terminals. Cocoa brown color.



1. Tilt unit, and 2. Swivel adapter which fits into base of tilt unit, for HP 238X office display terminals.

Tilt/swivel for HP 238X terminals

The 92171V display tilt unit described nearby also fits HP 238X office display terminals, to help eliminate glare from overhead lights, etc. And low-cost swivel (right/left) adjustments are available via the 92171Y swivel adapter:

92171Y Swivel adapter. Turntable unit snaps directly into base of 92171V display unit, for complete tilt/swivel capability. Not recommended for use with personal computers; instead use 92171W swivel unit for entire equipment stack.



92171 R Palm rest

Supplies and accessories for HP 9000 computers

HP 9000 computer family


The immense power and capabilities of our new 32-bit HP 9000 family of computers greatly exceed those attributed to "personal computers," in the generally accepted sense.

Yet, the very compact size and low price of HP 9000 computers make it appropriate to mention them in this special catalog supplement.

There are 3 models in the HP 9000 technical computer family: Model 20 self-contained Integrated Workstation for desktop use (see photo), Model 30 rack-mountable "box" version, and Model 40 "short floor cabinet" version. The Models 30 and 40 both use terminals and external hard disc storage.

Flexible discs for HP 9000/Model 20

92190A Box of ten 5.25-inch doublesided discs. Unformatted, in protective envelopes. Includes write-protect, jacket and storage box labels.




SAVE! Unformatted discs, supplied in five handy FlexFile storage units, each holding ten discs (total 50 discs). Moneysaving way to get HP FlexFiles (described on page 6 of Computer Users Catalog) when you buy quality HP discs. Interlocking FlexFile design, so you can easily arrange them vertically or horizontally to suit your needs. Index labels and instructions included.

Table for HP 9000/Model 20

A special dual-tier workstation table has been designed for use with the HP 9000/Model 20—and this same table is also ideal for HP desktop systems such as the Series 200 personal technical computers and HP 9845 desktop computers, especially where graphics tablets or other such peripherals are used.

The main support surface is 26 in. (660 mm) above the floor, including table casters. When an HP 9000/Model 20 is placed on this surface, the com-



HP 9000/Model 20 computer on HP 92213A table.

puter's home row keys are approximately 29 in. (750 mm) above the floor, which is ideal for operators using the system. This main surface is 24 in. (610 mm) deep, and 24 in. of its overall 48 in. (1220 mm) width is uscable when the raised and cantilevered work surface is attached.

The cantilevered work surface is 30 in. (762 mm) deep and 24 in. wide. It may be slid to either the right or left end of the main support surface holding the computer—providing a convenient location at the right or left of the computer for graphics tablets, etc. Work height of the cantilevered surface is 28.4 in. (720 mm) above the floor. This cantilevered unit is easily detached from the main table when not needed.

92213A Dual tier workstation table.

Table for HP 9000/Model 40 92170G Workstation table. Exactly matches the design lines, height and color of the HP 9000/Model 40 floor cabinet, and the companion disc drive

Models 7908/11/12. Dimensions: 28.3 in. high, 36.6 in. wide, 28 in. deep (720 x 930 x 712 mm).

Thermal papers for HP 9000/Model 20

The following papers are page-perforated and fan-folded 330 sheets per pack. Each box contains 4 packs (total 1320 sheets per box). Metric-dimensioned paper is 210 x 297 mm; English-dimensioned paper is 8.5 x 11 in.

9270-0643 Box of metric paper, blue print on white.

9270-0641 Box of English paper, blue print on white.

9270-0642 Box of metric paper, black print on white.

9270-9640 Box of English paper, black print on white.



HP furniture and accessories ...productivity enhancers for people

Equip your office with furniture and accessories designed to make working with computer equipment easier and more efficient.

Our sturdy modular workstation furniture system lets you start modestly, yet adapts easily to your future needs. And companion pieces such as printer and terminal stands are visually compatible with the modular system, as well as being color-matched to HP's computer products.

For real productivity enhancement, be sure to see our new Ergonomic Chairs, offering the latest in seating technology. They are good looking, have conformal cushions for optimum comfort, and convenient multi-axis adjustments for making stress-relieving posture changes during the day.

Modular workstation system

HP's modular workstation furniture helps you keep pace with today's rapidly evolving computerized office or laboratory. It lets you build the workstation you initially need, on a modest scale and at a modest price — while making it easy for you to modify and enlarge it as people and equipment are added, or as your floorplan changes.

This furniture is specifically built to handle terminals, printers, plotters, personal computers, flexible disc drives—as well as conventional office equipment such as typewriters. Unsightly cables and power cords are handled neatly and efficiently by the cable management features built into our workstation tables and printer stands.

Quality is a standard feature, and these are very sturdy products. Thanks to steel construction, the mar-resistant work surfaces can be cantilevered for a more open,



92210R Storage Module (see chart below)

uncluttered area underneath. Assembly is simple and fast; all mounting holes are predrilled/tapped, and all screws and other hardware provided. Truly an excellent value!



Built-in cable management—slots below the rear edge of our tables and stands work in conjunction with grommetted holes in the shelves to route cables and cords unobtrusively to ground level.

HP modular workstation system Product number Description **Dimensions** Height Width Depth Compact workstation table, with leg levelers and modesty panel. Seven-inch (178-mm) shelf 92210A 27.0 in. 48.0 in. 30.0 in 686 mm 1220 mm 763 mm 92210B Standard workstation table, with leg levelers and 27.0 in. 60.0 in. 30.0 in. modesty panel. Seven-inch (178-mm) shelf 686 mm 1525 mm 763 mm standard. 92210E 27.0 in. 40.0 in. 24.0 in. Work surface extension (return), with leg levelers and modesty panel. Fits right or left side of 92210B table; not for 92210A. 686 mm 1017 mm 610 mm 92210K 50.0 in. 26.5 in. Table-top connector (trapezoid). Extends work surface by joining two 92210A/B tables. back: 1251 mm 674 mm front: 24.0 in. 610 mm 922108 Table-top connector (triangle). Extends work surface by joining two or three 92210A/B tables. 30.0 in. each side: 763 mm 922100 Suspended drawer unit. Two drawers, with iden-21.0 in. 14.8 in. 19.4 in. tical key lock all units. Deep bottom drawer can store three types of hanging files: letter-size, legal-size, and computer printout binders. Fits right or left side of 92210A/B tables Storage module unit, with three-position adjust-able shelf. Rear of module is open for ventilation and access to 92210A/B cable management sys-92210R 19.0 in. 21.0 in. 534 mm 19.4 in. 483 mm 493 mm inside module dimensions: 17.0 in. tem, when module used to hold electronic equip-ment. Fits right or left side of 92210A/B tables. 19.4 in. 19.4 in. 432 mm 493 mm 493 mm 92210N 27.0 in. 15.4 in. 20.0 in. Mobile drawer unit, on casters. Two drawers. with identical key lock all units. Deep bottom drawer like 92210Q above. Unit rolls easily to any workstation; top same height as 92210A/B. Set of four heavy-duty, double-wheel casters. Use in place of leg levelers on 92210A/B tables or 92210H/P stands where mobility is desired. 92210L

Caster height 1.75 in. (45 mm)

Tables and printer stands

The following 92210H/P/T printer stands and table have the same design lines and color as the various components in our modular workstation system, as well as the built-in cable management feature. The HP 92170G is of a different style, and matches the design lines of the HP 7908/11/12 disc drives.



92170 Tables – stand alone at right, and at left configured with a 7912 Disc Drive, HP 1000 System.



92210P Print stand, 92173P Paper transporter



92210H Standup printer/CRT stand



92210T Workstation (with 92171U)

Workstation tables and stands

	Product number	Description	Height	Dimensions Width	Depth	
R	92210T (See above photo)	Mobile workstation table for terminals. Design matches HP 92210-series workstation system. Features a dropped, pull-out keyboard surface. Cable management slots, locking casters and seven-inch (178 mm) shelf standard.	28.3 in. (720 mm) 26.4 in. (670 mm)	work s 30 in. (762 mm)	surface 28 in. (712 mm) d surface 12 in. (305 mm)	
R	92210P (See above photo)	Printer stand. Design matches HP 92210-series workstation system. Convenient paper feed slot (4 x 19 in., 102 x 483 mm) in top allows bottom paper feed. Also features rear printout catcher with 1.5 in. (38 mm) slot to allow paper transport to rear feed printers. Cable management slots, seven-inch shelf standard.	27 in. (686 mm) 18.5 in. (470 mm)	30 in. (762 mm)	24 in. (610 mm) t catcher 13.5 in. (343 mm)	
R	92210H (See above photo)	Standup printer/terminal stand. Design matches HP 92210-series workstation system. Same slotted top and rear printout catcher as 92210P (see above). Height is 38 in. (965 mm), ideal for walk up operation of equipment. Cable management slots, seven-inch (178 mm) shelf standard.	38 in. (965 mm) 29.5 in. (749 mm)	30 in. (762 mm)	24 in. (610 mm) t catcher 13.5 in. (343 mm)	
F	92170G (See above photo)	Workstation table. Design matches color, form and dimensions of HP 7908/11/12 disc tape drives. Pearl grey and brown cocoa, steel construction. Hex-head wrench included for easy assembly.	28.3 in. (720 mm)	36.6 in. (930 mm)	28 in. (712 mm)	

^{*}Prices include shipment by truck.

Workstation accessories



92171U Tilting turntable

92171U Tilting turntable provides a tilting range of up 5° and down 5° from horizontal with 9 different positions. Each operator can easily position the CRT to the ideal viewing angle to minimize glare and reduce neck, back and eye strain—for greater operator productivity. Turns 360 degrees (but not beyond). Slight turning resistance keeps CRT in the desired position and turns only when you want it to turn.

Dimensions: Height 3.75 in. (95 mm); Width 19.5 in. (495 mm); Depth 24 in. (610 mm).



92171T CRT turntable

92171T CRT turntable for properly positioning and sharing terminals. Turns 360 degrees (but not beyond) on a strong, positive-position ball bearing mechanism. The putty color matches HP's Computer Workstation Furniture (92210) and HP's Storage/Security Cabinets (92172).

Dimensions: Height 1.25 in. (32 mm); Width 20 in. (508 mm); Depth 24 in. (610 mm).



92171E Footrest

92171E Footrest. Reduce lower back fatigue and lower thigh pressure — raise your feet off the ground and onto our angled footrest. This is especially helpful for those who sit all day and do data entry or other desk work. Constructed of steel, these footrests also have ribbed rubber facings and non-slip rubber feet. Order several and help others take a load off their feet.

92171A Copy holder is easily adjusted; you can position it where you need if for the most efficient reading of copy (see photo page 34).

It clamps to vertical or horizontal surfaces up to 1.25 in.(32 mm) thick, and has a maximum reach of 30 in. (762 mm). The line guide is moveable, and friction locks securely hold the position you have selected.

92171B Workstation copy holder. Placing this copy holder between detached keyboards and CRTs means better productivity and less eye strain for your data entry operators. The holder will tilt at the push of a button from 0° to 90°. The line guide mechanism is finger tip adjustable and can be used either on the left or right side of the holder or may be completely removed.

This sturdy plastic copy holder is designed for page sizes up to 14-7/8 x 11 in. Color is buff (putty). Order several and help increase your data entry productivity.

92173P Paper transporter. Tired of lifting and carrying heavy boxes of printer paper to and from your computer area? Use HP's paper transporters. They provide an easy way to move boxes of blank forms and finished printouts from one place to another. The transporters are made of durable steel with non-mar, double wheel casters and come with their own pull handles. Size is 13 W x 16 D in. (330 x 406 mm). Color is Putty. Order several and save.



Halon Fire Extinguishers (sold by HP in U.S. only)

Halon 1211 is a "clean" and especially effective fire extinguishing agent for use on or near computer equipment and media. It is easy to use, blankets a fire quickly, and penetrates obscured areas.

- · Leaves no residue
- · No cold shock to equipment
- · No electrical shock to user
- Will not affect most delicate fabrics
 92208B 5 lb. Extinguishing Capacity.
 (U/L Rated 10B:C)

92208C 9 lb. Extinguishing Capacity. (U/L Rated 1A:10B:C)

92208D 13 lb. Extinguishing Capacity. (U/L Rated 2A:40B:C)



92171B Workstation copy holder

HP Ergonomic chairs



Productive comfort as well as good looks and contemporary styling are built into every HP Ergonomic chair.

Managers, programmers, data entry personnel—all who sit for extended periods of time—will appreciate the convenient multi-axis adjustments which can be made while sitting. As your

work day wears on, changes in seat height, support angle, and changes to the seat back can go a long way toward relieving posture-locked stress buildup. You feel more comfortable because whatever your size or weight, you can find a well-supported and relaxed position in which to work.

HP Ergonomic chair

	The Party of the P				
	Part number	Color	Seat	Chair	Weight
HEW	92209A	Rust	Height 17.2-21.8 in. (410-560 mm)	Height 36.7-41.3 in. (940-1060 mm)	35.2 lbs. {16 kg.}
NEW	92209B	Dove blue	Depth 17.2 in. (440 mm)	Depth 19.9 in. (510 mm)	
NEW	92209C	Beige	Width 18.3 in. (470 mm)	Width 18.3 in. (470 mm)	

In addition to adjustable seat height, the 92209A,B, and C chairs also feature a nine-position, vertically adjustable seat back.

HP Ergonomic chair with arm support

	Part number	Color	Seat	Chair	Weight
NEW	92209M	Aust	Height 16.8-21.5 in. (430-550 mm)	Height 38.2-42.9 in. (980-1100 mm)	30.8 lbs. (14 kg.)
HEW	92209N	Dove blue	Depth 17.2 in. (440 mm)	Depth 23 in. (590 mm)	
NEW	92209P	Beige	Width 17.6 in. (450 mm)	Width 17.9 in. (460 mm)	







HP 92209 series chairs adjust to fit you.

Ergonomics—the art of making you efficiently comfortable


Two push buttons, conveniently reached while seated, pneumatically control seat height and the tilt of the rear cushion, which provides spinal support to mid-shoulder level. And on the HP 92209A/B/C armless models, the rear cushion has an additional 9-position vertical adjustment.

All our chairs have a five-caster base, and the self-braking

casters additionally contribute to safety by preventing "rollaway" when you stand up.

Our Ergonomic chairs are available with and without arms, and in three colors (Rust, Dove Blue, Beige) to complement almost any decor. And don't forget, our listed prices include truck shipment to you. Order today; we'll ship tomorrow.

Media and documentation cabinets



92172L Printout binder adapters

Printout binder adapters

Give your existing conventional data binders lateral-hang filing capabilities—in seconds. These adapters are for use with printout data binders that hold 14-7/8" x 11" paper. Each adapter holds printout up to 4 in. (10 cm) thick. Adapters are for use with 92172B and 92172C cabinets. See pages 40-41.

92172L Box of 10 lt. blue adapters 92172M Box of 10 red adapters 92172N Box of 10 yellow adapters



Library tape rack

92172E. Organize your tapes and conserve valuable floor space. Our high-density Library Tape Rack provides time-and space-saving organization of your magnetic tape. Up to 300 of either 600-ft., 1200-ft., or 2400-ft. tape reels in seals may be stored in any combination. Spring-loaded rear panel makes retrieval easy and fast. Library racks are pre-assembled for immediate use and are extremely well built for enduring strength and long life.

Dimensions: Height 79-1/2 in. (200 cm); Width 49-7/8 in. (127 cm); Depth 13-3/16 in. (33 cm).

Paper transporter

See 92173P on page 37.

Media and documentation cabinets (cont.)

Organization is easy with media storage cabinets. Save time and effort! HP media and documentation cabinets make organization and retrieval of valuable media and programs a simple, efficient task.

Ready for immediate shipment. There's no waiting with HP! We keep these cabinets in stock—pre-assembled—and ready for shipment just as soon as we receive your order.

Custom HP design. These cabinets are designed specifically to meet the media, documentation, and supplies storage requirements of all HP system users. Cabinets and doors are designed to match or complement a wide range of HP products. Take a look at the furniture section of this catalog to see how well these cabinets complement our workstation furniture line.

Durable walnut-patterned top.



 Documentation/storage shelf has 3 movable dividers. Tall enough (13.75 in., 35 cm) for metric A4 binders.

Mag tape hanger bar securely holds up to 35 reels in seals. -

Hanger bar for printouts, with 20 printout hangers included with — cabinet. (Mag tape can also be hung from this bar.).

Top roll-out shelf. Moveable (and removable) dividers form up to 14 compartments. Vertical clearance 5 in. (12.7 cm).

Bottom roll-out shelf. Vertical clearance 5 in. (12.7 cm).

- Storage 15.25 in. (38.7 cm) high.

Storage 13.25 in. (33.7 cm) high.

Keyed lock for door.



Workstation/security cabinet

92172A. Shelves are all pre-installed. Sent separately are the rugged walnut-grained plastic top, which affixes easily to top of cabinet, and the roll-out shelf dividers which you simply drop in place on either top or bottom roll-out shelf as you prefer. (Media and supplies pictured are not included in cabinet price.) Exterior dimensions: Height 47 in. (119.5 cm); Width 36½ in. (92 cm); Depth 18½ in. (47 cm).

Cabinet and door are both "putty" color.



The 92172A and 92172B cabinets have convenient roll-out shelves with fully adjustable width/depth dividers; ideal for small supplies like mini data cartridges, plotter pens, printwheels, etc. If desired, dividers may be totally removed for storing disc packs/cartridges or other large items.

Universal/security cabinet

92172B. Shelves and hanger bars are all pre-installed. Sent separately and included in the cabinet price are 20 print-out hanger cartridges [light blue color; each cartridge holds printouts up to 1 in. (2.5 cm) thick], and the roll-out shelf divider unit which drops securely onto either top or bottom roll-out shelf. (Media and supplies pictured are not included in cabinet price.)

Exterior dimensions: Height 71 in. (180 cm); Width 36% in. (92 cm); Depth 18% in. (47 cm).

Cabinet and door are both "putty" color.

Quality construction. These cabinets are extremely well-constructed of welded steel for enduring strength and reliability, and feature a tambour roll-up door of high-impact plastic for lightness and ease of use.

Space efficient. The roll-up door makes efficient use of available space, which means more useful storage space inside the

cabinet for your requirements. When the door is open, access to any part of the cabinet is easy.

Lock for security. With the door closed and locked, your valuable media, program listings and supplies are safe from unauthorized access.

NOTE: Necessary attachments and instructions are included with all cabinets.



Documentation shelf is tall enough (13.75 in., 35 cm) for metric A4 binders.

Each mag tape hanger bar securely holds up to 35 reels in seals.

Each printout hanger bar holds up to 28 printout cartridges (Mag tape can also be hung from these bars).

- Keyed lock for door. -



Printout/documentation security cabinet

92172C. This cabinet has a documentation shelf at top for binders and storage. The printout hanger bars provide a unique method for storing computer printouts and make frequent retrieval of data convenient. Documentation shelf and printout hanger bars are all preinstalled. (Binders and printout hanger cartridges pictured are not included in cabinet price—order these items separately.)

Exterior dimensions: Height 71 in. (180 cm); Width 36% in. (92 cm); Depth 18% in. (47 cm).

Cabinet and door are both "putty" color.

Printout hanger cartridges

Box of 10 cartridges for use with the 92172B and 92172C cabinets. (NOTE: 20 Lt. Blue Cartridges are included and shipped with each 92172B cabinet.)

Each cartridge can hold printout thicknesses up to 1 in. (2.5 cm) and has adjustable pins to hold any printout where the width between pin feed holes on each edge is between 11¼-147% in. (28.5 and 37.9 cm). Cartridges are hinged for easy loading and unloading. Self-adhesive labels are included.

92172P Box of 10 Lt. Blue Cartridges 92172R Box of 10 Red Cartridges 92172Y Box of 10 Yellow Cartridges

Magnetic tape security cabinet

92172D. The tape hanger bars are designed to accommodate one-half inch of industry-compatible magnetic tape in tape seal only. Up to 175 of either 600-ft., 1200-ft., or 2400-ft. reels of tape may be stored in any combination. Springloaded rear panel makes retrieval easy and fast. Mag tape hanger bars are all pre-installed. (Media pictured is not included in cabinet price.)

Exterior dimensions: Height 71 in. (180 cm); Width 36% in. (92 cm); Depth 18% in. (47 cm).

Cabinet and door are both "putty" color.

Static mats

Take the sting out of static

You can generate up to 10,000 volts of static electricity by just walking around your work area. When you then touch a terminal or other computer equipment, serious damage and data loss

You can protect yourself and your valuable equipment from

the damaging effects of static discharge simply and inexpensively — with HP static control mats and anti-static carpet mats. These mats eliminate static problems by draining away static voltage when stepped on by personnel - before they operate the equipment.



92175A Hard-surfaced mat with grounding wire.

92175B Chocolate brown soft-Static control mats

5ft.(1.5m)

These mats are grounded so they can never become overloaded with a static charge. A 15-ft. (4.5-m) ground cable is included. It snaps to one corner of the mat with the other end connected to a convenient electrical ground. Static electricity is harmlessly drained from people to ground.

92175A Black hard surface mat

- . For Sit-Down Applications-castered chairs will roll easily on mat
- · Shaped to fit most desks/workstations
- Volume conductive
- Anti-shock NOTE: Shipped by truck.

surfaced mat · For Stand-Up 4ft. (1.2 m) Application · Cut-to-fit requirements

-8 ft. (2.4 m)

- · Intrinsic conductivity
- Anti-shock
- · Foam backing has both anti-skid and anti-fatigue characteristics NOTE: Shipped by truck.

92175C Small black hard surface mat

· For Sit-Down Applications - castered chairs will roll easily on mat

Ideal for terminal and processing data entry Volume conductive

· Anti-shock

NOTE: Shipped by truck.

Anti-static carpet mats

Carbon-impregnated filaments woven into the carpet automatically drain off static. This protection remains even after washing.

Our exclusive non-skid backing prevents the mat from shifting or curling. And to complement workstation furniture in any work environment, our mats are offered in two warm, neutral colors.

92175C Small black hard-surface mat

Size: 4 x 6 ft. (1.2 x 1.8 m) 92176A Natural color 92176C Russet color

Size: 4 x 8 ft. (1.2 x 2.4 m) 92176B Natural color 92176D Russet color



Russet



Natural



92176C Anti-static mat





HP Series 80 Computer

Graphics

Graphics Presentations. Prepare professional-quality charts and overhead slides for management meetings, customer presentations, sales meetings, management reports, and much more. Text and illustrations can be easily prepared without programming. Simply respond to a series of easy-to-answer questions to generate text and pie, bar, or line charts. Text and chart labels can use 9 sizes and 3 types of letters. Text can be centered, underlined, or both. Graphs and charts can use 6 different types of lines or 6 types of hatching. †(HP-83: B, E, J, M; HP-85: A, B, E, F, J; HP-86/87: A, J, S, T) For HP-83/85:

00085-13038* For HP-86/87: 00087-13002"

Statistics/Mathematics

General Statistics. A flexible set of easyto-use statistical routines for data evaluation. Single and paired sample analysis, test statistics, continuous and discrete distributions, and multiple linear regression are included. †(HP-83: M) For HP-83/85/86/87:

00085-13003*

Basic Statistics & Data Manipulation. Provides common database for statistics software pacs (excluding General Statistics above). Routines for data entry, editing, output, sorting, and transformation are included. Computes many basic statistics. †(HP-83: M)
For HP-83/85/86/87:

00085-13036*

Regression Analysis. Find the relationship between a dependent variable and one or more independent variables. Polynomial and multiple linear regression (including four variable-selection procedures) routines are provided. A table of residuals is printed. Data entry using Basic Stat & Data Manipulation pac above. †(HP-83:L, M; HP-85/86/87; L) For HP-83/85/86/87:

00085-13037*

Linear Programming. Solves a wide variety of optimization problems using a modified simplex method that incorporates variable bounds. Applications include chemical blending, production scheduling, profit optimization, and lots more. †(HP-83: M)
For HP-83/85/86/87:

00085-13011*

Math. Provides quick access to commonly employed mathematical routines used in calculus, numerical analysis, linear systems, geometry, and more. Full descriptions, plus relevant equations, examples, and other helpful data. †(HP-83: M) For HP-83/85/86/87:

00085-13005°

Statistical Analysis Pac. Contains General Statistics (00085-13003), Basic Statistics & Data Manipulation (00085-13036) and Regression Analysis (00085-13037) at a bundled discount price. (HP-83: M) For HP-83/85/86/87:

00085-13058*

Engineering

AC Circuit Analysis. Model your circuit and examine its AC performance quickly and accurately. Determine steady-state AC behavior of electrical networks including resistors, capacitors, inductors, voltage-controlled and independent current sources. †(HP-83: M) For HP-83/85/86/87:

00085-13006*

Waveform Analysis. Performs fast Fourier transforms on frequency domain data. Computes correlation function and power spectrum, plus Fourier series coefficients. Double data block entry for cross-correlation, power spectrum, and for convolution. Plot or print output. †(HP-83: M) For HP-83/85/86/87:

00085-13035*

Surveying. Contains group of programs to aid surveyors in many of their most often encountered computations. Fast, easy calculations and maintenance of coordinate points for easy recall. †(HP-83: M)

For HP-83/85/86/87:

00085-13046*

Electronics Engineering Pac. Contains AC Circuit Analysis (00085-13006), Waveform Analysis (00085-13035) and Math (00085-13005) at a bundled discount price. (HP-83: M) For HP-83/85/86/87:

00085-13059*

†HP 86 and HP 87 computers all require an external printer and disc memory.

See page 45 for additional system elements, if required to operate software pac with HP-83, HP-85, HP-86 or HP-87 Mainframe.



HP Software...part of the Hewlett-Packard's Manufacturing Productivity Network.

HP Series 80 Computer (continued)

Business

VisiCalc[®] PLUS. This electronic worksheet is a powerful software tool for analysis and solution of complex business and scientific problems. Now enhanced with an extremely useful graphics capability. Any cell in a 254 x 63 matrix may contain a label, numeric value, or calculated result using other cells. Makes financial planning and other analyses easy because the program automatically updates other rows and columns when changes are made. The "PLUS" is an ability to produce line, bar, and pie charts from row and column information without entering new data.

† (HP-83: B, E, J, K, M; HP-85: A, B, E, F, J; HP-86/87: A, J, R, T)

For HP-83/85:

00085-13042* For HP-86/87:

00087-13001*

VisiCalc is a registered trademark of VisiCorp.

Financial Decisions. An easy-to-use aid in evaluating financial decisions. Programs include: compound interest, loan amortization, discounted cash flow, and depreciation. Interest conversions, bonds, notes, breakeven analysis, and odd-days interest. †(HP-83: M) For HP-83/85/86/87:

00085-13004*

wordStar®. An easy-to-use, screen-oriented word processing system, featuring a series of menus to provide on-screen help for the user. Text is displayed directly on the screen as it is entered, and most formatting takes place immediately. The screen shows a true representation of the printed copy. Block and column move commands allow the movement of text within the document. A three-level training guide is provided to introduce the user to the functions of WordStar. †(HP-86: Q; HP-87: Q) For HP-86/87:


00087-16001*

WordStar is a registered trademark of MicroPro International Corporation-

SpellStar™. Check the user's WordStar files for spelling errors. It includes a dictionary of approximately 20,000 English words. Users can supplement the dictionary with their own words, or create entirely new dictionaries. †(HP-86: Q; HP-87: Q) For HP-86/87:

00087-16003*

SpellStar is a trademark of MicroPro International Corporation.



HP-85 Computer, Peripherals and Graphics Presentations Software

MailMerge™. Adds capabilities to WordStar to allow production of form letters, inserting data into printouts, printing multiple copies or creating modular documents using boiler plate files. † (HP-86: Q; HP-87: Q) For HP-86/87:

00087-16002*

MailMerge is a trademark of MicroPro International Corporation.

Text Editing. Write memos, outlines and reports on the display screen. Edit copy, save it on tape or disc, or print it. Variable input/output of text files. Tab, plus add, delete, replace, renumber, and move lines. Matched string search and replace. † (HP-83: B, K, M) For HP-83/85:

00085-13034*

File Manager. Create a file structure and enter data into it; then perform searching, sorting, reporting and plotting functions within that structure. File Manager can handle up to 1000 records of 1000 bytes each; file size is dependent on the capacity of your mass storage device. Files can be searched on up to 10 conditions. Report results in one of 3 versatile formats, or create attention-getting line, curve, bar and pie charts. On flexible

disc only. †(HP-83: B, E, J, K, M, P; HP-85: B, E, J, M, P) For HP-83/85:

88103A*

dBASE II™. A relational database management system with exceptional capabilities to manipulate data. Records can be accessed sequentially or by a sorted index file. The files themselves can also be sorted. Accessing a record in the maximum size file takes only seconds. Up to 65,000 records per file. Database creation and entry is quick and convenient. Once a database has been created, it can work interactively with the user or under the control of user-written programs. Programs are written using English-like dBASE II™ commands. ↑(HP-86: Q; HP-87: Q) For HP-86/87:

00087-16004*

dBASE II is a trademark of Ashton-Tate.

Information Management (IMPac). Provides a powerful, flexible system for list management. Each record can be 20 to 1024 bytes long. Fieds can be defined as Alphanumeric, Numeric-Only, and Dollars. Has Create, Update, Search and Extend programs—plus a querying system, report writer, and extensive graphics

capabilities. On flexible disc only. †(HP-83: B, E, J, K, M; HP-85: B, E, J, M) For HP-83/85:

00085-13045*

MILESTONE™. A project management and time scheduling product that uses PERT/CPM techniques to increase productivity and management of small projects. It helps project leaders and small business owners clarify the tasks at hand and communicate schedules and priorities.

PERT treats projects as a series of events in a time sequence, and is widely used to track progress. CPM treats projects as a series of activities and is used in project planning. †(HP-86: Q; HP-87: O)

For HP-86/87: 00087-16009*

MILESTONE™ is a trademark of Organic Software, Inc.

Professional Tax Plan. An easy-to-use tax planning package for professional tax and financial planners; including CPAs, attorneys, and financial planners. The program is designed by CPAs and contains current tax laws. It has been fully tested by a major public accounting firm. †(HP-86; Q; HP-87; Q)

For HP-86/87:

00087-16005*

Estate Tax Plan®. An estate tax planning package designed for professional tax planners, trust officers, insurance brokers and financial planners. †(HP-86: Q; HP-87: Q) For HP-86/87:

00087-16007*

Estate Tax Plan was developed under the supervision of Dr. William A. Raabe, CPA.

Personal Tax Plan. An easy-touse tax planning package for individual home users that contains current tax laws. This package was designed by CPAs and fully tested by a major public accounting firm. Manual provides step-by-step instructions. †(HP-86: Q; HP-87: Q) For HP-86/87:

00087-16006*

General/Utility

BASIC Training. Self-teaching course for novice users. Proceed at your own pace. Prerecorded media provides guide to operation and programming. Prepares users for more advanced operations.



HP Series 80 Computer

†(HP-83: M) For HP-83/85:

00085-13002+

For HP-86/87:

00087-13004*

Games. Provides an entertaining way to become familiar with the keyboard and operation of the HP Series 80 Personal Computer. † (HP-83: M) For HP-83/85/86/87:

00085-13010*

Games II. Graphic, arcade-type games to provide both entertainment and familiarization with the keyboard and general operation of the HP Series 80 Personal Computer. †(HP-83: M) For HP-83/85:

00085-13057*

HP Series 80 software terms, see inside back cover.

CP/M[®] is a registered trademark of Digital Research, Inc.

†HP-86 and HP-87 computers all require an external printer and disc memory. (H&K below.)

Additional system elements, if required to operate Software Pac with HP-83, HP-85, HP-86 or HP-87 Mainframe:

- A ROM Drawer (HP 82936A)
- Plotter/Printer ROM (HP 00085-15002)
 Mass Storage ROM (HP 00085-15001)
- D I/O ROM (HP 00085-15003)
- E 16K Memory Module (HP 82903A)
- F HP-IB Interface (HP 82937A)
- G Serial Interface (HP 82939A)
 H Disc Memory (HP 82900-series, 9895A, 9134A, or 9135A)

HP PLUS software for HP personal computers All HP Series 80 and HP 125

Computer software marked with the HP PLUS logo to be is developed and supported by independent software companies. This software has been checked through customer references and a Hewlett-Packard evaluation team for quality, ease of use and installation.

Series 80 software is available only in the U.S.



HP Software...part of the Hewlett-Packard's Manufacturing Productivity Network.

- J Plotter (HP 7225B, w/HP 17601A module, HP 9872C, or HP 7470A)
- K Printer (HP 82905A/B or HP 2671A/G)
- Basic Stats & Data Manipulation Software Pac (HP 00085-13036)
- M Items A, C, F & H listed above
- N MODEM (HP 82950A)
- P Advanced Programming ROM (HP 00085-15005)
- Q CP/M[®] System (HP 82900A)
- R 32K Memory Module (HP 82907A)
- S 64K Memory Module (HP 82908A)

T Plotter ROM (HP 00087-15002)

HP125 Office Computer

Graphics

GRAPHICS/125. Easy-to-use software provides sophisticated local graphics capabilities. No programming knowledge is required to use this software. Professional-quality multicolor graphs and charts are created easily after filling in a menu on the computer display.

Numerical data is transformed into pie charts, bar charts, linear and logarithmic graphs. Graphics are produced on standard paper or overhead transparencies for group presentations.

Required: 7225B w/17601A Interface, 9872C or 7470A plotter and cable. 45532A**

Business

VisiCalc*/125. Provides a powerful capability to manipulate rows and columns of numerical data shown on the computer display. Each entry may contain a label, number, or a mathematical formula. Data entry is simplified by entering one number and a formula to calculate the remaining numbers in a row or column. A full range of commands are available to calculate totals, averages, net present values, trigonometric and math functions, and more.

"What if . . ." questions can be answered by easily changing assumptions and data in the worksheet. All numbers affected by the change are recalculated immediately and the new results are displayed. Any part of the worksheet (64 columns by 254 rows) can be viewed on the computer display by moving the cursor.

The worksheet can be sent to a printer or saved on disc for later use.

45531A**

VisiCalc is a registered trademark of VisiCorp.

HP 125 software updates

Low-cost updates are available for HP 125 software. Each update consists of a new flexible disc loaded with the latest revision of the software and a complete list of documentation changes.

Watch for announcements from Hewlett-Packard about the latest revision and how to order.

CONDOR™Series 20-1 and 20-2 Database System. A power-

ful and user-friendly data management system that allows you to manage your business not your data. This low-cost system allows you to set up a useful database quickly and easily. Save time by updating and entering new information into mail lists, client files and phone number lists.

Pass database information to other HP 125 software, such as WORD/125 or GRAPHICS/125. VisiCalc*/125 worksheets can be read into the database. Generate custom applications using help menus and English-like commands.

The entry-level CONDOR 20-1 (HP 45550A) provides database development and management; entry, update and posting; inquiry and report writing; and complete operations aids. Full relational features for processing multiple database files are provided with CONDOR 20-2 (HP 45550E), or may be added to the entry-level package with the CONDOR UPGRADE (HP 45550K).

45550A (CONDOR 20-1)** 45550E (CONDOR 20-2)** 45550K (CONDOR

Upgrade)**

CONDOR is a trademark of Condor Computer Corporation.

WordStar®/125. An easy-to-use, full-feature word processing system, featuring screen-labeled function keys in addition to standard WordStar control sequences. The function keys guide the user step by step through the document preparation process. The screen shows exactly what will get printed—including all format variations like page breaks, justification and hyphenation. As soon as you type a change, it's on the screen.

Blocks and columns can be moved, copied or deleted. Each paragraph can have its own margins and tabs. Printer output can be set to the HP 2601, HP 2631B, HP 82905B, HP 2671A, HP 125 Internal Printer or a variety of other non-HP printers.

45560A *

Wordstar is a registered trademark of MicroPro International Corporation.

SpellStarTM/125. A spelling checker program that works with WordStar/125 to find spelling and typing errors in your document. Your document is compared with a dictionary of approximately 20,000 words and unmatching words are flagged. You have the

choice of changing the word, leaving the word alone, or leaving the word alone and adding it to the dictionary. You can even create your own dictionaries of specialized words or names.

45561A**

SpellStar is a trademark of MicroPro International Corporation.

MailMerge™/125. A powerful multi-purpose file merging program that works with WordStar/125 to produce form letters, mailing labels, and boilerplate documents. You can combine form letters with a list of names and addresses or you can combine standard paragraphs to form a customized legal document.

45562A**

MailMerge is a trademark of MicroPro International Corporation.

WORD/125. A full-feature word processor program designed for use by office personnel. The computer display screen shows the portion of text being edited. A variety of commands execute corrections, insertions, and move blocks of text on the screen. Finished text can be reviewed before printing. WORD/125 uses screenlabeled function keys to provide a wide variety of powerful commands. The labeled keys guide the operator step by step through the entire document preparation process. WORD/125 also maintains and sorts mailing lists. Mailing lists can be merged with form documents to create "customized" letters. Required: 2601A, or 2631B, or 2671A, or 82905B Serial Printer and cables or 45500A Opt 050 Thermal Printer. 45533A**

General/Utility

LINK/125. An easy-to-use communications program that transfers data files between the HP 125 and HP 3000 computers. This software turns the HP 125 Personal Office Computer into a distributed processor. Remote files can be accessed, transferred to the HP 125, and processed locally. Results can be stored locally, output to printer, and transferred back to the HP 3000. LINK/125 also provides pushbutton execution of predefined QUERY/3000 procedures with inquiry results reported back to the HP 125 screen or local files. Bidirectional file transfers are supported via hardwired or remote connections.

45534A**

BASIC/125. The BASIC/125 interpreter provides one of the most extensive implementations of BASIC available on a microcomputer. Features and performance are provided that are found in languages operating on large minicomputers. BASIC/125 meets the requirements for the ANSI subset standard for BASIC, and it offers many advanced features such as PRINT USING, IF/THEN/ELSE, and ON ERROR GO TO.

HP 125 Programming Package. The Programming Package is designed for the programmer writing at the microcode level for the CP/M® operating system. Utility programs supplied include an assembler, loader, and debugger for 8080 and Z-80 microcode. Also included is a full reference manual describing the functions of the HP 125 system and how to programmatically access the feature set. 45536A**

**Order software without option for 5¼-in. flexible disc. Order software with option 080 for 8-in. flexible disc at no additional cost.

HP 125 software terms, see inside back cover. CP/M[®] is a registered trademark of Digital Research, Inc.

HP 9826A/9836A Desktop Computer

Graphics

45535A**

Graphics Presentations. Produces bar charts, line charts and pie charts. Featuring 4 character fonts, the pack can also create 7-color overhead slides. This information can be transferred to paper or acetate transparencies.

Required: Opt. 011 or 711, 98256A*, 9872.

98815A

Statistics/Mathematics

Statistics Library part I. Designed as a basic library of general statistics, Part I consists of Basic Statistics and Data Manipulation, General Statistics, Statistical Graphics, and Regression Analysis. A total of 5 discs.

Required: Opt. 011 or 711, 98256*. 98820B

Statistics Library part II. Designed as an advanced statistical analysis library, Part II consists of Monte Carlo Simulation Utilities and Routines, Analysis of Variance, and Principal Components and Factor Analysis. It is necessary to have Part I for Part II to run. Part II contains 5 discs.

Required: Opt. 011 or 711, 98256A*. 98820C

Numerical Analysis Library. Contains seven main sections: rootfinders, numerical integration, ODE solvers, Eigen analysis, interpolation, general functions and Fourier analysis.

Required: Opt. 011 or 711, 98256A*. 98821A



Engineering

AC Circuit Analysis. Calculates the frequency response of linear circuits. Magnitude, phase, time and impedance plots are available. These plots can include the effects of component tolerances.

Required: Opt. 011 or 711, 98256A*.

98825A

Linear Systems Analysis. Provides "classical" tools needed for analyzing single-input/single-output linear systems. The following analysis plots are available; Root Locus, Nyquist, Step Response, Impulse Response and Bode. Linear systems can be in the form of a control system block diagram or a simple transfer function in Laplace (S) notation.

Required: Opt. 011 or 711, 98256A*.

Required: Opt. 011 or 711, 98256A*, HP-IB printer.

98826A

Waveform Analysis. Provides discrete mathematical representation of data via Fourier transforms and associated algorithms such as convolution and correlation. Outputs may be displayed, printed or plotted.

Required: Opt. 011 or 711, 98256A*. 98827A

Digital Filter Design. Provides the tools necessary for designing digital filters. Includes routines for designing both Infinite Impulse Response (IIR) and Finite Impulse Response (FIR) digital filters. Also included are routines for transforming analog filter functions, H(s), to digital transfer functions, H(z). Once the pack has computed the filter coefficients, both magnitude and phase plots are available to measure the actual performance of these filters.

Required: Opt. 011 or 711, 98256A*. 98828A

*256K user RAM may be used in place of 98256A.



HP 9826A Desktop Computer



HP 9836A Desktop Computer

HP 9826A/ 9836A Desktop Computer (cont.)

Business

VisiCale*. Provides a powerful "electronic worksheet" which allows for easy manipulation of numerical data, text and mathematical expressions. "What if . . ." questions can be answered by changing data and assumptions in the worksheet. Any information affected by a change will be automatically updated. Required: 98256A*.

98810A

VisiCalc is a registered trademark of VisiCorp.

Project Management. Analyzes project networks using CPM, PERT, and MPM techniques. The output is in GANTT chart form.

Required: Opt. 011 or 711, 98256A*. 98817A

Forecasting. Allows time-series data to be analyzed, smoothed, forecast and plotted using a variety of statistical techniques.

Required: Opt. 011 or 711, 98256A*.

98818A

*256K user RAM may be used in place of 98256A.

HP PLUS software for HP desktop computers

HP PLUS software is developed and supported by independent software companies for use on HP computers. A variety of HP PLUS Third-Party software is now available, including a FORTRAN and PASCAL compiler for the popular HP 9845 and HP 9835 computers. All HP PLUS software has been checked for user satisfaction, documentation, training and support by references from existing users.

For further details, call your local HP Sales Office (page 68). Be sure to look for new HP PLUS software announcements. For a complete listing of the HP PLUS software, order your own Technical Computer Software Catalog. See page 50.

HP Software...part of the Hewlett-Packard's Manufacturing Productivity Network.

HP 9845 B/C Desktop Computer



HP 9845C Desktop Computer

Graphics

Graphics Presentations (9845B/T).

Produces professional-quality, highly effective bar, line and pie charts for management reports and presentations. Features four types of characters. Can be used to create overhead transparencies as well as charts.

Required: 9845B w/98411B (Opt. 311) Graphics ROM and 9872 Plotter. 9845T requires 9872 Plotter.

09845-10540

Graphics Presentations (9845C). Same capabilities as for the 9845B/T above (09845-10540), but adds the color graphics capabilities of the 9845C. Required: 9845C and 9872B/C Plotter. 09845-15230

Statistics/Mathematics Basic Statistics & Numerical Analysis.

Contains summary statistics as well as routines for entering, editing, naming, recording, sorting, transforming, and listing data for other statistics programs. Required: 9845B/C.

09845-15100

General Statistics. Provides parametric and nonparametric tests for single sample,

paired sample, two independent samples and multiple sample data. Has distributions that eliminate the need for tables. Includes Basic Statistics (09845-15100) above.

Required: 9845B/C w/Opt. 311, 560, 700.

09845-15130

Regression Analysis Methods. Performs multiple linear regression as well as polynomial regression analysis. Variable selection methods using stepwise, forward, backward, or manual procedures. Includes Basic Statistics (09845-15100) above.

Required: 9845B/C w/Opt. 311,560, 700.

09845-15110

Nonlinear Regression. Using Marquardt's Method to fit nonlinear models with up to ten parameters, allows residual analysis. Includes Basic Statistics (09845-15100) above.

Required: 9845B/C w/Opt. 311, 560, 700.

09845-15140

Analysis of Variance. Collection of analysis routines for statistically designed experiments. Includes factorial, nested,



split-plot, one-way, two-way unbalanced and one-way covariate designs. Also, routines for generating contrasts, orthogonal polynomials, multiple comparisons and interaction plots. Includes Basic Statistics (09845-15100) above. Required: 9845B/C w/Opt. 311, 560, 700.

09845-15170

Monte Carlo Simulation Utilities.

Includes advanced random number generators, and random deviate generators for various statistical distributions. Also series of tests which aid in evaluation of simulation studies. Required: 9845B/C.

09845-15160

Principal Components and Factor Analysis. Multivariate analysis including computation of principal components, factor extraction (principal axes, or maximum likelihood method), factor rotations, (orthogonal or oblique), and plots of case scores. Includes Basic Statistics (09845-15100) above. Required: 9845B/C w/Opt. 150 or 250. 09845-15080

Statistical Graphics. Contains nine routines for plotting statistical data: time plot, histogram, probability plots, X-Y scatter plot, log-log plot, XYZ plot, and Andrews plot. Contains Basic Statistics (09845-15100) above.

Required: 9845B/C w/Opt. 311, 560, 700 and 9872 Plotter.

09845-15200

Numerical Analysis Library. Contains seven main sections for finding roots, numerical integration, solving ordinary differential equations, Eigen analysis, interpolation, general functions and Fourier analysis.

Required: 9845B/C.

09845-10350

Engineering

AC Circuit Analysis. Calculates frequency response of linear circuits. Magnitude, phase, time and impedance plots are available. Plots can include effects of component tolerance.

Required: 9845B/C w/Opt. 150 or 250.

09845-12620

Waveform Analysis. Provides discrete mathematical representation of data via Fourier transform and associated algorithms such as convolution and correlation. Output is display, print or plot. Required: 9845B/C w/Opt. 150 or 250. 09845-12600



HP 9845B Desktop Computer

Linear Systems Analysis. Provides classical tools needed for analyzing single input/output linear systems. System can be in form of control system block diagram or simple transfer function in LaPlace notation. Analysis plots include root locus, Nyquist, step and impulse response, and Bode.

Required: 9845B/C w/Opt. 150 or 250. 09845-15190

Digital Simulation. Gate-level simulation of digital logic networks. Allows timing and logic analysis with tabular or graph output.

Required: 9845B/C w/Opt. 150 or 250. 09845-12610

Business

Forecasting. Allows time-series data to be analyzed, smoothed, forecast, and plotted using a variety of statistical techniques.

Required: 9845B/C w/Opt. 311, 560, 700.

09845-10610

Project Management. Analyzes project networks, using PERT, CPM, and MPM techniques. Includes GANTT chart output.

Required: 9845B/C w/Opt. 311, 313, 560, 700, 9885M/S.

09845-11100

List Management. Manages a names file sorting, sublisting, editing, and other listing needs.

Required: 9845B/C w/Opt. 560, 600 (or 9871 or 2631).

09845-10630

Software support

HP offers SYSTEMS INFORMATION SERVICES (SIS) for your desktop and personal computers. You can get maximum benefit from your new computer and software by taking advantage of the features of this service.

SIS includes the following:

- Phone In Consulting provides you with telephone access to a trained HP Systems Engineer, enabling you to ask questions regarding problems encountered wth HP software or to seek advice on resolving programming difficulties.
- The Software Status Bulletin is a periodic document that includes timely information on the operational status of HP software and documentation. It also includes temporary corrections or workarounds for discrepancies in HP software.
- The Communicator is a very useful periodical containing operational tips, programming techniques and items of general interest for your system.
- Reference Manual Updates are also provided as they are made available to keep your reference library up to date on a timely basis.

HP also offers extensive educational services in support of our systems. Courses are provided for many levels of capability. You can receive this training at many HP locations or at your own facility.

Contact your nearest HP Sales Office (page 68) for more information about the SIS products and HP Training Courses for your specific system. HP 9845 software terms, see page 69.

HP 2647A Intelligent Graphics Terminal



HP 2647A Intelligent Terminal

Graphics

Multiplot and Slide software (rev. F.). Replacement BASIC/Multiplot software on data cartridge for use with the HP 2647A.

NOTE: Rev. F supports the 9872C

Plotter.

For 2647A: 02647-13301

AUTOPLOT/47. Replacement AUTOPLOT/47 software on flexible disc for use with the HP 2647F.

For 2647F: 02647-13401

Graphics Presentation Pac/47. Contains a variety of useful programs which can be used to prepare graphical presentations of data. The user is guided by an easy-to-use command menu. Programs allow the user to produce a variety of business graphics such as enhanced pie, bar, and linear charts. Additional programs allow the user to create flowcharts, diagrams and organization charts, and electronic circuit drawings.

For 2647A: 13257B For 2647F: 13257G

Statistics/Mathematics Statistical Analysis Pac/47. Offers a variety of programs that provide solutions

to the most frequently used statistical operations: basic statistics, curve fitting, regressions, analysis of variance, confidence limits, and more. Many programs provide optional graphical output

capability.

For 2647A: 13257D NEW For 2647F: 13257L

Mathematical Analysis Pac/47. Offers a variety of programs that provide solutions to the most frequently used mathematical operations. Programs are included for: differentiation, integration, finding roots of polynomials, interpolation, matrix and vector operations, and more.

For 2647A: 13257C NEW For 2647F: 13257M

Business

Project Management Pac/47. Offers a variety of easy-to-use programs to assist project managers to improve planning, control and overall decision making of their projects. Easy-to-communicate visual representations of project status and organization are provided with optional graphic display and color plotter output. Time value of money programs are included, along with CPM and GANTT chart programs.

For 2647A: 13257F For 2647F: 13257H

Order the 93987F kit from your local HP Sales Office to convert your HP 2647A to a 2647F.

WORD/47. Friendly word processing software that aids in preparing correspondence, memos, and manual drafts. Features include word wraparound, seach and replace, copy paragraph, delete words, sentences, and paragraphs; justify, and indent. Page-formatting software allows the user to output text in a paged format to a printer, disc file or display. A forms design module simplifies and speeds up form and table design.

Requires external printer; HP 2601A or 2631B/G or 2671G or 2673A.

For 2647F: 13257W

General/Utility

LINK/47. A menu-driven application program for bidirectional file transfer between the HP 2647F and the HP 3000 Computer System, Menu-driven softkeys provide easy transfer of both ASCII and binary files between the HP 3000 system disc and 2647F disc. Provides protection against overwriting already existing data.

For 2647F: 13257N

2647A/F File Conversion Kit. An easy-to-use, menu-driven utility program that transfers ASCII and binary files from the mass storage device of any HP 264X-series terminal to the flexible disc of the HP 2647F. The kit consists of a disc, instructions and a HP 13232U cable. Two data comm cables (HP 13232A/M/N) required, but not included.

For 2647F: 13257P



30000-90251

HP Software...part of the Hewlett-Packard's Manufacturing Productivity Network.

Software Catalogs

Series 80 software catalog. The Series 80 Software Catalog is a handy reference guide to a growing list of programming solutions available for Hewlett-Packard Series 80 Personal Computers. It includes summaries of HPdeveloped and HP-PLUS application packages as well as inexpensive contributed programs. Whether you want inexpensive programs to solve specific computing problems or a total software solution, the Series 80 Software Catalog is your guide to the right software to meet your needs.

5953-7804

Technical Computer Software Catalog Set. The set consists of two catalogs and is the reference source of information for:

- · HP-developed and HP PLUS software for all technical (and desktop) computers.
- exchange library software for HP 9826, 9835, 9836 & 9845 desktop computers. The catalogs list and describe several hundred programs for: engineering, math & statistics, life and physical sciences, business management and utilities (updated periodically). Catalog buyers can order low-cost Desktop Computer programs from the exchange library.

Business Systems Software Directory. This directory describes a comprehensive collection of software running on the HP 3000 and HP 250, whether from Hewlett-Packard directly, U.S. and Canadian software suppliers (HP PLUS), or the HP 3000 User's Group Contributed Library. The sources of software are color-coded for easy identification of HP products, HP PLUS referenced and distributed products, listed software and the contributed library. More than 325 pages describing useful programs.

5957-4315

Self paced learning courses



22832A Cobol Kit

Learning COBOL II/3000

This is an entry level course to teach beginning programmers or programmers who have experience with other languages to write COBOL II programs interactively on the HP 3000 computer. It has no formal prerequisites but familiarity with basic computer concepts is desirable.

Course Content:

- · Simple COBOL programming
- Program variations
- The structure and syntax of COBOL
- Simple arithmetic statements, comments, diagnostics
- Advanced arithmetic and control statements
- · Additional data concepts
- · All about files
- Applied interactive COBOL

22832A Learning COBOL II/3000. Course materials include: Set of 9 audio cassettes (playable on any standard cassette player) with storage binder, 1 student workbook, 1 "COBOL II/3000 Reference Manual" and 1 "Using the HP 3000 Manual." Course completion time is approximately 25 hours.

22832-93001 Learning COBOL II/3000 Student Workbook, Extra workbook for course.



22833A DSG/3000 Kit

Using HP Decision Support Graphics/3000

If your HP 3000 has Decision Support Graphics/3000 Software and you want to learn how to use it, this selfpaced learning course is your answer. It is designed for non-programmers, managerial, administrative and clerical people. The only prerequisite is completion of "A Guided Tour" (see 22835A) or equivalent knowledge of the HP 3000.

- Course Content:

 Introduction Graphing concepts and terminology
 Bar charl design
- · Plotter output
- · Line chart, scattergram, pie chart design
- · Chart enhancement
- Advanced chart design

There are system requirements. Hardware needed: HP 3000, HP 2647A or HP 2648A Terminal. One of the following plotters is recommended but not required: HP 7221A/B/C/S/T, HP 9872A/B/C/S/T, HP 7245 A/C, HP 7225A (17601 or 17604). Software needed: Decision Support Graphics/3000 installed on your HP 3000.

22833A Using HP Decision Support

Graphics/3000. Course materials include a 1600 BPI magnetic tape (for data cartridge format specify op-tion 022), 2 sets of self-paced booklets (5 booklets per set), Graphing textbook, DSG/3000 manual, DSG/3000 guide, chart sample booklet, plotter pens, paper and complete instructions for the System Manager to install the course on your HP 3000. One terminal per user is required. Course completion time is approximately 10

22833-60001 Self-Paced Booklets.

Extra set of booklets for DSG/3000 course.



22835A HP 3000 Guided Tour Kit

HP 3000: A Guided Tour

"A Guided Tour" is a self-paced learning course that acquaints you with the range of information handling tools that are directly available on your HP 3000. It is designed for all non-programmers, administrative, clerical, professional people who want to know about and use the HP 3000 Computer System. Course Content:

- · General concepts Operating the terminal, logging
- on and off, executing a program

 Issuing commands Commonly used commands discussed. HELP facility and user commands
- File system Files on the HP 3000; what they are, how they are used and how to access them
- Account structure Discussion of security/user structure
- Entering date Application program used to explain data entry functions
- Data bases Discussion of how data is stored after
- entry and how QUERY can be used to access the data Entering text – A brief lesson in EDIT/3000. Introduces you to the idea of using the computer for such common tasks as report generation

There are system prerequisites for the course. Hardware needed: HP 3000, HP terminal which supports V/3000 (block mode). Software needed: MPE date coded 2011 or later, Editor, IMAGE/3000, QUERY/ 3000 and V/3000.

22835A HP 3000: A Guided Tour. Course materials include a 1600 BPI magnetic tape (for data cartridge format specify option 022), three sets of self-paced booklets (one terminal per user is required), and complete instructions for the Systems Manager to in-stall the course on your HP 3000. Course time is approximately 7 hours.

22835-60001 Self-Paced Booklets. Extra set of booklets for "A Guided Tour.



22839A Using HPWORD Kit

Using HPWORD

Learn how to use HPWORD with this highly interactive self-paced course. Beginning at a basic level and building to advanced operations, this course is an in-troduction to the HPWORD word processing system. It is designed for secretarial, clerical, administrative personnel, or others who will use word processing as a regular part of their job. No previous knowledge of either the HP 3000 or other word processing systems is required.

Course Content:

The course begins with a basic unit which allows you to become operational on the system immediately, and builds by module to the more advanced features.

- Basic unit
- Simple text modification
- Changing text appearance
- Document formatting
- Paragraph formatting
- Printing a document Advanced text modification
- Something extra rename, copy and delete, etc.
- WORDUTIL

There are system prerequisites for this course. Hardware: HP 3000, HP 2626W terminal, HP 2601 printer. Software: MPE-IV, HPWORD.

22839A Using HPWORD. Course materials include a 1600 BPI tape (for data cartridge format specify option 022), one set of self-paced booklets (9), HPWORD Reference Guide" and an "HPWORD Quick Reference Guide," Complete instructions are included for the System Manager to install the course tape on your HP 3000. Course completion time is approximately 16 hours.

22839-60002 Self-Paced Booklets. Extra set of booklets for using HPWORD.

Programming in Transact/3000

This self-paced course is for experienced programmers. It introduces the HP Transact/3000 programming language. You learn at your own pace effective programming techniques through exercises and numerous examples. The course assumes a knowledge of the HP 3000, plus a knowledge of IMAGE/3000 data bases and of VPLUS/3000 forms (FORMSPEC) for the last two content modules

Course Content:

- Getting started An introduction to Transact/3000
- Using data items
 Rounding out Transact
- Data management overview
 Using IMAGE with Transact
- . Using VPLUS with Transact

There are system prerequisites for this course. Hardware: HP 3000, character or block mode terminal for content modules 1 through 5 and a terminal that supports VPLUS/3000 for content module 5. Software: MPE III or IV, Transact/3000, IMAGE 3000 and VPLUS/3000.

Self paced learning courses (continued)



22842A Programming in Transact/3000 Kit

22842A Programming in Transact/ 3000.

Course materials include a 1600 BPI tape (for data cartridge format specify option 022), one set of self-paced booklets containing reading material, prac-tice exercises, answers to the exercises and one copy of the "Transact/3000 Reference Manual." Complete instructions are included for the System Manager to install the course on your HP 3000. Course completion time is approximately 32 hours.

Using Dictionary/3000

This self-paced course is an introduction to Dictionary/ 3000, HP's data dictionary facility. It does not teach data base design but leads you through the steps of defining entries in the data dictionary and of creating and maintaining IMAGE/3000 data bases. This course is designed for the non-technical user and is intended for a Data Base Administrator or for a programmer acting as a Data Base Administrator. Prerequisites for this course are the taking of the course "HP 3000, A Guided Tour" (See 22835A) or general knowledge of the HP 3000 gained through experience. Knowledge of IMAGE/3000 is helpful but not necessary for those who will not be designing new data bases

- Course Content: Presenting Dictionary/3000
- IMAGE data structures Interactive data basics
- Commanding your Files

- File security
 Dictionary/3000 utilities

There are system prerequisites for the course. Hardware needed: HP 3000, character or block mode terminal. Software needed: MPE III or IV, IMAGE/3000 and Dictionary/3000.

22843A Using Dictionary/3000. Course materials includes a 1600 BPI tape (for data cartridge format specify option 022), one set of self-paced book lets containing reading material, practice exercises, answers to exercises, and one copy of "Dictionary/3000 Reference Manual." Complete instructions are included for the System Manager to install the course on your 3000. Course completion time is approximately 12 hours.



22843A Using Dictionary/3000 Kit

Self-Maintenance Courses

If you wish to maintain, trouble-shoot or repair a 262X or 264X terminal or a 9826 desktop computer, the appropriate self-paced learning kit in this series will provide you with the necessary technical knowledge. The courses are designed for technicians with a knowledge of digital electronics (computer maintenance back ground preferred.) Completion of a course will allow repair to the major sub-assembly level and performance of scheduled preventative maintenance. Course completion also provides eligibility for certification in the HP Cooperative Support Program (For information about the Cooperative Support Program contact your local sales representative.). Each package contains a training workbook, appropriate service manual(s) and any special small tools required. Course Content:

- General Theory
- · Initial Set-up
- . Using the Product
- Product Test Procedures
 Product Disassembly and Assembly
- Troubleshooting
- · How to Keep it Running
- Options, Accessories and Other Models

Equipment requirements for this course are: working product available for the entire program; a standard DC voltmeter; and a standard technicians tool kit. (Note: for the 9826A course the 9826A Product Support Package listed below must be available.)



35023A HP 262X Terminal Products Maintenance Course.



35023A HP 262X Terminal Products Maintenance Course.

Course materials include: 262X Self-Paced Guide; 2621 A/P, 2621B, 2622/23, 2624A, 2624B, 2626A, 2626W Service Manuals; a Final Review Package; and special small tools. Completion time is approximately



35061A HP 264X Terminal Products Maintenance Course.

Course materials include: 264X Self-Paced Guide; 264X Composite Service Manual; and special small tools. Course completion time is approximately 24



35062A HP 9826A Desktop Product Maintenance Course.

Course materials include: 9826A Self-Paced Guide; 9826A Service Manual Kit; 9826A CE Handbook; Final Review Package; and special small tools (Note: The 9826A Product-Support Package listed below must be available to the student during the

HP 9826 Product Support Package. Con-

tents: test stimulus board; process extender board; power supply extender board; 3 test connectors; and miscellaneous parts. (To order and for further information contact your local sales office - refer to part 09826-67100. Price\$1260.00 ea.)

07908-90902

7908 Operating & Installation

Manual

Computer documentation

HP Documentation Index.



This biannual publication provides you with three ways of locating all HP computer and peripheral manuals. The first two sections list manuals under the computer or peripheral product to which they belong. This is especially helpful if the manual's part number is not known. If the part number is known, the third section allows fast reference since it is a listing of all manuals in num-

erical sequence by manual part number. Listings include title, print date and the latest update - if any. Available without cost. In the U.S. ask for 5953-2460D. Others ask for 5953-2460.

Popular reference manuals

For your convenience a listing of the 100 most frequently ordered Hewlett-Packard computer reference manuals appears below.

If you have technical questions concerning computer reference manuals in general, please contact your local HP sales office. For a listing of these offices refer to sales region index found on page I-1.

Computer Peripheral Reference Manuals TAPE DRIVES

7970 Series Operating Manual 07970-90885 7970B/E Service Manual07970-90887 **DISC DRIVES**

.....07906-90903 7906 Service Manual 7908 Operator Instructions Manual

PRINTERS
2630 Printer Family Service Manual02631-90910 2630B Family Service Manual02631-90919
PLOTTERS
7470A Graphic Plotter Interfacing & Programming Manual07470-90001
7470A Graphic Plotter Operating
Manual
HP-GL Instructions
Manual
7580A Drafting Plotter Reference Card .07580-90003
TERMINALS
2621 A/ P Owner's Manual02620-90001
2622 Users Manual
Reference Manual

entation (continued)

Computer do	ocume
264X Composite Service Manual 2647A User's Manual	02647-90001
Personal/Desktop Co	mputer
Reference Manuals HP 85 Owner's Manual (English) HP-85 Owner's Manual (German) HP-85 Owner's Manual (Japanese) HP-85 Pocket Guide (English) HP-85 I/O ROM Manual (English)	.00085-90002 .00085-90020 .00085-90032 .00085-90040 .00085-90142
Introduction to BASIC Language Manual (English) HP 125 Owner's Manual (English) Getting Started with Your HP 125 HP 125 System Reference Manual	.00087-90017 .45500-90000 45500-90010
9826A BASIC Manual Kit	09826-87902
9826A HPL Operating Manual	09826-90040 09826-90045
Manual 9845B/C BASIC Programming Manual 9845B/C Quick Reference Manual	09845-93015
HP 250 Reference Ma MFG/250 Reports Brochure	45180-90080
HP 250 Site Selection Guide HP 250 General Information Manual	.45251-90040
HP 1000 Reference M OPERATING SYSTEM	
RTE IV Reference Manual RTE-IVB Getting Acquainted with Manual RTE-IVB Terminal Users Manual	92068-90002
RTE-IVB Quick Reference Guide RTE-IVB Programmer's Reference Manual	92068-90003
RTE-IVB Batch & Spool Reference Manual RTE-IVB Systems Manager Manual	
RTE-IVB On-Line Generator Manual . RTE-IVB Utility Program Reference	.92068-90007
Manual RTE-L/XL Operator's Guide RTE-6/VM Quick Reference	92070-90002
Guide	
RTE-6/VM Programming Refere	nce
SUBSYSTEM/APPLICATION: DOS/RTE Library Reference Manual	S
DS/1000-IV User's Manual IMAGE/1000 Reference Manual IMAGE/1000 Data Base Management	.91750-90002 .92069-90001
Manual EDIT/1000 User's Guide	.92069-90005 .92074-90001
LANGUAGE RTE FORTRAN IV Reference Manual PASCAL/1000 Reference Manual Programming in PASCAL	.92832-90001
GENERAL INFORMATION	.92834-90001
HP 1000 E-Series Computer Operating & Reference Manual	02109-90014
Site Preparation and Planning Workbook Data Systems Customer Support	02170-90016
Handbook (2114/15/16, 2100, 21 MX-M & -E Series)	5950-3767
HP 1000 M/E/F Technical Reference Handbook	5955-0282

OPERATING SYSTEM

MPE Commands Reference Manual

MPE Segmenter Reference Manual

MPE Console Operator's Guide MPE IV System Utilities Reference

MPE Intrinsics Reference Manual

HP 3000 Reference Manuals

Manual30000-90044

Index to MPE Reference Documents .	
Software Pocket Guide	30000-90049
Using Files - A Guide for New Users	30000-90102
SUBSYSTEM/UTILITY	
EDIT Reference Manual	03000-90012
F Copy Reference Manual	
QUERY Reference Manual	
KSAM Reference Manual	
V/3000 Reference Manual	
V/3000 Operator's Quick Reference	
Guide	32209-90003
Using V/3000	32209-90004
SORT-MERGE/3000 Reference	
Manual	32214-90002
IMAGE/3000 Reference Manual	32215-90003
LANGUAGES	
BASIC/3000 for Beginners	03000-90025
BASIC/3000 Pocket Guide	03000-90050
Using the HP 3000: An Intro to	
Interactive Programming	03000-90121
SPL/3000 Reference Manual	30000-90024
SPL/3000 Textbook	30000-90025
BASIC/3000 Interpreter Manual	
FORTRAN/3000 Reference Manual	30000-90040
System Programming Language	
Pocket Guide	32100-90001
BASIC Compiler Reference Manual .	32103-90001
PASCAL/3000 Reference Manu	al.32106-90001
COBOL/3000 Reference Manual	32213-90001
Hair- COROL A Cuide for New Heart	

Using COBOL: A Guide for New Users of HP 3000 Computer Systems . . . COBOL II/3000 Reference Manual . 32213-90003 32233-90001

DATA COMMUNICATIONS

30000-90105 Data Communications Handbook . . . Data Communications Guide Book5955-1715

INFORMATION SYSTEMS

NEW Dictiona	ary/3000 Reference Manu	al 32244-90001
NEW Inform/S	3000 User's Guide	32246-90001
NEW Transact	t/3000 Reference Manual	32247-90001
Versio	L Reference Guide – Bind n	
	back Version	36570-90001
NEW HPMAI	L Administration Manual	36570-90004
Using HPSL/ TDP/3000 Re	000 Reference Manual . ATE/3000eference Manual	36576-90002
TDP/3000 Q	uick Reference Guide	

GENERAL INFORMATION

3000 Computer Systems Site Preparation Set	.30000-60029
Guide to a Successful Installation (HP 3000 Computer Systems)	.30000-90135

Documentation Accessories

92171M Documentation Storage Rack.

Keep your computer manuals, catalogs, and other documentation at your fingertips with our easy-load rack. The unique ring-binder channels are easy to mount and remove - for quick additions, deletions, and updates. The ring-binder design makes it easy to turn the pages - and you see the entire page, even the inside margin! Strong support wings let pages lie open, flat and easy to read.

Each rack comes with six ring-binder channels to hold up to six inches of standard 3-hole punched documentation (81/2" x 11"). These racks may be coupled together to build a larger documentation reference

30000-90009

30000-90010

30000-90011

30000-90013

Designed for user comfort - the rack is adjustable to either 30° or 45" - for standup or sit-down reference. Start organizing - order your documentation storage rack today.



92171M/L Documentation Storage Rack and Locking Bar

92171L Locking Bar for Documentation Storage Rack. This metal security bar with lock set prevents unauthorized removal of your reference documents. For use with No. 92171M.



Documentation Binders

HP Documentation Binders

Need convenient storage for your HP Documentation? Order HP Documentation Binders...Ideal for sales literature, manuals and instruction books. Quality construction in .015 virgin vinyl. Rings have open/close boosters. For 81/2 in. x 11 in. page sizes. All binders are 3-ring style.



9940-4192 1 in. Blue HP **Documentation Binder**



9940-4196 11/2 in. Blue HP **Documentation Binder**



9940-4622 2 in. Blue HP **Documentation Binder**

9282-0069 2 in. White HP 3000 System Documentation Binder.

9282-0520 21/2 in. White HP 3000 System Documentation Binder.

9282-0658 1 in. Brown HP Documentation Binder.

9282-0659 2 in. Brown HP Documentation Binder.



Books...books...books!

We are pleased to offer for your convenience a selection of computer related books which can be ordered without leaving your desk. These books have been carefully selected for excellence in their subject areas and also provide a selection of topics that should interest many people in different parts of any organization. For easy reference, the titles have been organized into major subject areas.

Specific HP content

Programming in PASCAL with PASCAL/ 1000

Peter Grogono/Addison Wesley 1980
Help yourself get started in programming with PASCAL.
This book explains the computer programming language PASCAL, as described by the DRAFT ANSI
Standard and the enhancements to standard PASCAL
provided by the Hewlett-Packard PASCAL/1000 Compiler. Throughout the 10 chapters, each extension to
standard PASCAL is identified and a separate appendix
section summarizes the differences between standard
PASCAL and HP PASCAL/1000. The book assumes no
prior knowledge of other programming languages and is
written for those who want to write PASCAL programs.

92832-90002

The HP-IL System: An Introductory Guide to the Hewlett-Packard Interface Loop

G. Kane, S. Harper and D. Ushijma/ Osborne/McGraw-Hill 1982

Use this definitive guide to learn about the new Hewlett-Packard Interface Loop (HP-IL), an eight bit serial interface designed for small low-cost battery operable systems. HP-IL makes a new generation of portable systems and peripherals possible by linking programmable calculators such as the HP-41C/CV and the new series 80 personal computers to low power, low cost peripheral devices and test equipment.

The first third of the book is an overview of HP-IL. The remainder presents an in-depth description of HP-IL and its inner workings. This includes how to interface with devices not specifically designed for HP-IL and how to design new devices to be compatible.

92233 A

Language and style

An Introduction to Programming & Problem Solving in PASCAL

M. Schneider, S. Weingardt and D. Perlman/Wiley & Sons 1978

This is an excellent general introductory book for the person motivated to learn PASCAL. It teaches PASCAL by using it as a vehicle to illustrate the fundamentals of programming and good style. Appendices contain the complete syntax of PASCAL and a list of all standard PASCAL identifiers along with a description of all functions and operators. This is a recommended reference tool for 9826A/36A PASCAL users.

09826-90072

A Simplified Guide to Structured COBOL

D. McCracken/Wiley & Sons 1976
Learn structured COBOL programming or improve your
present abilities. This book assumes no previous background in programming and is suitable for a novice who
wants to learn COBOL. It is also valuable for experienced programmers who want to learn structured programming or improve their proficiency. Structured
programs are easier to understand, quicker to debug
and simpler to maintain. This book is non-mathematical
and offers many case studies, problems and a "hands
on" feel.

92233 E

BASIC 2nd Edition

R. Albrecht, L. Finkel and J. Brown/Wiley & Sons 1978

Teach yourself BASIC with this step by step selfteaching guide. This book is suitable for the novice who has never programmed before. Every BASIC command is explained using a short working program and then illustrated in a variety of business applications. It should be remembered that BASIC varies slightly from computer to computer so users should consult their machine's reference manual for clarification of these differences.

92233 D

Starting FORTH

L. Brodie/FORTH, Inc. 1981
Find out about FORTH and learn to program the language everyone is talking about!! HP now offers a Multi-FORTH package (a version of FORTH) through HP PLUS which is being used on the 9826A'36A to control multiple processes. Since a copy of "Starting FORTH" is included with the MultiFORTH package, purchasing this book is an inexpensive method of finding out about FORTH

If you have already purchased the HP PLUS package, use our catalog as a convenient source of second copies of the book. "Starting FORTH" begins with fundamental principles, covers a full set of high-level FORTH commands and concludes with advanced techniques and style. The presentation assumes no prior knowledge of computers and is useful for both the novice and advanced programmer.

92233 G

Elements of Programming Style

B. Kernighan and P. Plauger/McGraw Hill 1978

Improve your programming style by reading and using this 'classic' book. It's a study of real programs, each of which provides one or more lessons in style. The short-comings of each program are discussed, rewritten in a better way and a general rule is drawn from each case. The book takes a practical and useful approach to the subject rather than a theoretical one. It is useful for the beginner or the experienced person who wants to improve or refresh these skills. The examples are given in Fortran or PL/I, but the principles are applicable in all languages including assembly code.

92233 H

Books for managers

Mythical Man-Month

F. Brooks/Addison Wesley 1982
A collection of essays on the management of computer programming projects by an eminent computer expert and project manager. The author passes on valuable lessons learned from experience by combining facts about software engineering with practical approaches to problems. Personal conclusions are also presented, as well as those gathered from fellow builders of complex systems. The central argument is that large programming projects have management problems different from small projects due to division of labor. This book explores the difficulties of preserving the conceptual integrity of the project itself and methods of achieving this goal. The essays are intended for professional programmers, managers and especially managers of programmers.

92233L



Psychology of Computer Programming

G. Weinberg/Van Nostrand Rheinhold

Weinberg argues that programming is not just a matter of hardware and software. Learn about human psychological factors affecting computer programming that are as important, if not more important than, the actual hardware. Too often programmers, managers and other people involved with the programming process neglect or discount the fact that programming is a human activity. This book has been referred to as a "classic" in its subject area. It has much food for thought for anyone associated with the programming process.

Managing a Programming Project

P. Metzger/Prentice Hall 1981 Learn practical approaches to managing a typical, modern computer programming job of any size and complexity. The management methods presented are based on a "life cycle" approach to programming with the reader being guided through a programming job from start to finish. Everything you need to consider to successfully organize and manage a project is dis-cussed. Topics covered include: the cycle, definition, design, programming, testing, acceptance, installation and operation. Also covered are how to construct plans for: outlining; introduction; organization; testing; change control; documentation; training; reviewing; installation and operation.

92233 P

Professional reference

Art of Computer Programming -Volumes I, II, & III

Donald Knuth/Prentice Hall 1973, 1981 and 1973

These volumes are known as "classic" technical references in their subject areas by programmers, system analysts and software developers worldwide. If you already own part of the set, buy one or two to complete your personal or company library. If you don't own any of the volumes, consider purchasing the entire set as a valuable reference tool.

Volume I: Fundamental Algorithms

This is a unified, readable and theoretically sound summary of computer programming techniques for information structures. It includes representation of information inside the computer, and structural interrelationships between data elements and how to deal with them efficiently. Also covered are applications to simulation, numerical methods, software design and other

92233 S

Volume II: Seminumerical Algorithms

Included here are readable, coherent and up-to-date summaries of the major paradigms and basic theory of semi-numerical algorithms. Topics are covered in two major subject areas

Random Numbers: generation, statistical tests, other random quantities, and random sequence. Arithmetic: positional number systems, floating point arithmetic, multiple precision arithmetic, radix conversion, rational arithmetic, polynomial arithmetic and manipulation of power series

92233 T

Volume III: Sorting and Searching

Though largely self-contained, this is a logical sequel to Vol. I. It includes a comprehensive survey of computer techniques for sorting and searching and extends the treatment of data structures, considering both internal and external memories and both large and small data

92233 U

Fundamentals of Interactive Computer Graphics

J. Foley and A. Van Dam/Addison Wesley 1982

This excellent, complete and up-to-date book presents basic graphics concepts and recent advances in graphics hardware and software. A graphics applications program is developed in PASCAL, using the new Core System of standard graphics subroutines. The sequence of subjects presented allows you to quickly begin programming projects and then study hardware and software issues in parallel.

Topics covered include:

- · systems organization, and device technology of raster and vector devices
- Core system-like subroutine package including: 2D and 3D viewing, clipping segmentation, interaction handling and device driver structure
- 3D geometrical transformations, projections and bicubic surfaces
- hierarchial data structures for graphics
- the first comprehensive treatment of color theory practice for computer graphics

92233 X

An Introduction to Database Systems

C. Date/Addison Wesley 1981

This is a best seller in the field of relational, hierarchical and network databases. It is a comprehensive "basic" course intended as an advanced text or professional reference book. The reader is expected to have a reasonable knowledge of the capabilities of a modern computer system with particular reference to the file handling features of such a system.

92233 W

Computer Networks

A. Tenanbaum/Prentice Hall 1981

This comprehensive introduction to computer networks emphasizes network architectures and protocols from the physical layer to the application layer, and from local networks to satellite networks. No prior background in computer networks is assumed, though a general familiarity with computer systems and programming is desirable. This book is an excellent choice if you want a thorough introduction to this expanding field.

92233 V

Other titles of interest

Osborne CP/M° User Guide

T. Hogan/Osborne-McGraw Hill 1981 Learn to utilize more fully the CP/M* operating system of your computer. Written for all levels of expertise, this book introduces the reader to CP/M's function within a microcomputer system as well as the use of built-in and transient commands, assembly language utilities, highlevel languages and applications programs. A CP/M command summary and a listing of CP:M compatible programs, languages, and products are found in the ap-pendices. For helping you modify programs or for simply increasing your operating system knowledge, this upto-date book will be a valuable resource.

92233 Y

VisiCalc®: Home and Office Companion

D. Castlewitz and L. Chisausky with P.

Kronberg/Osborne-McGraw-Hill 1982 Here's a book for both beginners and experts that fully exemplifies this popular software program. For the novice, it contains 50 models that can be used immediately for personal and business applications. For the experienced user, it's a source of new ideas and techniques. Conveniently arranged by application, the book provides models for loans and investments, advertising and sales, inventory control, personnel, house hold aids, and more. Each model includes the VisiCalc* entry grid, a descriptive narrative, and sample printed report

92233 Z

CP/M® is a registered trademark of Digital Research. VisiCalc is a registered trademark of VisiCorp.



HP terminals – the perfect addition to your HP computer system

HP terminals are specifically designed for optimum performance with your HP system. Two of our most popular models are shown here—and

we have many additional models from which to choose. Be sure to call your local HP sales office when it is time to add terminals to your HP system.



Hewlett-Packard's lowest cost terminal is a smart addition to your system

HP 2621B Interactive Terminal. The HP 2621B terminal combines ease of use with reliability in our least expensive model. This character mode terminal contains a feature set that improves user productivity and satisfaction in a wide variety of applications, including: data inquiry, data access and updating, general time sharing, and program preparation and development. The HP 2621B offers the following features:

High resolution display reduces operator fatigue and gives a more pleasing appearance to displayed information.

- · Full 128 ASCII character set
- . 9 x 15 dot character set with half dot shift
- Adjustable brightness and focus controls

Two full pages of memory (48 lines) double the accessible work space.

Easy to use terminal increases productivity by simplifying operation and reducing learning time.

- Typewriter style, detached keyboard with imbedded numeric keypad
- 8 screen-labeled control keys are user definable

Full editing capability allows easy modification of previously typed lines.

- · Character, Line and Modify mode editing
- · Character and Line insert and delete
- Full tabulation and adjustable margins Reliability and serviceability built in with low component count and modular construction.
- Go/no-go diagnostic self test
 Hard copy (Option 050) is given by a convenient integral thermal printer.
- Fast, quiet printing with the 120 character per second thermal printer
- Uses 92160A/B thermal paper



2621B Terminal Option 050 Printer

The HP 2621B uses a HP 262X-port 2 type cable with a 25 pin connector.

The executive-sized HP 2382A terminal makes the job of managing more manageable.

HP 2382A Office Display Terminal. The HP 2382A terminal is a space saving, low-cost, block mode display terminal that doesn't intrude into your work environment. Professionals and managers find it ideal for many data inquiry applications. Its human-engineered design and aesthetic styling make it both easy to operate and attractive in any office setting. The HP 2382A provides the following features:

Easily readable display has crisp, clear characters in a 24 line by 80 column format with 4 display enhancements to distinguish between, or highlight, different kinds of data.

- · 9 inch diagonal high resolution display
- Full 128 ASCII character set
- · 9 x 15 dot character cell with half dot shift
- Two full pages (48 lines) of continuous scrolling memory


Human engineered to reduce operator fatigue and give a friendlier feel.

- Etched display surface and carefully chosen viewing angle reduce lighting glare
- Detached keyboard with familiar typewriter key layout
- Adjustable brightness and focus controls
 Easy to use, powerful features for the novice or experienced user.
- 8 screen labeled softkeys can be user defined

- Local editing can be performed in either Block/Forms mode or Modify mode
- Cursor control and display roll up/down keys speed editing and session time
- Self test provides the user with immediate verification of proper operation

Block/Forms mode increases productivity by improving data accuracy and data throughput.

- Software compatible with HP 2622A (and HP 2640B) and can be used with VPLUS/3000 data entry and forms management software
- Review, edit and transmit blocks of text or data
- Display familiar office forms on screen with 64 character line drawing set (Option 202) and 4 display enhancements
- Enter data only into unprotected fields where it belongs



2382A Terminal

Opt. 202 Line Drawing Set

The HP 2382A uses a HP 262X-port 2 type cable with a 25 pin connector.



Duplicate your terminal display on crisp, clean, hard copy.

HP 2671A Printer/HP 2671G Graphics Printer. The HP 2671A/G is an ideal addition to your workstation terminal. With push button ease it lets you instantly reproduce what appears on your terminal screen. These low cost, high quality thermal printers also provide full-width page printing for HP Personal or Desktop Computers. They are simple to connect and easy to use. And you can use flat, fan fold paper if you want to avoid the curl of roll-type papers.

HP 2671 A/G: Terminal Compatibility Guide

Terminal	HP 2623A	HP 2624A & 2626A	IDisplay Copy Corly)	HP 2642A	HP 2645A	HP 2647A	HP 2648A
Recommended Printer	HP 2671G Opt. 040	HP 2671A Opt. 040	HP 2671A Opt. 044	HP 2671A	HP 2671A Opt. 044	HP 2671G	HP 2671G
Terminal Options Required, Factory Installed	Standard	Standard	1323BA Duplex Register Cartifi	Opt. 096 Shared Peripheral Interface**	13238A Duplex Register Card and Opt. 007 Integrated Dual Car- Irioge Tapes***	Opt. 098 Shared Peripheral Interface††	Opt. 096 Shared Peripheral Interface & Opt. 007 Integrated Dual Cantridge Tapes
Cable Required	13242- 60010	13242- 60010	13232J	HP-IB+	13232J	HP-18+	HP-IB

HP 2671A/G: Personal/Desktop Computer Compatibility Guide

Computer	HP 85/86	HP 87	HP 125	HP 9825B/T	HP 9826A 9836A	HP 9845B 9835A/B
Recommended Printer	HP 2671G	HP 2671G	HP2671A	HP 2671A	HP 2671G	HP 2671G
Computer ROM/interface Required ±	82936A ROM Drawer, 08085-15002 Plot: Print ROM, 82937A HP-IB Interface	HP-IB Interface Supplied with HP 87	HP-IB Interface Supplied with 125	98034B HP-IB Interface (Order from Local HP Sales Office)	HP-IB Interface Supplied with HP 9826A or 9836A	98034B HP-IB Interface (Order from Local HP Sales Office)

† Order one of the following HP-IB cables: 31389A/B/C, 10833A/B/C/D.

††Contact your local HP Sales Office to order required terminal options if they are not presently installed. HP 2645A and 2648A Terminals withour Opt. 007 Integrated Dual Cartridge Tapes require Device Support Firmware. The HP 2671A/G provides these features: Fast, quiet, high quality thermal printing.

- 120 character per second bi-directional printing
- Full 128 USASCII character set
- 7 x 11 dot matrix character font within a 9 x 15 dot cell provides excellent character definition with true descenders

Versatile printing modes to meet a variety of printing requirements.

- Print forms on your terminal display with the line drawing character set
- Normal mode prints 80 characters per line
- Compressed mode prints 132 characters on an 8 inch line
- Underline character enhancement
 Simple front panel controls for form feed, paper feed, self test and printer reset.
 Easy interfacing with standard HP-1B or optional RS-232C (Option 040) and HP-parallel (Option 044) interface.

The HP 2671G has all the features of the 2671A, plus built in graphics intelligence.

- High resolution, dot-for-dot graphics copies from HP raster devices
- 90 dots per inch horizontal and vertical resolution
- · 720 dots across a raster row

2671A Printer

Option 040 - Delete HP-IB, add RS-232C interface

Option 044 – Delete HP-IB, add HP parallel interface

2671G Graphics Printer

Option 040 – Delete HP-IB, add RS-232C interface

Save valuable workstation surface space by ordering a 92171F Printer Stand. It provides a level surface on the top of your 264X-series terminal for the 2671A/G Printer. It also has two slots for the front feet of the thermal printer to hold it securely on the stand.

Order 92160 A/B/N thermal paper, cables, workstation furniture and other accessories from this catalog.

The HP 2673A Intelligent Graphics Printer offers enhanced printing and graphics. Order from your local HP Sales Office.



Five easy ways to expand your HP personal computer system

You can easily enhance your HP personal computer with HP peripherals and plug-in modules. Increase your computing power and generate professional graphics and a variety of reports with these high quality, low-cost peripherals. Presented in this

extalog you will find all the items you need to expand your HP personal computer: peripherals, ROMs, interfaces, cables, software, extra documentation, accessories and supplies.



Show them what you want to say


HP 7470A Personal Computer Plotter. Data can be analyzed faster with graphic plots and overhead transparencies. Trends are easier to interpret, relationships easier to grasp. And your audience can understand and retain more information when you present it graphically. The affordable HP 7470A plotter and software give you high-quality graphics and offer the following features:

Superior line quality gives smooth, pleasing lines and curves.

- High resolution of 0.001 inch Fast plotting improves operator pro-
- Up to 15 inches per second line speed
- Up to 5 characters per second annotation Colorful graphics with two pens under program control give a more professional appearance.
- Up to 10 colors for plotting on paper
- Up to 7 colors for overhead transparencies

Versatile writing system plots two line widths on paper and overhead transpar-

- Two standard media sizes (8½ x 11 inches and 210 x 297 mm)
- Automatic capping minimizes pen dry out



Increase computer productivity with a full-width page printer

HP 82905B Dot Matrix Printer. Get printing versatility by adding an HP page-width dot matrix printer to your system. Print financial planning worksheets, program listings, memos with customized letterheads, CRT graphics, specialized multipart forms, mailing labels, and more. The HP 82905B is a high quality, low cost printer that is easy to connect to your Personal/Desktop Computer and features:

Flexible output for a variety of tasks with 5 print modes, a 96 ASCII character set in a 9 x 9 dot matrix cell.

- 72 x 60 dots per inch graphics
- · Up to three part forms

Efficient throughput to increase productivity with fast, bidirectional, 80 character per second printing.

Versatile printing from built-in logic that gives user selectable page length, text length and line spacing.

- Automatic perforation skip mode
- Adjustable forms tractors

Easy to use printer saves operator learning

 HP code compatible with HP 2631B and HP 2621A/G printers

Low cost of ownership due to reliable operation and long life ribbon cartridge.

- · Self diagnostics test checks operating readiness
- Low cost service contracts reflect reliability



For more storage, faster response and improved reports add our dual disc drive to your system.

HP 82901M Dual 51/4 Inch Flexible Disc Drive. Spend more time making decisions and less time compiling data. The HP 82901M Flexible Disc Drive, in combination with one of HP's information management software packages, generates reports from large quantities of data stored on flex disc memory. You can quickly create a data base, enter your data and obtain reports. This disc drive allies the speed of random access with the convenience of removable media. These features are ideal for business and professional applications requiring low-cost, on-line access.

The HP 82901M offers the following features: Proven reliability which is reflected in 540 kilobytes of storage on double sided. double density discs

Easy backup of critical information with the dual drive configuration

Qualified media for reliable, lasting performance

low-cost, worldwide maintenance agreements

If you require more storage than available with the HP 82901M, contact your local HP Sales Office to order the HP 9895 Dual 8 Inch Flexible Disc Drive (offering 2.3 Megabytes of storage and data ex**Intelligent plotter** gives professional quality graphics.

- · Up to 7 dashed-line fonts
- · Symbol plotting
- · Five character sets
- Annotate in any size and direction, with or without slant

7470A Opt. 002

Order HP 7470A supplies from this catalog: plotter pens, paper and overhead transparencies, software, Series 80 ROMs and interfaces and HP-IB cables.

Computer	HP 85	HP 86/87	HP 125
ROM Required	82936A ROM Drawer, 00085-15002 Plotter/Printer ROM	82936A ROM Drawer, 00087-15002 Plotter ROM	Included
HP-IB Interface	82937A HP-IB	HP 86: 82937A HP-IB HP 87: Included	Included
Software Required	00085-13038 Rev. C Graphics Presentations (Requires 82903A 16K Bytes Memory	00087-13002 Graphics Presentations (Requires 82908A 64K Bytes Memory)	45532A Rev. A.01.01 GRAPHICS/125

HP 7470A Plotter Option 002 (HP-IB Interface) is required, along with an HP-IB cable.

Easy interfacing with HP-IB (Option 002) or parallel Centronics-type (Option 242)

82905B Opt. 002

ROMs and interfaces.

82905B Opt. 242

Order HP 82905B printer supplies and accessories from this catalog: 92156A ribbon cartridges, 92157A fanfold paper, 92171F printer plotter stand, HP-IB cables, workstation furniture, and Series 80

Computer	HP 85	HP 86	HP 87	HP 125, 9826A, 9836A
HP 82905B Option No.	002	242	002	002
Graphics Printing	Yes	Yes	Yes	No
ROM/Driver Required	82936A ROM Drawer, 00085-15002 Plot/Print ROM	Included	Included	Included
Computer Interface Required	82937A HP-IB	Printer Interface Included	HP-IB Included	HP-IB Included
Cable Required	10833 A/B/C/D	82957A	10833 A/B/C/D	10833 A/B/C/D

change with IBM 3740 formats) or the HP 913Xseries of Winchester and Winchester/Flexible Disc Combination Drives (offering 4.6 Megabytes of storage for on-line, heavy duty applications).

HP 82901M requires an HP-1B cable. One HP-1B cable is supplied with each HP 87/125/9826A/9836A and 82937A. Order additional HP-1B cables for other peripherals. HP 9826A Operating Systems supplied before BASIC 2.0 require the Basic Enhancement Binary to operate discs in BASIC. The HP 86's recommended disc drive is the HP 9130A.

Order flexible discs and other HP 82901M accessories from this catalog: 92910A flexible discs, flexible disc storage items, Series 80 ROMs and interfaces, 10833A/B/C/D HP-IB cables, software, workstation furniture.

HP 82901M: Computer Compatibility Guide							
Computer	HP 85	HP 87	HP 125	HP 9826A, 9836A			
ROM Required	82936A ROM Drawer, 00085-15001 Mass Storage	Included	Included	Included			
Computer Interface Required	82937A HP-IB	HP-IB Included	HP-IB Included	HP-IB Included			
Recommended Information Management Software	88103A File Manager, or 00085-13045 IMPac	00087-16004 dBASE II (Requires 82900A CP/M* System)	45550A/E Condor Series 20	n/a			



Expand the computing power of your HP Series 80.

You can easily upgrade the computing power of your HP 85/86/87 personal computer with these Plug-In Modules, ROMs and Interface Modules.

To order these items, contact your nearest HP sales office or your local authorized HP personal computer dealer.

HP Series 80 Plug-In Modules

These modules expand the available user memory, add CP/M* System or provide mounting for firmware enhancement ROMs. Each module can plug into any one of the four ports in the back of the computer.

82903A 16K Memory Module for HP 85.

Adds 16K bytes internal read/write memory to the HP 85. Each HP 85 will only accept one 16K byte memory module.

82907A, 82908A, 82909A Memory Modules for HP 86/87. The HP 82907A adds 32K bytes internal read/write memory to an HP 86/87. The HP 82908A adds 64K bytes. The HP 82909A adds 128K bytes. Up to four modules can be used for a maximum of 544K bytes. **82900A CP/M° System.** The CP/M System extends the HP 86/87 by providing a wide variety of software solutions. It adds a Z-80 microprocessor and 64K bytes of dedicated RAM.

CP/M is a registered trademark of Digital Research, Inc.

82928A System Monitor. Provides the necessary hardware to aid in developing and debugging assembly language programs for HP Series 80 Personal Computers. The HP 00085-15007 (or 00087-15007), 82928A and 82929A form a complete set of tools.

82929A Programmable ROM Drawer.

This drawer lets you use the firmware created with the Assembler ROM in Series 80 Computers. You can plug in standard EPROMs that you program yourself in your own code.

82936A ROM Drawer. Provides mounting for up to 6 of the firmware enhancement ROMs – shown below. Plugs into any port on the back of a Series 80 Computer. Only one ROM drawer can be used at a time.

HP Series 80 Firmware Enhancements (ROMs)

These enhancements are contained in ROM plug in modules. HP ROMs are used to enhance the capabilities of Series 80 software or integrate peripherals into a Series 80 system. These firmware modules plug into the Series 80 Computer via the 82936A ROM Drawer.

00085-15001 Mass Storage ROM. Provides you the capability to interface the HP 85 with the HP 8290X-series Flexible Disc Drive or the HP 9134A/9135A Winchester Disc Drive. Consumes 150 bytes of available user memory. (Mass storage ROM capability is built into the HP 86/87.)

00085-15002 Plotter/Printer ROM. Provides the capability to interface the HP 85 with HP's high resolution graphics plotters and full-width line printers. Consumes 373 bytes of available user memory.

00087-15002 Plotter ROM. Allows data to be transferred from the HP 86/87 to an HP plotter. Also provides single commands to dump CRT graphics and alpha screens to any HP dot matrix printer. (Print and graphics commands for transferring data to an HP printer are included in each HP 86/87.)

00085-15003, 00087-15003 I/O ROM.

Provides straight forward input/output commands that enhance the HP Series 80 BASIC language capability. Consumes 416 bytes of available user memory.

00085-15004 Matrix ROM. Gives you a powerful set of statements and functions for working with arrays on the HP 85. Both matrices (2-dimensional arrays) and vectors (1-dimensional arrays). Consumes only 69 bytes of available user memory.

00085-15005 Advanced Programming ROM. Extends your control over data, programs and HP 85 system operations with the functions, statements and commands provided in this ROM. Consumes only 132 bytes of available user memory.

00085-15007, 00087-15007

Assembler ROM. Provides the capability to write customized assembly language programs that can be executed from Series 80 user memory or burned into EPROMs. Consumes only 124 bytes of available user memory. Use with HP 82928A and 82929A.

HP Series 80 Interface Modules

A variety of useful interface modules are available to connect peripherals and other devices to your series 80 Personal Computer. The interface modules plug into any one of the four ports in the back of a Series 80 Computer.

82937A HP-IB Interface. The Hewlett-Packard Interface Bus (HP-IB) is an easy-to-use hardware and software interface system that permits bidirectional, asynchronous communication among a wide variety of instruments and peripherals. It implements the IEEE 488-1978 Standard

Digital Interface for Programmable Instrumentation and allows your HP computer to communicate with up to 14 HP-IB compatible devices per interface, with a total of no more than 20 meters of cable.

82938A HP-IL Interface. The Hewlett-Packard Interface Loop (HP-IL) is a bit serial interface that combines low power, small size and low cost. With HP-IL, you can interface as many as 30 devices, with up to 10 meters of cable between each device.

82939A Serial Interface (RS-232C).

The Serial Interface is the RS-232C compatible interface for the Series 80 Personal Computer. It provides bit serial asynchronous data communication is a common means of communicating between a computer and peripherals such as terminals and printers. The standard 82939A is terminated with an RS-232C female connector for use with the HP 2601A Printer (with its supplied cable). Option 001 is terminated with an RS-232C male connector for use with modems and some non-HP printers. 82940A GPIO Interface (Parallel). This is a general purpose byte (8-bit) or word (16-bit) oriented interface commonly used with printers, paper tape readers and punches, card readers and special instrumentation. It has two output-only 8-bit

ports and two bidirectional 8-bit ports. They can be used as separate 8-bit ports or as 16-bit ports.

82941A BCD Interface (Binary Coded Decimal). This interface supports interfacing with BCD instrumentation, such as voltmeters, multimeters, medical systems and weighing systems. It provides the mainframe with 11 digits of 4-bit BCD input or output data plus 4 sign bits for one or two

82949A Printer Interface. Provides interface for the HP Series 80 Computer to drive printers requiring a standard parallel Centronics-type interface. This output-only interface consists of a plug-in module and a captive cable, terminated with a standard Amphenol-type, 36 pin connector.

82950A Modem. Provides data communications in the U.S. for HP Series 80 Personal Computers. It is a serial, asynchronous, full duplex modem which operates at speeds of 110 or 300 baud. It connects directly to the telephone line and is compatible with Bell 103/113 Modems. Features

automatic answering, automatic dialing

and includes the data communications

and log-on, five sets of special function keys

HP Series 80 Plug-In Module, ROM and Interface Guide

software.

Computer	HP 85	HP 86/87
Plug-In Modules		
Memory Modules	82903A (16K bytes)	82907A (32K bytes)
		82908A (64K bytes)
		82909A (128K bytes)
CP/M System Module	n/a	82900A
System Monitor	82928A	82928A
Programmable ROM Drawer	82929A	82929A
ROM Drawer	82936A	82936A
ROM Modules		
Mass Storage ROM	00085-15001	HP 86/87: Included
Printer:Plotter ROM	00085-15002	HP 86/87: Printer ROM Included
Plotter ROM	See 00085-15002	00087-15002
LOROM	00085-15003	00087-15003
Matrix ROM	00085-15004	n/a
Advanced Programming ROM	00085-15005	n/a
Assembler ROM	00085-15007	00087-15007
Interface Modules		
HP-IB Interface	82937A	HP 88: 82937A HP 87: Included
HP-IL Interface	82938A	82938A
Serial (RS-232C) Interface	82939A	82939A
And the second second	Opt. 001	Opt. 001
GPIO Interface	B2940A	82940A
BCD Interface	B2941A	82941A
Printer Interface	82949A	HP 86: Included HP 87: 82949A
Modem	82950A	82950A

Alphabetical listing of catalog items

A.	D.	Magnetic tape 8-9	S.
Album file	Data cartridges, high-	Auto load cartridges 9	Self-paced courses 51-2
Flexible discs 6	density 8	Auto load reels 9	Software
Hi-density cart 8	Data cartridges, mini 7	Auto load tape crimper 9	HP series 80 43-5
Antistatic cleaning fluid,	Desktop storage rack . 7	Carrying case 9	HP 125 46-7
terminal glass &	Storage binder 7-8	Desktop wire rack 9	HP 2647 50
keyboard27	Digital cassettes 8	Head alignment 9	HP 9826 47-8
Antistatic carpet and	Disc cartridges 4	Identification system 9	HP 9836 47-8
mats	Bottom cover 4	Regular reels 9	HP 9845 48-50
mate	Desktop storage rack . 5	Manuals, computer 52-3	Catalogs 50
B.	Disc. Flexible 5	Mats	Stand, printer/
Bags, vacuum cleaner 16	Desktop storage 6	Antistatic 42	terminal 20,36
Batteries, terminal 19	Hanging files 2	Sound absorbing 14	Storage
Binders	Transport cases 6	Mobile table 36	Cabinets 39-41
Flexible disc 6	Disc drive	Mylar perforator tape 16	Rack, mag tape 39,41
Manuals 52-3	(HP82901M) 60-1		Switch; A, B, C data 31
Mini-data cartridges . 6-7	Disc packs 4	0.	
Systems 53	Storage cabinets 36-8	Overhead transparency	T.
Tape cartridge 11	Documentation	Supplies 24	Tables 35-6
Books 54-5	storage rack 53	Film 22	Tape
BOOKS 54-5	Index 52	Overlays,	Color/numbering kit 9
C.	Drafting plotter	keyboard 11-12,20	Digital cassettes 8
A CONTRACTOR OF THE CONTRACTOR	accessories 20,24		High-density data
Cabinets	Drum kit laser page	P.	cartridges 8
Magnetic tape	Drum kit, laser page	Palm rest, keyboard 19	
storage 9,39-41	printer 17	Paper	Mini-data cartridges 7
Printout/documentation	Dust covers 25	Impact printer 13-14	Reels, auto load
storage 40-1	-	Laser printer 17	magnetic 9
Universal storage 40	E.	Plotter 22-3	Reels, regular
Cable	Enclosures, sound 14,16	Thermal 12,18-19	magnetic
Custom cut 30	_		Tape winder, paper tape 28
HP-IB 29	F.	Transporter 24,37	Terminals
HP-IL 29	Fire extinguisher, halon 37	Paper tape	(HP 2382A) 57
HP-86 29	Flexible discs 5		(HP 2621B) 57
RS-232C 30-3	Flexible media storage 6-7	Pens, plotter 20-1	Terminal tables 35-6
RS-422 33	Formatted high-density	Plotter (HP 7470A) 60-1	Thermal paper 12,18-19
Cards	data cartridge 8	Plotter supplies kit 23	Tracing bond,
Magnetic 11	Forms	Plug-in modules 62-3	plotter 22
Optical mark reader 28	Printer layout 16,28	Polyester film, drafting	Transporters
Reader punch 28	Programming 28	plotter 22	Flexible discs 6-7
Cartridges	Transporter 28	Printers	Tape reels 9
Easy load mag tape 8		(HP 2671 A/G) 58	Paper 37
Disc 4	G.	(HP 82905B) 60-1	Turntables
High-density data 8	Graphics tablet	Print heads 17	CRT standard 37
Mini data 7,10-11,21	accessories 24	Print wheels 15	CRT tilting 37
Carpet, antistatic 38-9		Print wheel storage	
Carrying cases 11,26	H.	album 16	V.
Carry case, data	Hanger cartridges,	Printer stand 34,36	Vellum, drafting
printouts 28	printout 41	Printout carry case 28	plotter 22
Cassettes, digital 12	Head alignment tape 9	Printout hanger	VFU Tape, punch/
Chairs, ergonomic 38-9	Head cleaner, mag	cartridges 41	splicer 28
Cleaning kits 27	tape 9,27	Printout storage	
flexible disc drive 5	HP-IB cables 29	cabinet 40-1	W.
Cleaning supplies,	HP-IL cables 29	Programming forms 28	Winder, paper tape 28
cartridge and mag tape		Punch, VFU tape 28	Workstation
drives 9,19	1.	_	Caster set 35
Computer tape,	Index, computer	R.	Mobile drawer unit 35
magnetic 7-9	documentation 52	Rack, documentation	Returns 35
Connector kits, cable 30	Initialized flexible disc	storage 53	Storage module 35
Copy holder 35	for HP 2505	Racks, wire	Suspended drawer
Covers, dust 11,25	Interface modules 60-1	Disc cartridges 4	unit 35
Crimp tool 30	interface modules 60-1	Magnetic tape 9,37-8	Tables 35-6
CRT turntables 37	M.	Mini-data cartridge 8	Trapezoid table
On turntables	Magnetic cards—see	Ribbons 13-14	connector 35
	under appropriate HP	ROMs 62-3	Triangle table
	model number	RS-232 cables 30-3	connector 35
	model fidilibei	RS-422 cables 33	

Computer equipment reference

1
1000-series computer systems
10631A/B/C HP-IB cables
10833 A/B/C/D HP-IB cables 25
HP 125 computer system 3,46-
HP 125 cabling guide 25
12732A flex disc subsystem
12733A flex disc subsystem
12869A disc cartridge
12940A disc cartridge
12960A disc drive subsystem
12961A* disc drive subsystem
12962C/D* disc drive subsystems
12975A* printer subsystem 13
12983A* printer subsystem 1:
12987A* printer subsystem 1:
12996A printer subsystem 18
13053A* printer subsystem 1
13180A/B* disc drive subsystems
13356A disc pack
13394A disc pack

2
22832A learning COBOL II/3000 51
22833A DSG/3000
22835A HP/3000: guided tour 51
22839A Using HPWORD
22842A Programming in
Transact/3000
22843A Using Dictionary/3000
2382A Office Display Terminal 57
250-series computer systems 3
26004A sound cover
26010A forms tractor
2601A daisywheel printer 14-15
2607A* dot matrix line printer 13,16
2608A/S dot matrix line printer 13,16
26090A sound cover
2611A
2613A* line printer
2617A line printer
2618A* line printer
2619A line printer
262X-series display terminals 16
2621B Opt. 050 Printing Terminal 57
2621B Terminal
2631A/B dot matrix printer 14,16
2631G graphics printer 14,16
2635A*/B printing terminal 14,16
2639A printing terminal
264X-series display terminals 19-20
2671-series thermal printer 18
2671A/G Printers 58
2673A graphics printer
2680A laser printer
2752A* teleprinter 14,16
2767A* line printer
2894A card reader punch
2 4 5 6
3, 4, 5, 6
3000-series computer systems 3
30110A* disc drive subsystem 4
3075A data capture terminal
3077A terminal
35-system desktop computer 12
45-system desktop computer

7 0
7, 8
7200A* graphics plotter 20-2
7202A* graphics plotter 20-2
7203A* graphics plotter 20-2
7210A* graphics plotter 20-2
7220A*/B*/C/S*/T graphics plotter 20-2
7221A*/B*/C/S*/T graphics plotter 20-2
7225A*/B graphics plotter 20-2
7240A terminal plotter/printer 18,24
7245A*/B terminal plotter/printers . 18.24
7310A* thermal graphics printer 18
7470A graphics plotter 20-2,60
7580A drafting/plotter
7900A* disc drive
7901A* disc drive
7905A* disc drive
7906H/M/S disc drives
7908A winchester drive 4
7911A winchester drive
7912A winchester drive
7920H/M/S disc drives 4
7925H/M/S disc dries 4
7970-series tape units
7976A tape drive
82900-series disc drives 5
82901M Dual 5¾" Disc Drive 60
82905A/B dot matrix printer 60-1
82905B Dot Matrix Printer 60
HP-83 personal computer
HP-85 personal computer 11,63
HP-86 personal computer 11.63
HP-86 personal computer 11,63
HP-87 personal computer 11,63
HP-87 personal computer 11,63
HP-87 personal computer 11,63
9 9111A/T graphics tablet
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9134A winchester drive 5
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9134A winchester drive 5 9135A winchester drive 5
9 11,63 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9134A winchester drive 5 9135A winchester drive 5 92170G work table 36
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9135A winchester drive 5 9135A winchester drive 5 92170G work table 36 92171A copy holder 37
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9134A winchester drive 5 9135A winchester drive 5 92170Q work table 36 92171A copy holder 37 92171F printer/plotter stand 20
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9134A winchester drive 5 9135A winchester drive 5 92170G work table 36 92171A copy holder 37 92171F printer/plotter stand 20 92171L locking bar 53
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9134A winchester drive 5 9135A winchester drive 5 92170Q work table 36 92171A copy holder 37 92171F printer/plotter stand 20
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9135A winchester drive 5 9135A winchester drive 5 92170G work table 36 92171A copy holder 37 92171F printer/plotter stand 20 92171L locking bar 53 92171M documentation storage rack 53 92171T turntable 37
HP-87 personal computer 11,63 9 9111A/T graphics tablet 24 9125A graphics plotter 20-2 9135A winchester drive 5 9135A winchester drive 36 92170G work table 36 92171A copy holder 37 92171F printer/plotter stand 20 92171L locking bar 53 92171M documentation storage rack 53 92171T turntable 37
HP-87 personal computer
HP-67 personal computer
HP-87 personal computer
Section
HP-87 personal computer
Section

9805A* desktop calculator 11

9810A* desktop calculator 12

9815A/S desktop computers 11

9820A* desktop calculator 12

9820A mini data cartridges 7

821A* desktop calculator 12	2
825*/B/S*/T desktop computers 12	2
826A desktop computer 11	1
830A*/B* desktop computer 12	ż
831A* desktop computer 12	2
835A/B desktop computers 12	5
836A desktop computer 12,48	3
B45A/B/C/S/T desktop computers 12,49	9
862A* graphics plotter 24	4
966A*/B* thermal printers 18	9
871A* character printer 14	4
672A*/B*/C/S*/T graphics plotter 20-2	ź
874A digitizer 24	1
875A mini cartridge tape unit	7
876A thermal graphics printer 18	3
877A mini cartridge tape unit	7
880B* disc drive	1
881* line printer	3
885M/S flex disc drives !	5
895 flex disc drive	5
896A* computer system	5

^{*} Computer products with this symbol no longer offered for sale. However, Hewlett-Packard will continue to provide supplies support for at least 5 years from date last product was shipped.

of Ca

1530-1810 prt disc/European 17

Product nul	111)e		151	1	ك	01	Ľ
0				project n				
00085-13002 BASIC training	45			waveforr				
00085-13003 general statistics				digital si				
00085-13004 financial decisions	44			AC circu compone				46
00085-13005 Math								48
00085-13006 AC circuit analysis				basic sta				
00085-13010 games		09845-	15110	regressio	on an	alysis		48
00085-13011 linear programming 00085-13034 Text editing		09845-	15130	general :	statis	tics .		48
00085-13035 vaveform analysis				nonlinea				
00085-13036 statistics				monte ca				
00085-13037 regression analysis				analysis				
00085-13038 graphics presentations	43			linear an				
00085-13042 VisiCalc* PLUS				statistica graphics				
00085-13044 Data Communications				digitizing				
00085-13045 info management				magnet				
00085-13046 surveying		09874-	87000	trans she	eets.			24
00085-13058 Statistical Analysis Pac		09885-	90045	flex disc.	9825		+=++++	. 5
00085-13059 Electronic Engineering		1 2						
Pac	43	1, 2		14000A				-
00085-15001 ROM modules	63			31389A 31389B				
00085-15002 ROM modules				31389C				
00085-15003 ROM modules			-	10833D				
00085-15004 ROM modules				B cable/1				
00085-15005 ROM modules		108338	B HP-II	B cable/2	M			29
00085-15006 ROM modules				B cable/4				
00087-13001 VisiCalc* PLUS				B table/0.				
00087-13002 Graphics Presentations .				winder				
00087-13004 Basic Training				cartridge				
00087-16001 WordStar				cartridge 13222-600				
00087-16002 MailMerge				13222-60				
00087-16003 SpellStar				13222-60				
00087-16004 dBase II		13222	K use §	2217E .		+++++	++++++	32
00087-16005 Prof. Tax Plan				3222-600				
00087-16007 Estate Tax Plan				cable .				
00087-16009 Milestone			2000	cable .				
02607-60230 VFU tape kit				cable .				
02607-80015 blank VFU tape				02640-600				
02607-80024 VFU tape 66 LPP				02640-60				
02608-60091 layout forms				02640-60				
02608-60092 align guides		13232	M use	5061-240	9		+==+++	33
02618-80001 use 02613-80001				02640-60				
02618-80003 VFU tape 88 LPP				2640-60				
02631-60065 cable				02640-60				
02631-60233 use 92155A				2640-601				
02640-60043 cable				5061-240				
02640-60058 cable		13232	K use !	92219F .				33
02640-60059 cable		13232	Y use (2640-602	218 .			33
02640-60132 cable				13242-60				
02640-60133 cable	33			13242-60				
02640-60134 cable	33	- 1000	770.77	13242-60				-
02640-60151 cable	33			92218D				
02640-60218 cable				3242-600				
02640-90185 cabling manual				cable .				
02647-13301 multiplot rev. F				cable .				
02647-13401 Autoplot				cable .				
07225-40054 platter pen holder				use 1324				
07245-60001 print head			20000	use 1324				2555
07580-60025 pen body				cable .				
07580-60035 pen carousel				hics pres				0000
07580-60081 pen carousel				analysis				
09111-68701 stylus refills				stics				
09810-90016 program pad				ect mana				
09815-90011 program pad				ohics				
09826-90072 book				ect Mgt.				
09830-90016 program ped				stics				
09845-10350 numerical analysis				h				
library				Conversi				
09845-10540 graphics (9845B/T)			100000	d/47				
09845-10610 forecasting		13269	A soft	carrying	case			11
09845-10630 list management	40			termina				
				pack 120				
				pack 50 attery				
				rt disc/sta				
		1000	Water Brit	- manage	or country !			4.1


ita	log	Ite	ms
1530-181	1 part disc/	ASCII	7
	if prt disc/K		
1530-189	6 prt disc/C	yrillic	17
	2 prt disc/A 7 ribbon		
	4 ribbon		
	4 chest		
	plotter suppl		
	plotter suppl		
	olotter suppl ransparency		
	ransparency		
	001 Learnin		
	ook		
	0001 DSG/30		
	0001 guided 0002 Self-pag		
			52
22843A	Dictionary/30	000	52
			57
			16
			16
	orminal		
			58
3, 4		1	
	use 30062-60		y 50
30062B	Opt. 001 use	30062-60	021 32
30062C	use 31391A		31
30062C,	Opt. 001 use	31391C	31
	Opt. 002 use		
	use 30062-60		
	0012 cable 0018 cable		
	0020 cable		
30062-60	0021 cable		32
	use 30152-60		
	0001 ATP cal use 30153-60		31
	0001 ATP cal		
			33
30154-6	0001 ATP cal	ble (5-pin)	33
			29
			29
			32
	cable		31
	cable		
	cable		
40242C	use 40242-6	0004	32
40242-6	0002 cable		32
40242-6	0003 cable		32
	0004 cable 71 blank VFI		
	ff pen cap		
	65 pen cap		
	use 10833A		
	use 10833B		
45531A	VisiCalc*/12 GRAPHICS/	5	
	WORD/125		
	LINK/125		
45535A	BASIC/125		47
	programmin		
	Data Base-1		
	Data Base-2 Data Base U		
45560A	WordStar		46
45561A	SpellStar		46
	MailMerge		
5, 6,	7 8		
	84 plot pens	/red	21
	85 plot pens		
5060-67	86 plot pens	/green	21
	87 plot pens		
	10 plot pens 18 trans pen		
			21

5060-6835 trans pens/wide 21

5060-6858 plot pens/4-colors, W 21 5060-6890 plot pens/wide black 21
5060-6891 plot pens/wide blue 21
5060-6892 plot pens/wide green 21
5060-6893 plot pens/wide red 21
5060-6894 plot pens/6-colors, N 21
5060-6895 plot pens/6-colors, W 21
5060-9152 mag card 11
5061-1340 connector kit
5061-2401 connector kit
5061-2403 cable 32
5061-2406 use 92178A/B/C
5061-2409 cable
5061-2412 connector kit
5061-4215 cable
5061-4216 cable
5061-5010 trans pens/blk, N
5061-5012 trans pens/red, N
5061-5015 trans/pens/green, N 21
5061-5016 trans/pens/blue, N 21
5061-5020 trans pena/blk, W
5061-5022 trans pens/red, W 21
5061-5025 trans pens'grn, W
5061-5026 trans pens/blue, W 21
5080-6595 forms/fortran
5080-6596 forms/assembler 28
5081-1190 plot pens/red
5081-1191 plot pens/blue
5081-1192 plot pens/green 21
5061-1193 plot pens/black 21
5951-4465 forms/solid cobol 28
5953-2460 manuals index 52
5953-7804 software catalog 50
5957-4315 software catalog 50
7120-3510 key overlay
7120-4802 key overlay 12
7120-5525 key overlay
7120-6164 key overlay 12
7120-6452 key overlay 12
7120-7105 key overlay 24
7121-0988 overlays 24
7470A Plotter 60-1
8120-1348 power cord
B120-1351 power cord
8120-1369 power cord 31
8120-1378 power cord
8120-1689 power cord
8120-2104 power cord
82045A therm paper 19
82045A therm paper
82900A plug-in module 63 82901M Disc Drive 60-1
82045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63
82045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63
82045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63
8290A plug-in module 63 82901M Disc Drive 60-1 82901M Disc Drive 60-1 82903M amemory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A pystem monitor 63 82929A prog. ROM drawer 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82903B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82908A system monitor 63 82929A prog. ROM drawer 63 82936A ROM drawer 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82928A system monitor 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63
82904A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82928A system monitor 63 82928A system monitor 63 82929A prog. ROM drawer 63 82936A ROM drawer 63 82937A HP-IB interface 63 82938A HP-IL interface 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82939A serial interface 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82939A serial interface 63 82939A serial interface 63 82939A serial interface 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82903B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A pyg-in module 63 82939A pyg-in module 63 82939A pyg-in module 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCD interface 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82928A system monitor 63 82928A prog. ROM drawer 63 82937A HP-IB interface 63 82937A HP-IB interface 63 82939A serail interface 63 82941A BCO interface 63 82941A BCO interface 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82939A serial interface 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCD interface 63 82949A C-parallel interface 63 82949A C-parallel interface 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82928A system monitor 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82937A HP-IL interface 63 82930A serial interface 63 82940A GPIO interface 63 82940A GPIO interface 63 82940A C-parallel interface 63 82940A modem 63 82956A keyboard overlays 11
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82903A memory module 63 82903B Printer 60-1 82907A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82938A HP-IL interface 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCD interface 63 82941A BCD interface 63 82950A modem 63 82950A modem 63 82950A modem 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903B memory module 63 82903B Printer 60-1 82907A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82939A serial interface 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCD interface 63 82941A BCD interface 63 82940A C-parallel interface 63 82950A modem 63 82950A modem 63
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82939A ROM drawer 63 82939A serial interface 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCO interface 63 82940A GPIO interface 63 82940A modem 63 82957A cable 29 82931A therm paper 11 82932A binder 11
82945A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82903A memory module 63 82903B Printer 60-1 82907A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82938A HP-IL interface 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCD interface 63 82940A C-parallel interface 63 82950A moder 63 82950A moder 63 82957A cable 29 82931A therm paper 11 82933A carriving case 11
82945A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82903A memory module 63 82903B Printer 60-1 82907A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82938A HP-IL interface 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCD interface 63 82940A C-parallel interface 63 82950A moder 63 82950A moder 63 82957A cable 29 82931A therm paper 11 82933A carriving case 11
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB Interface 63 82939A serial interface 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCD interface 63 82940A GPIO interface 63 82949A C-parallel interface 63 82949A C-parallel interface 63 82949A therm paper 11 82937A cable 29 82931A therm paper 11 82933A carrying case 11 82933A carrying case 11 82935A series 80 binder 11 82935A series 80 binder 11 82935A use 82954A 11
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82937A HP-IB interface 63 82939A serial interface 63 82940A GPIO interface 63 82940A GPIO interface 63 82940A C-parallel interface 63 82950A modern 63 82950A modern 11 82957A cable 29 82931A therm paper 11 82933A carrying case 11 82933A carrying case 11 82934B dust cover 11 82951A use 82954A 11 82951A use 82954A 11
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB interface 63 82937A HP-IB interface 63 82939A serial interface 63 82940A GPIO interface 63 82940A GPIO interface 63 82940A C-parallel interface 63 82950A modern 63 82950A modern 11 82957A cable 29 82931A therm paper 11 82933A carrying case 11 82933A carrying case 11 82934B dust cover 11 82951A use 82954A 11 82951A use 82954A 11
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82937A HP-IB Interface 63 82939A serial interface 63 82939A serial interface 63 82940A GPIO interface 63 82941A BCD interface 63 82940A GPIO interface 63 82949A C-parallel interface 63 82949A C-parallel interface 63 82949A therm paper 11 82937A cable 29 82931A therm paper 11 82933A carrying case 11 82933A carrying case 11 82935A series 80 binder 11 82935A series 80 binder 11 82935A use 82954A 11
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82907A plug-in module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82939A PILL interface 63 82939A serial interface 63 82939A serial interface 63 82939A serial interface 63 82940A GPIO interface 63 82940A GPIO interface 63 82949A C-parallel interface 63 82949A C-parallel interface 63 82949A therm paper 11 82933A carrying case 11 82933A carrying case 11 82935A series 80 binder 11 82935A series 80 binder 11 82948A dust cover 11 82951A use 82954A 11 82955A dust cover 11 8295A file Manager 44
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82939A system monitor 63 82939A PILB interface 63 82937A HP-IB interface 63 82939A serial interface 63 82939A serial interface 63 82941A BCD interface 63 82940A GPIO interface 63 82940A C-parallel interface 63 82940A modern 63 82956A keyboard overlays 11 82957A cable 29 82931A therm paper 11 82933A carrying case 11 82933A carrying case 11 82948A dust cover 11 82954A therm paper 11 82955A dust cover 11 82955A dust cover 11 82955A dust cover 11 8710-1386 grit wheel brush 24 88103A File Manager 44 88103A File Manager 44
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82907A plug-in module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82908A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82939A PILL interface 63 82939A serial interface 63 82939A serial interface 63 82939A serial interface 63 82940A GPIO interface 63 82940A GPIO interface 63 82949A C-parallel interface 63 82949A C-parallel interface 63 82949A therm paper 11 82933A carrying case 11 82933A carrying case 11 82935A series 80 binder 11 82935A series 80 binder 11 82948A dust cover 11 82951A use 82954A 11 82955A dust cover 11 8295A file Manager 44
829045A therm paper 19 82900A plug-in module 63 82901M Disc Drive 60-1 82903A memory module 63 82905B Printer 60-1 82907A plug-in module 63 82908A plug-in module 63 82909A plug-in module 63 82909A plug-in module 63 82929A prog. ROM drawer 63 82929A prog. ROM drawer 63 82939A system monitor 63 82939A PILB interface 63 82937A HP-IB interface 63 82939A serial interface 63 82939A serial interface 63 82941A BCD interface 63 82940A GPIO interface 63 82940A C-parallel interface 63 82940A modern 63 82956A keyboard overlays 11 82957A cable 29 82931A therm paper 11 82933A carrying case 11 82933A carrying case 11 82948A dust cover 11 82954A therm paper 11 82955A dust cover 11 82955A dust cover 11 82955A dust cover 11 8710-1386 grit wheel brush 24 88103A File Manager 44 88103A File Manager 44

9	92172L, M, N printout binder	92217C 15-meter cable 3	32	9280-0046 print paper/roll	. 14
0152 0012 man cond	adapters 39	92217D 15-meter cable 3	32	9280-0063 see 92231B	
9162-0012 mag card	92172P document hanger	92217E cable	32	9280-0180 plot paper	
9162-0027 mag align tape	92172R document hanger 41	92218A cable	32	9280-0218 print paper/80-col	12
9162-0045 mag card	92172Y document hanger 41	92218B 15-meter cable	32	9280-0292 use 9280-0046	14
9162-0050 tape cassette	92173P paper transporter	92218C cable 3	32	9280-0493 plot paper roll	22
9162-0061 use 98200A 7	92173Q printout carry case 28	92218D cable 3	12	9280-0494 plot paper roll	22
9164-0023 see 92231A	92173S data switch	92219A cable 3		9280-0517 plot paper	22
9164-0104 use 9164-0105	92175A stat control mat	92219B cable 3		9280-0518 plot paper	22
9164-0105 flex discs 0.5 Mb	92175B stat control mat	92219C 15-meter cable		9280-0519 plot paper	22
92150A use 92150D 9	92175C stat control mat	92219D cable 3		9280-0525 film	
92150B use 92150E 9	92176A stat control mat	92219E cable		9280-0526 film	
92150C use 92150F 9	92176B stat control mat	92219F cable		9280-0527 chart paper	
92150D mag tapes/600 ft 9	92176C stat control mat	92220A 77-meter cable		9280-0528 chart paper	
92150E mag tapes/1200 ft 9	92176D stat control mat 42	92220B 154-meter cable 3		9280-0529 vellum	
92150F mag tapes/2400 ft 9	92177A sound pad 14	92220C 308-meter cable		9280-0530 vellum	
92150K mag tape labels 9	92177E U.S. sound enclosure 14	92220M cable	770	9280-0587 plotter paper	
92150L mag tape color/not. kit 9	92177F European sound enclosure 14	92224A connector kit (3-pin)		9280-0588 plot paper pad	
92150M mag tape markers 9	92178A connector kit	92224B connector kit (3-pin)		9280-0589 plot paper pad	
92150P easy-load mag tapes/2400 ft 9	92178B connector kit	92225A connector kit (5-pin)		9260-0590 plotter paper	
92150Q easy-load cartridges 9	92178C connector kit	92225B connector kit (5-pin)		9280-0591 plotter film	
92150R tape crimper	92179A cable/12-wire	92229A crimp tool		9280-0592 plotter film	
92150T tape transport case 9	92179C cable/3-wire	92231A VFU tape punch/splicer 2			
92151C/D ribbons	92179D cable/5-wire	92231B paper tape		9280-0594 plotter vellum	
92153A metal print wheel	92180A toner	92233A, E, F, G, H, L, M, N, S, T, U, V.		9280-0597 plotter tracing bond	
92153B metal print wheel	92180D drum kit	W, X, Y, Z books	A		
92153C metal print wheel 15	92180T tool kit	92250A, B, C, G, H, J, K, L, M, N, T		9280-0599 plotter tracing bond 9280-0600 plotter tracing bond	
92153D metal print wheel 15	92181A disposal containers 17	dust covers	25		
92153E metal print wheel	92182A carrier	92251H, J, K, M dust covers		9280-0601 plotter veilum	
92153U metal print wheel 15	92182D developer	92252 series plastic print wheels 1		9250-0603 plotter veilum	
92153V metal print wheel	92183A splicing tape	9230-0052 card holder 1		9280-0604 plotter veilum	
92153W metal print wheel 15	92184A non-impact paper	9260-0373 ink cartridge		9280-0605 plotter film	
92154G print head 16	92190A .25 Mb Flex Disc	9260-0579 pen tip		9280-0606 plotter film	
92154P print head	92190L fifty flex discs	9260-0588 pen tip		9280-0607 plotter film	
92155A ribbon cartridges	92193A 5¼* disc clean kit	9280-0596 ink		9280-0608 plotter film	
92155B bar code ribbon	92193B 8' disc clean kit 5	9260-0741 pen tip		9280-0705 print paper/72-col	
92156A ribbon cartridges	92193C, D, H, M, S, V, W, X, Y, Z	9260-0742 pen tip		9281-0401 therm paper	
92157A printer paper, blank	cleaning kits 27-8	9260-0743 pen tip		9281-0413 use 9270-0488	
92157B 3-hole printer paper 13	92194A disc file/5.25 in 6	9260-0744 pen tip		9281-0414 therm paper	
92157C paper	921948 disc file/8 in 6	9270-0360 transparency sheets 2		9282-0002 use 9282-0524	
92158A ribbon cartridge	92194C cassette file box	9270-0479 therm paper		9282-0069 binder	
92158M OMR ribbons	92194D mini cartridge file	9270-0488 therm paper		9282-0079 use 9282-0524	
92159A align guides	92194E flexfile, 5.25 in 6	9270-0561 use 9270-0699 1		9282-0511 ribbon	
92160A therm paper	92194F flexfile, 8 in	9270-0565 use 92161D 1		9282-0520 binder	
92160B therm paper	92194Z flex disc shipping case 7	9270-0566 use 92161A 1		9282-0524 ribbon	
92160C therm paper 18	92194G disc album/5.25 in 6	9270-0568 use 92161Q 1	12	9282-0531 ribbon	
92160M therm paper	92194H disc album/8 in 6	9270-0569 use 92161M		9282-0538 use 9282-0531	
92160N therm paper	92194J flex disc binder 6	9270-0605 therm paper 1	B	9282-0543 ribbon	13
92161A therm paper	92194K flex disc binder 6	9270-0606 use 9270-0700	IB	9282-0545 ribbon	13
92161C therm paper	92194L flex disc filing pages 6	9270-0607 therm paper	18	9282-0561 ribbon cartridge	14
92161D therm paper 12	92194M flex disc filing pages 6	9270-0608 use 9270-0959 1	B	9282-0658 binder	53
92161E therm paper	92194P hanging folders 7	9270-0609 therm paper	B	9282-0659 binder	53
92161M therm paper	92194Q hanging folders 7	9270-0638 use 92160A 1	H	9282-0905 syringe	24
92161N therm paper	92194R 51/4" disc mailer 7	9270-0639 trans film sheets	22	9282-0908 pen cleaning solution	
92161P therm paper	921945 8° disc mailer 7	9270-0640 therm paper	18	9282-0929 HP 125 binder	11
92161Q therm paper	92194T transport case 7	9270-0641 therm paper	18	92832-90002 PASCAL	54
92161R therm paper	92194U transport case 7	9270-0642 therm paper		9300-0427 ribbon	14
92167L data cart. albums	92195A 1.2 Mb Flex Disc	9270-0643 therm paper		9300-0468 swabs	
92167M cartridge binder	92195F discs, initialized 5	9270-0649 use 92161E 1		9300-0767 swabs	
92167N binder insert B	92195L fifty flex discs	9270-0650 use 92161B		9300-0750 vacuum bags	
92167W print wheel album 16	92206A mini cartridge rack	9270-0651 use 92161R		9320-1515 print paper/132-col	
92168F RPG forms package	92206D disc cartridge rack	9270-0652 use 92161N		9320-1659 use 9320-1515	
92168Q printer layout forms 28	92206H disc cartridge cover 4	9270-0656 use 92160B 1		9320-2051 OMR cards/educ	
92170G table	92206T mag tape rack	9270-0661 use 92161C		9320-2072 OMR cards/80-col	
92171A copy holder 37	92208B 5-lb. fire extinguisher 37	9270-0662 use 92161P		9320-2074 OMR cards/40-col	
92171B copy holder 37	92208C 9-lb. fire extinguisher 37	9270-0664 therm paper 1		98200A mini cartridges	
92171E footrest	92208D 13-lb. fire extinguisher 37	9270-0680 therm paper 1		98810A VisiCalc	
92171F printer/plotter stand 20	92209A, B, C MNP ergonomic	9270-0681 therm paper		98815A Graphics	
92171H CRT tray 19	chairs	9270-0682 therm paper		98817A Project Mgmt.	
92171L locking bar for 92171M 53	922108 workstation table	9270-0683 therm paper		98818A Forecasting	
92171M documentation storage rack . 53	92210E workstation table			98820B Stat Lib I	
92171P palm rest	92210E workstation return	9270-0700 therm paper		98820C Stat Lib II	
92171T turntable 37		9270-0959 therm paper		98821A Numerical Analysis	
92171U tilt terminal turntable 37	92210K trapezoid table connector 35	9270-1004 plot paper		98825A AC Circuit Analysis	
92172A storage security cabinet 40	92210L caster set	9270-1005 plot paper		98826A Linear Sys. Analysis	
921728 storage security cabinet 40	92210P printer stand	9270-1006 plot paper		98827A Waveform Analysis	
92172C printout cabinet 41	922100 suspended drawer unit 35	9270-1007 plot paper		98828A Digital Filter Design	
92172D mag tape cabinet 41	922100 suspended drawer unit	9270-1023 metric profier paper 2		9940-4192 binder	
92712E mag tape rack	92210S Triangle table connector 35	9270-1024 metric profier paper 2		9940-4522 binder	
	92210T terminal table	9270-1042 metric plotter paper 2		TOTAL DIRECTION OF THE PROPERTY OF THE PROPERT	- 33
	92215A 15-meter cable	i o is motivo protior propor			
	92217A 15-meter cable				
	92217B 15-meter cable				

Sales office listing



Canada, Central and South America

ARGENTINA

*1095 Buenos Aires Tel: 37-9020 1640 Buenos Aires Tel: 792-1293, 798-5735

BRAZIL

Alphaville Tel: 421-1311 22471 Rio de Janeiro-RJ Tel: 286-0237

CANADA

Mississauga, L4V 1M8
Tel: (416) 678-9430
Richmond, V6X 2W7
Tel: (604) 270-2277
Winnipeg, R3H 0Y1
Tel: (204) 786-6701
Calgary, T2H 2H8
Tel: (403) 253-2713
Dartmouth, B2Y 3Z6
Tel: (902) 469-7820
Ottawa, K2B 8K1
Tel: (613) 820-6483
Edmonton, T5M 3T9
Tel: (403) 452-3670
London, N6E 2S5
Tel: (519) 686-9181
Kirkland, H9J 2M5
Tel: (514) 697-4232
Moncton, E2B 2V0
Tel: (506) 855-2841

Willowdale, M2J 1R5 Tel: (416) 499-9333 Ste. Foy, G1N 4C2 Tel: (418) 687-4570

MEXICO

Mexico City Tel: (905) 676-4600 Monterrey, N.L. Tel: 78-42-93/40/41

VENEZUELA

Caracas 1071 Tel: 239-4133

Southern Africa, Asia, Australia

AUSTRALIA

Blackburn, Victoria 3130 Tel: 89-6351

North Ryde, N.S.W 2113 Tel: 887-1611 Parkside, S.A. 5063 Tel: 272-5911

Tel: 272-5911 Claremont, W.A. 6010 Tel: 383-2188

Fyshwick, A.C.T. 2609 Tel: 80-4244

Spring Hill, Queensland 4000 Tel: 229-1544

HONG KONG

Tel: 5-8323211

JAPAN

Suginami-ku, Tokyo 168 Tel: 03-331-6111 Osaka, 532 Tel: 06-304-6021 Nagova, Aichi 45

Nagoya, Aichi 450 Tel: 052-571-5171

Yokohama Kanagawa, 221 Tel: 045-312-1252 Kumagaya, Saitama 360 Tel: 0485-24-6563

Mito, Ibaragi 310 Tel: 0292-25-7470

MALAYSIA Kuala Lumpur 23-03 Tel: 943022

NEW ZEALAND

Wellington Tel: 877-199

Epsom, Auckland Tel: 687-159

SINGAPORE

Singapore 9115 Tel: 631788

SOUTH AFRICA

Durban 4067 Tel: 28-4178 Pretoria

Tel 982043 Sandton, 2144 Tel: 802-5111

Cape Province, 7450 Tel: 53-7955/56/57

TAIWAN

Kaohsiung Tel: 241-2318 Taipei Tel: (02) 751-0404

Europe, North/Central Africa and Middle East

AUSTRIA

A-8052 Graz Tel: 291-5-66 A-4020 Linz Tel: 0732 51585 A-1222 Vienna Tel: (0222) 23-65-11-0

BELGIUM

B-1200 Brussels Tel: (02) 762-32-00

CZECHOSLOVAKIA

Praha 011 Tel: 66 296

DENMARK

DK-3460 Birkerod Tel: (02) 81-66-40 DK-8600 Silkeborg Tel: (06) 82-71-66

FINLAND

SF-02100 Espoo 10 Tel: (90) 455 0211 SF-40720-72 Jyvaskyla Tel: (941) 216318

FRANCE

F-91947 Les Ulis Cédex Orsay Tel: (6) 907-78-25 F-69130 Ecully Cedex Tel: (78) 33-81-25

GERMAN FEDERAL REPUBLIC

D-6000 Frankfurt 56 Tel: (0611) 50-04-1 D-7030 Böblingen Tel: (07031) 667-1 D-4000 Düsseldorf Tel: (0211) 5971-1 D-2000 Hamburg 60 Tel: (040) 63804-1 D-8028 Taufkirchen Tel: (089) 6117-1

IRAQ

Baghdad Tel: 551-49-73

IRELAND

Dublin 2, Eire Tel: (1) 60 88 00

ITALY

I-20063 Cernusco Sul Navliglio Tel: (2) 903691 I-00144 Roma Tel: (06) 54831

LUXEMBOURG

B-1200 Brussels Tel: (02) 762-32-00

MOROCCO

*Casablanca Tel: 272093/5

NETHERLANDS

NL 1181 KK Amstelveen Tel: (20) 47-20-21

NORWAY

N-1345 Osteraas Tel: (02) 1711 80 N-5033 Fyllingsdalen Tel: (05) 16-55-40

SCOTLAND

West Lothian EH30 9GT Tel: (031) 3311188

SPAIN

E-Barcelona 29 Tel: (3) 322-24-51 E-Madrid 16 Tel: (1) 458-2600 E-Madrid 34 Tel: (1) 734-1162

SWEDEN

S-16393 Spånga Tel: (08) 750-2000 S-421 32 Västra-Frölunda Tel: (031) 49-09-50

SWITZERLAND

Ch-1219 Le Lignon-Geneva Tel: (022) 96-03-22 CH-1202 Geneva Tel: (022) 32-48-00

UNITED KINGDOM

Winnersh, Wokingham Berkshire, RG11 5AR Tel: (0734) 784774

USSR

Moscow 101000 Tel: 294-2024

*Personal Computing Products

For countries and areas not listed, contact:

AFRICA

Hewlett-Packard S.A. 7 Rue du Bois-du-Lan CH-1217 MEYRIN 2, Switzerland Tel: (022) 98-96-51 Telex: 27835 hpse Cable: HEWPACKSA Geneve

ASIA

Hewlett-Packard Asia Ltd. 6th Floor, Sun Hung Kai Center 30 Harbor Rd. G.P.O. Box 795 HONG KONG Tel: 5-832 3211 Telex: 66678 HEWPA HX Cable: HP ASIA LTD Hong Kong

EASTERN EUROPE

Hewlett-Packard Ges.m.b.h. Lieblgasse 1 P.O. Box 72 A-1222 VIENNA, Austria Tel: (222) 2365110 Telex: 134425

NORTHERN EUROPE

Hewlett-Packard S.A. Uilenstede 475 NL-1183 AG AMSTELVEEN, The Netherlands Tel: 20 437771

SOUTHEASTERN EUROPE

Hewlett-Packard S.A.
7 Rue du Bois-du-Lan
CH-1217 MEYRIN 2,
Switzerland
Tel: (022) 98-96-51
Telex: 27835 hpse
Cable: HEWPACKSA
Geneve
(Offices in the World
Trade Center)

MEDITERRANEAN AND MIDDLE EAST

Hewlett-Packard S.A.
Mediterranean and
Middle East
Operations
Atrina Centre
32 Kifissias Ave.
Amaroussion, ATHENS,
Greece
Tel: 808-0359 808-0429
Telex: 21-6588
Cable: HEWPACKSA
Athens

OTHER INTERNATIONAL AREAS

Hewlett-Packard Co. Intercontinental Headquarters 3495 Deer Creek Road PALO ALTO, CA 94304 Tel: 415-857-1501 Telex: 034-8300 Cable: HEWPACK





Ordering information

Where to order

Hewlett-Packard has local offices (see page 68) and computer supplies distribution centers located both inside and outside the USA. In addition, we maintain a high-speed computerized communications network between most HP locations, worldwide. We use this network to help us process your orders efficiently and to get them quickly transmitted to the appropriate supplies distribution center.

To place your order or to get additional information, such as the current price for products delivered to your location, please contact the HP office nearest you.

Order by telephone

Special fast-order direct phone lines for computer supplies are now available in many countries—including the ones listed below—offering on-line price and availability information, as well as fast order entry:

UNITED STATES	. 800-538-8787
California	
UNITED KINGDOM	0734-792868
	0734-792959
WEST GERMANY	. 07031-667829
	07031-223133
THE NETHERLANDS	020-470639

Of course, orders may be placed in the regular way through local HP sales offices in areas not yet served by these special phone lines.

Supply prices

In some countries, prices for products listed in this catalog may be included on a separate price list or other publication, for your budgetary guidance.

To confirm the current price of any item in this catalog, in local currency and delivered to your location, please contact the HP office nearest you.

Quantity discounts

You can achieve substantial savings by taking advantage of our quantity discounts, which are available for most HP computer supply items.

Whenever it is practical for you to order an individual supply item in a larger quantity, you save in these ways:

Unit Cost—Your unit cost (our selling price) for that item is lower.

Administration—Your organization's costs for handling the paperwork of placing orders, receiving shipments, etc. will usually be lower—since these processes happen less often.

On-Hand Spares—When you order a larger quantity, you're more likely to have extra units on hand when you need them, thereby minimizing costly down time. Please note these discounts apply only to total units of an individual supply item, rather than to total units of differing supply items (mixed orders).

Terms of sale

Inside the USA and Puerto Rico

Terms net 30 days from invoice date if credit with Hewlett-Packard has already been established. Otherwise shipments will be made COD or on receipt of cash in advance. Minimum of \$20 per order applies.

Outside the USA

Terms are determined by the Hewlett-Packard international sales subsidiary or authorized representative/distributor.

Shipping methods

Shipments to destinations outside the USA are made from the appropriate Hewlett-Packard facility by either surface or air methods, as requested.

Because of customs formalities and the longer shipping times to many parts of the world, we highly recommend you maintain extra supplies in reserve—especially where their availability is critical to your operation.

In addition, supply items which are essential for continued computer product performance are often stocked by Hewlett-Packard within your country to ensure ready availability, when needed.

Personal/Desktop computer software terms

Application software offered in this catalog is either sold or licensed with the understanding that it will be used with a single computer. Software may be copied only for archival purposes, to replace a defective copy or for program error verification. Resale of the programs in their present form, or with alterations, is expressly prohibited.

HP 125 software will require a signed license

agreement by the customer.

483

If required, additional technical assistance may be purchased from your local HP sales office.

泰弗森森森森森森森森森森森森森森森森森森森森森

Warranty

HP Supplies as listed in this catalog for use with HP computer products are warranted against defects in materials and workmanship (in the U.S.A. for 90 days from date of shipment; outside the U.S.A. for period in effect for your country . . . consult your local HP office). HP will replace any such supply item which proves to be defective.

HP Software Products listed in this catalog are warranted against defective media for a period of 90 days. During the warranty period, HP will replace defective software media.

This warranty does not apply to damage resulting from misuse, and no other warranty is expressed or implied.

HP SPECIFICALLY DISCLAIMS THE IM-PLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PUR-POSE. HP SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.



Featured inside:

- New low cost graphics plotter, books, hardware and software enhancements for HP personal/desktop computers, and much more!
- Ergonomic and workstation furniture
- 190 plus new products, over 800 in all

