


HP 9000 Series 200/300 Computers



**Pascal 3.2
Documentation Guide
and Master Index**



HP Computer Museum
www.hpmuseum.net

For research and education purposes only.

Pascal 3.2 Documentation Guide and Master Index

HP 9000 Series 200/300 Computers

HP Part Number 98615-90017



Hewlett-Packard Company
3404 East Harmony Road, Fort Collins, Colorado 80525

NOTICE

The information contained in this document is subject to change without notice.

HEWLETT-PACKARD MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS MANUAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Hewlett-Packard shall not be liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

WARRANTY

A copy of the specific warranty terms applicable to your Hewlett-Packard product and replacement parts can be obtained from your local Sales and Service Office.

Copyright © Hewlett-Packard Company 1987

This document contains information which is protected by copyright. All rights are reserved. Reproduction, adaptation, or translation without prior written permission is prohibited, except as allowed under the copyright laws.

Restricted Rights Legend

Use, duplication or disclosure by the U.S. Government Department of Defense is subject to restrictions as set forth in paragraph (b)(3)(ii) of the Rights in Technical Data and Software clause in FAR 52.227-7013.

Use of this manual and flexible disc(s) or tape cartridge(s) supplied for this pack is restricted to this product only. Additional copies of the programs can be made for security and back-up purposes only. Resale of the programs in their present form or with alterations, is expressly prohibited.

Copyright © AT&T, Inc. 1980, 1984

Copyright © The Regents of the University of California 1979, 1980, 1983

This software and documentation is based in part on the Fourth Berkeley Software Distribution under license from the Regents of the University of California.

Printing History

The manual printing date and part number indicate its current edition. The printing date will change when a new edition is printed. Minor changes may be made at reprint without changing the printing date. The manual part number will change when extensive changes are made.

Manual updates may be issued between editions to correct errors or document product changes. To ensure that you receive these updates or new editions, you should subscribe to the appropriate product support service. See your HP sales representative for details.

July 1987...Edition 1

Pascal 3.2 Documentation Guide

Introduction

This guide takes you on “sight-seeing tours” of the Pascal 3.2 manuals. Here is what it contains:

- A list of the manuals in this set.
- A “tour” of each manual.
- A Master Index for the manual set.

List of Pascal 3.2 Manuals

Here are the manuals provided with the Pascal 3.2 Workstation system:

- *Pascal 3.2 User's Guide* (HP Part Number 98615-90042)
- *An Introduction to Programming and Problem Solving with Pascal* (HP Part Number 09826-90072)
- *Pascal 3.2 Workstation System* (HP Part Number 98615-90023, two volumes)
 - *Volume 1: Main Command Level and Subsystems*
 - *Volume 2: Programming and Configuration Topics*
- *Pascal 3.2 Procedure Library* (HP Part Number 98615-90032)
- *Pascal 3.2 Graphics Techniques* (HP Part Number 98615-90037)
- *HP Pascal Language Reference* (HP Part Number 98615-90052)
- *MC68000 User's Manual* (HP Part Number 09826-90073)
- *MC68020 User's Manual¹* (HP Part Number is 98615-90606)
- *MC68881 User's Manual¹* (HP Part Number is 98615-90607)

¹ This manual is available through the Direct Marketing Division (DMK). To order this manual, call 1-800-538-8787.

Individual Manual “Tours”

The following paragraphs describe the purpose and contents of each manual.

Note

You are highly encouraged to pick up and leaf through each manual as you read through its description. This exercise will help you to quickly familiarize yourself with their content and organization.

Installation Guide (for your model of computer)

An installation manual is shipped with your computer (*not* with the Pascal System). It describes the tasks of setting up the computer and then attaching the keyboard and monitor. It also describes how you can verify that your computer is operating properly. However, the tasks of installing and verifying peripheral devices, such as disc drives and printers, is described in the following manual.

Series 200/300 Peripheral Installation Guide

This manual describes the tasks of configuring and installing peripherals that you can use with your Series 200/300 computer. Here are some peripherals included:

- Memory and interface cards
- Discs
- Printers
- Plotters and other graphics devices

The manual also covers the task of configuring the Pascal system software to “talk to” these devices (i.e. adding device drivers).

Pascal 3.2 User's Guide

(HP Part Number 98615-90042)

This guide begins where the *Peripheral Installation Guide* left off. It describes how to load the Pascal System and get it "up and running." It also takes you on a tour of the system and its subsystems, as well as shows you how to enter and run a short Pascal program. This manual is also a task-oriented manual.

- Chapter 1: "Vital Information" discusses a "little-known secret to success." (If you don't read the chapter, it will still be "little-known.")
- Chapter 2: "Loading Pascal" shows you how to load the Pascal system.
- Chapter 3: "A Few Preliminaries" shows you how to prepare blank discs for use and how to make back-up copies of the system discs.
- Chapter 4: "Using Keyboard and Display" describes using the keyboard and display. You need only read the section that describes your computer's keyboard.
- Chapter 5: "The Main Command Level" shows you how to begin using commands.
- Chapter 6: "The Editor" introduces you to the task of entering text using the Pascal Editor.
- Chapter 7: "The Filer" introduces you to the tasks of managing and storing files using the Pascal Filer.
- Chapter 8: "The Compiler" describes using the Compiler, which you will be using to transform a source program into a form that the computer can execute.
- Chapter 9: "Other Subsystems" briefly discusses the Assembler, Librarian, and Debugger subsystems.
- Chapter 10: "Setting Up Your Environment" is devoted to helping you set up your programming "environment."
- In Chapter 11: "Program Development Section," you will be entering, storing, compiling, and running a short Pascal program.
- The Task Reference briefly summarizes the steps for common procedures.
- There is also a subject index at the back of this manual.

An Introduction to Programming and Problem Solving with Pascal

(HP Part Number 09826-90072)

This is a textbook that will teach you the Pascal programming language. It is useful for those who have never programmed using the Pascal language. It is a combination of task-oriented information (such as discussions of how to solve particular programming problems) and object-oriented information (such as descriptions of reserved words and standard procedures).

- The STYLE CLINICS section lists the programming style tips given throughout the book.
- Chapter 1: “An Introduction to Computer Programming” describes the steps involved in developing programs in any computer language.
- Chapter 2: “Algorithms” takes a closer look at developing algorithms. A thorough understanding and *application* of these principles will help you to become a good programmer as quickly as possible. You should memorize and follow the maxim:

“Think First, Code Later.”

- Chapters 3 through 10 present advice and examples of Pascal programming. The titles for these chapters are as follows:
 - Chapter 3: “Basic Pascal Data Types and Declarations”
 - Chapter 4: “Elementary Pascal Programming”
 - Chapter 5: “The Flow of Control”
 - Chapter 6: “Running, Debugging, and Testing Programs”
 - Chapter 7: “Structured Data Types – Arrays”
 - Chapter 8: “Functions and Procedures”
 - Chapter 9: “More Structured Data Types – Records and Sets”
 - Chapter 10: “More Structured Data Types – Files and Pointers”
- Chapter 11: “Program Design Methods” presents a well organized summary of the “program design methods” that have been taught in the book.
- Appendices include the following: syntax diagrams, a list of standard identifiers, character sets, bibliography, selected answers to exercises, and subject index.

Pascal 3.2 Workstation System, Volume 1: Main Command Level and Subsystems

(HP Part Number 98615-90023)

This manual describes the HP Series 200/300 Pascal Workstation system. By reading it, you will learn how to use individual commands as well as how to use the subsystems (Editor, Filer, etc.). The chapters that describe the subsystems first take a task-oriented approach at introducing you to using the subsystem, and then provide an object-oriented discussion of each command at the end of the chapter.

- Chapter 1: “Manual Overview” contains an overview of the manual.
- Chapter 2: “The Main Command Level” provides a quick reference and detailed descriptions of Main Level commands.
- Chapter 3: “The File System” describes the File System of the Pascal Workstation System.
- Chapters 4 through 9 describe the subsystems of the Workstation system: Editor, Filer, Pascal Compiler, Assembler, Librarian, and Debugger. The first part of each chapter describes using the subsystem, while the latter part describes each command. Pay special attention to the concept of *modules*, because the system itself is composed of modules. An understanding of these structures will greatly increase your ability to use the system to its fullest extent.

The titles for Chapters 4 through 9 are as follows:

- Chapter 4: “The Editor”
- Chapter 5: “The Filer”
- Chapter 6: “Pascal Compiler”
- Chapter 7: “The Assembler”
- Chapter 8: “The Librarian”
- Chapter 9: “The Debugger”
- A list of errors and subject index are also included at the end of this manual.



Pascal 3.2 Workstation System, Volume 2: Programming and Configuration Topics

(HP Part Number 98615-90023)

This manual describes using the Workstation-specific language features of this system. For instance, it describes programming with features of HP Pascal that are not contained in the "standard" Pascal language of most other computers. Some chapters also provide some handy techniques for making common computations with "standard" Pascal features. The last two chapters provide more task-oriented discussions of standard and special configurations and "non-disc" mass storage devices. Here are the chapters and topics therein:

- Chapter 10: "Overview of Workstation Software Features" provides an overview of the Pascal language and software libraries provided with this system. It shows that the language consists of the "ANSI/ISO Pascal" standard, *plus* several additional enhancements.
- Chapters 11 through 17 describe using Workstation extensions of standard Pascal features. The titles for these chapters are as follows:
 - Chapter 11: "Data Structures"
 - Chapter 12: "Program Flow"
 - Chapter 13: "Numeric Computation"
 - Chapter 14: "String Manipulation"
 - Chapter 15: "Programming with Files"
 - Chapter 16: "Dynamic Variables and Heap Management"
 - Chapter 17: "Error Trapping and Simulation"
- Chapter 18: "Special Configurations" first describes how the system boots itself and then describes how you can alter this "standard" configuration.

- Chapter 19: “Non-Disc Mass Storage” describes using “non-disc” mass storage devices: EPROM and Magnetic Bubble Memory cards, and cartridge tape drives.
- Chapter 20: “Backup Utilities” describes how to “port” programs written for Series 200 computers to Series 300 computers. It first describes the hardware differences between Series 300 and 200 machines, and then discusses several considerations to make when determining how to port a particular program.
- Chapter 21: “HFS Setup and Utilities” describes how to install and maintain the HFS file system on a hard disc.
- Chapter 22: “Porting to Series 300” explains how to make Pascal programs written for Series 200 computers run on Series 300 computers.
- Appendices discuss these topics: System History, file interchange between Series 200/300 BASIC and Pascal language systems, physical and software memory maps, command summaries, glossary, error messages, and subject index.

Pascal 3.2 Procedure Library

(HP Part Number 98615-90032)

This manual describes the library of procedures and functions provided with the Workstation Pascal System. It begins with an overview of modules and the mechanics of using them. The I/O Procedure Library is then covered in detail using a task-oriented approach. Several general and specific examples are provided. The last section of the book provides an object-oriented discussion of each procedure and function in the Procedure Library.

- Chapter 1: “Overview” provides an overview of using the procedures and functions provided in the Procedure Library. You **must** read this chapter (or be familiar with the concepts) if you want to painlessly use the rest of the manual.
- Chapters 2 through 9 describe general I/O programming techniques. The chapter titles are as follows:
 - Chapter 2: “Interfacing Concepts”
 - Chapter 3: “The I/O Procedure Library”
 - Chapter 4: “Directing Data Flow”
 - Chapter 5: “Outputting Data”
 - Chapter 6: “Inputting Data”
 - Chapter 7: “Registers”
 - Chapter 8: “Errors and Timeouts”
 - Chapter 9: “Advanced Transfer Techniques”
- Chapters 10 through 13 describe specific techniques for using the HP-IB, Datacomm, Serial, and GPIO interfaces. The chapter titles are as follows:
 - Chapter 10: “HP-IB Interface”
 - Chapter 11: “Datacomm Interface”
 - Chapter 12: “RS-232 Serial Interface”
 - Chapter 13: “GPIO Interface”

- Chapter 14: “System Devices” is an *advanced* programmer’s tutorial on using the “system devices” such as the beeper, softkeys, clock, timers, and other built-in hardware features.
- Chapter 15: “Segmentation Procedures” is also an *advanced* programmer’s tutorial on how to segment large programs into smaller ones at run time (to decrease memory requirements).
- The Procedure Library Reference section describes individual procedures and functions provided by the Procedure Library.
- There is also a glossary and subject index at the end of the manual.

Pascal 3.2 Graphics Techniques

(HP Part Number 98615-90037)

This manual describes graphics concepts and then graphics programming techniques. It is mostly a task-oriented manual, although it does contain a concept-oriented Graphics Procedures Reference appendix which describes the procedures and functions provided by the GRAPHICS modules.

- Chapter 1: "Introduction to Graphics" describes some fundamental graphics concepts and programming techniques.
- Chapter 2: "Miscellaneous Graphics Concepts" continues with additional concepts and techniques.
- Chapter 3: "External Graphics Displays and Plotters" describes color graphics and interactive graphics programming techniques.
- Chapter 4: "Interactive Graphics" explains how to design an interactive graphics interface for communicating with the computer.
- Chapter 5: "Color Graphics" provides a detailed explanation of color graphics as used with the Device independent Graphics Library (DGL). Some of the topics covered are:
 - The DGL Color System
 - Models for Color Specification
 - Color Spaces
 - Frame Buffers
 - Series 200/300 Color Graphics System
 - Resolution and Color Models
 - Writing Modes and Color
 - Effective Use of Color
 - Reproducing Color Graphics
- Appendix A provides several program listings.

- Appendix B provides descriptions of GRAPHICS procedures and functions provided in the Procedure Library (these descriptions are *exact* copies of descriptions found in the Reference section of the *Pascal Procedure Library* manual).
- This manual also has a subject index.

HP Pascal Language Reference

(HP Part Number 98615-90052)

This manual describes HP Pascal reserved words, standard identifiers, procedures, functions, and terms. It is entirely a concept-oriented manual.

- The Keyword Dictionary section describes these topics: manual organization; symbols, identifiers, reserved words, operators, statements, procedures, and other features of the HP Standard Pascal language.
- The HP-UX Implementation section describes the specific features of the Series 200/300 HP-UX Pascal Compiler (which is irrelevant *unless* you also have a Series 200/300 HP-UX system).
- The Workstation Implementation section describes these specific features of the Series 200/300 Pascal Workstation System: Compiler options, implementation restrictions, UCSD Pascal extensions, Series 200 system programming extensions, Series 200/300 Pascal Workstation File System, heap management, and error messages.

MC68000 User's Manual

(HP Part Number 09826-90073)

This manual describes the hardware operation, assembly language¹, and machine language of the Motorola MC68000 and MC68010 microprocessors. (Note that only 68000 and 68010 processors, not 68008 processors, are used in Series 200 machines; MC68010 and MC68020 are used in Series 300 computers.) You will only need to read it if you are going to be programming in assembly language. It is mostly a concept-oriented manual.

- Section 1 describes MC68000 and MC68010 hardware architecture.
- Section 2 describes addressing modes and data organization.
- Section 3 details the instruction set.
- Section 4 describes how "exceptions" are processed.
- Appendix A discusses condition codes in detail.
- Appendix B provides an alphabetical reference of the Assembler language instructions, and Appendix C summarizes the format of these instructions.
- Appendices D, E, and F show how to determine the time required to execute instructions for different processors in the MC68000 family.
- Appendix G discusses the looping instructions available with the MC 68010 processor.

¹ Extensions to and deviations from this assembly language are described in the "Assembler" chapter in Volume 1 of the *Pascal Workstation System* manual.

MC68020 User's Manual

(HP Part Number 98615-90606)

This manual contains hardware specifications and assembly language instruction syntax¹ for the MC68020 microprocessor.²

MC68881 User's Manual

(HP Part Number 98615-90607)

This manual contains hardware specifications and assembly language instruction syntax¹ for the MC68881 floating-point math co-processor.²

¹ Extensions to and deviations from this assembly language are described in the "Assembler" chapter in Volume 1 of the *Pascal Workstation System* manual.

² This manual is not shipped with any Pascal systems. It must be ordered separately from the Direct Marketing Division (DMK). To order this manual, call 1-800-538-8787.

The Master Index

The Master Index is a merger of the indexes in the individual manuals in this set. This section describes the notation used in the index.

Referencing Scheme

Since the Master Index references more than one book, it must indicate which book the referenced subject exists in. Here is the notation used to specify where the subject is covered.

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System*
Volume 1: Main Command Level and Subsystems

WS 2: *Pascal 3.2 Workstation System*
Volume 2: Programming and Configuration Topics

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Here is a sample of index entries:

Access command (Filer) **WS 1:** 126
Access rights (SRM) **WS 1:** 46,110, **WS 2:** 120
Accuracy **WS 2:** 34
Active controller (HP-IB) **PL:** 78,83

Note the following characteristics of this notation:

- An acronym that identifies the manual (such as **WS 1:** or **PL:**) *always* precedes all page numbers for a given topic.
- When a topic is found in more than one manual (such as the second example above), the list may contain several acronyms. In this case, the page numbers between the first and second acronyms are in the manual indicated by the first acronym; the pages between the second and third acronyms are in the manual indicated by the second acronym; and so forth.

Manuals Not Referenced

Note that the following manuals are **not** referenced in the Master Index:

- *An Introduction to Programming and Problem Solving with Pascal*
- *HP Pascal Language Reference*
- *MC68000 User's Manual*
- *MC68020 User's Manual*
- *MC68881 User's Manual*

The Pascal programming text has its own index. The language reference does not need an index, since topics are listed in alphabetical order. The 68000, 68020, and 68881 manuals have no index.

Master Index

a

Abort (HP-IB)	PL: 10-10
Aborting prompts	UG: 45
Absolute addressing (of variables)	WS 2: 11-6
Absolute locator	GT: B-1, B-3, B-30, B-62, B-64, B-68, B-84, B-109
Acceleration, pen	GT: 3-6
Access command (Filer)	WS 1: 5-26
Access rights:	
HFS	WS 1: 5-8
SRM	WS 1: 3-8, WS 2: 15-38
Active controller (HP-IB)	PL: 10-2, 10-7
Address (HP-IB)	PL: 10-7
Addressed to listen state (HP-IB)	PL: 10-13
Addressed to talk state (HP-IB)	PL: 10-13
Addresses (HP-IB)	PL: 10-2
Addresses:	
I/O	WS 2: B-18
Memory	WS 2: B-17
RAM	WS 2: B-17
ROM	WS 2: B-18
System	WS 2: B-20
Adjust command (Editor)	WS 1: 4-28
Advanced bus management (HP-IB)	PL: 10-18
ALIAS (Compiler option)	WS 1: 6-22
ALLOCATE module	PL: 1-17
ALLOW_PACKED (Compiler option)	WS 1: 6-23
ALPHA key	UG: 75, 89, 111
Alphabetical directory listing	UG: 149
Alternate DAMs	WS 2: 18-21, 18-64
Anisotropic scaling	GT: 1-10

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

ANSI (Compiler option)	WS 1:6-24
ANY C key	UG:102
ANY CHAR key	UG:89
ANYCHAR key	UG:74
ANYPTR type	WS 2:12-3
ANYVAR type	WS 2:12-2
APPEND (files)	WS 2:15-23, 15-24, 15-33
Arrow keys	UG:82, 96, 107
Aspect ratio	GT:2-2, 4-13, 2-28
Aspect Ratio, setting	GT:1-11
Assembler pseudo ops:	
COM	WS 1:7-30
DC	WS 1:7-31
DECIMAL	WS 1:7-32
DEF	WS 1:7-32
DS	WS 1:7-32
END	WS 1:7-33
EQU	WS 1:7-33
INCLUDE	WS 1:7-34
LIST	WS 1:7-34
LLEN	WS 1:7-34
LMODE	WS 1:7-35
LPRINT	WS 1:7-35
MNAME	WS 1:7-35
NOLIST	WS 1:7-35
NOOBJ	WS 1:7-36
NOSYMS	WS 1:7-36
ORG	WS 1:7-36
PAGE	WS 1:7-36
REFA	WS 1:7-37
REFR	WS 1:7-37
RMODE	WS 1:7-38
RORG	WS 1:7-38
SMODE	WS 1:7-39
SPC	WS 1:7-39
SPRINT	WS 1:7-39
SRC	WS 1:7-40
START	WS 1:7-40
TTL	WS 1:7-40

Assembler subsystem	UG: 169, 216, 275
Assembler:	
Addressing modes	WS 1: 7-26
Declaring global variables	WS 1: 7-9
Declaring module name	WS 1: 7-8
DEF table	WS 1: 7-7
Error recovery	WS 1: 7-13
Errors	WS 2: A-13
Example modules	WS 1: 7-41
Exception coding	WS 1: 7-15
Expressions	WS 1: 7-24
EXT Table	WS 1: 7-8
EXTERNAL procedures	WS 1: 7-16
IMPORT text	WS 1: 7-6
Instruction format	WS 1: 7-17
Introduction	WS 1: 7-1
Invoking	WS 1: 7-2
Listing	WS 1: 7-2
Local variables	WS 1: 7-11
Module initialization	WS 1: 7-13
Modules	WS 1: 7-5
Object file	WS 1: 7-3
Opcode size suffix	WS 1: 7-20
Opcodes	WS 1: 7-19
Passing Parameters	WS 1: 7-8
Pseudo ops	WS 1: 7-30
Source file	WS 1: 7-2
Symbols	WS 1: 7-22
Use of the stack	WS 1: 7-15
Asterisk (system volume)	UG: 118
Asynchronous protocol (Datacomm)	PL: 11-2, 11-13
Attention line (HP-IB)	PL: 10-15
Attention message (HP-IB)	PL: 10-4
Attributes, color	GT: 5-1

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Auto-Configuration:

Introduction	WS 2: 18-1
Process	WS 2: 18-7
Standard	WS 2: 18-7
TABLE program	WS 2: 18-6
Verifying modifications	WS 2: 18-68
Auto-dialing (Datacomm)	PL: 11-20
Auto-poll (Datacomm)	PL: 11-25
AUTOKEYS files	WS 2: 18-6, 18-37
AUTOSTART files	WS 2: 18-6, 18-37
Autostart files:	
Booting with	UG: 189
Changing	UG: 209
Confirming	UG: 190
Creating	UG: 184, 243
Description of	UG: 184
Modifying for Winchester disc	UG: 187
Storing	UG: 188
Auxiliary command register (HP-IB)	PL: 10-33
Available global space	UG: 122
AWAIT_LOCATOR procedure	GT: 4-9, B-1, B-3
Axes	GT: 1-20, 2-30
Axes, labelling	GT: 1-25
Axes, logarithmic	GT: 2-32
AxesGrid program	GT: 2-30, A-2

b

BACK SPACE key	UG: 96, 107
Background value	GT: 5-24
Backing up a program	UG: 205
Backing up the Pascal system	UG: 51, 234, 333
Backing up volumes	WS 1: 5-12
Backplane	PL: 2-2
Backspace key	UG: 82
BACKUP:	
Full	WS 2: 20-3
Incremental	WS 2: 20-4
Limitations	WS 2: 20-8
Restore	WS 2: 20-5

Table-of-Contents	WS 2: 20-7
Utility	WS 2: 20-2
Verification	WS 2: 20-10
Bad sector command (Filer)	WS 1: 5-29
BAR_KNOB program	GT: 4-1, 4-4, A-9
BAR_KNOB2 program	GT: A-12
Battery features (System devices)	PL: 14-75
Baud rate (Datacomm)	PL: 11-7, 11-14
Baud rate (Serial)	PL: 12-3, 12-6
Beeper (System devices)	PL: 14-9
Bit	PL: 2-7
Block size (Datacomm)	PL: 11-19
Blocked and Unblocked Units	WS 1: 3-3
Blocked devices	WS 2: 18-9
Bold labels	GT: 1-19
Boot files (Renaming)	WS 2: 18-35
Boot ROM	WS 2: 18-3
Boot volume	UG: 18, 20
Boot volume (defined)	WS 2: 18-5
Boot-time errors	WS 2: A-2
Booting from EPROM	WS 2: 19-20
Booting process	WS 2: 18-3
Booting the Pascal system	GT: 1-7
Booting:	
From flexible disc	UG: 18, 213
From Winchester (hard) disc	UG: 177
Problems	UG: 20
Break key	UG: 80
Break messages (Serial)	PL: 12-11
Break timing (Datacomm)	PL: 11-17
Breakpoints (Debugger)	WS 1: 9-13
BRSTUFF module (CTABLE)	WS 2: 18-62
Bubble memory	UG: 46



UG: *Pascal 3.2 User's Guide*
WS 1: *Pascal 3.2 Workstation System, Volume 1*
WS 2: *Pascal 3.2 Workstation System, Volume 2*
PL: *Pascal 3.2 Procedure Library*
GT: *Pascal 3.2 Graphics Techniques*

Bubble memory:	
Configuration	WS 2: 19-3
Driver module	WS 2: 19-5
Error correction	WS 2: 19-10
File System access of	WS 2: 19-10
Hardware device	WS 2: 19-11
Initializing	WS 2: 19-11
Interrupts	WS 2: 19-11
Introduction	WS 2: 19-1
Using	WS 2: 19-3, 18-19
Buffer, editing	UG: 135
Buffer, type ahead	UG: 87
Buffer, type-ahead	UG: 100, 112
Buffer:	
type-ahead	UG: 63
Buffers:	
BUF_INFO_TYPE	PL: 9-1
Control of	PL: 9-2
END condition transfers	PL: 9-8
Feeding of	PL: 9-3
General	PL: 9-1
Match character transfers	PL: 9-8
Overlap transfers	PL: 9-6
Reading data from	PL: 9-2
Serial transfers	PL: 9-4
Special transfers	PL: 9-8
Terminating transfers	PL: 9-6
Word transfers	PL: 9-8
Writing data to	PL: 9-3
BUF_INFO_TYPE	PL: 9-1
Bus	PL: 2-2
Bus address	PL: 4-2
Bus line states (HP-IB)	PL: 10-16
Bus sequences (HP-IB)	PL: 10-5
Byte	PL: 2-7

C

C I/O key	UG: 107
Cable options (Datacomm)	PL: 11-27
Cable options (Serial)	PL: 12-23
CALL	WS 2: 12-4
CALLABS (Compiler option)	WS 1: 6-25
CAPS key	UG: 108
Caps key	UG: 83
CAPS LOCK key	UG: 97
CARD_ID	PL: 3-7, 3-8, 3-9
CARD_TYPE	PL: 3-7, 3-8, 3-9
Cartesian coordinates	GT: 1-6
Cartridge tape drives	WS 2: 19-35
Cell, character	GT: 2-11
Centering labels	GT: 1-17
Change command	UG: 152, 259, 260
Change command (Filer)	WS 1: 5-18, 5-30
Changing memory contents (Debugger)	WS 1: 9-22
Chapter previews	WS 1: 1-2, 1-4
Character cell	GT: 2-11
Character format (Datacomm)	PL: 11-17
Character format (Serial)	PL: 12-2, 12-4, 12-7
Character length (Datacomm)	PL: 11-7
Character set, Roman 8	UG: 84
Character sets	WS 2: C-1
Character size, setting	GT: 2-13, 1-16
Characters (internal representation of)	PL: 2-9
CharCell program	GT: 2-11, A-17
CHARSIZE procedure	GT: 2-14, 2-18
Choosing the graphics display device	GT: 1-6
Clear (HP-IB)	PL: 10-10
Clear line key	UG: 86
CLEAR_DISPLAY procedure	GT: B-10, 2-23

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Clearing workfiles	UG: 250
CLIPDRAW procedure	GT: 1-25, 2-30, 1-32
Clipping lines	GT: 1-23
Clock	WS 2: 22-4
Clock, setting the	UG: 26, 214
Clock (System devices)	PL: 14-11
CLOSE (files)	WS 2: 15-24
Closed loop system	GT: 4-1
CLR I/O key	UG: 95
CLR L key	UG: 109
CLR LN key	UG: 99
Coalescing hard-disc volumes	WS 2: 18-14, 18-26
CODE (Compiler option)	WS 1: 6-26
Code file specification	WS 1: 9-6
CODE files	UG: 115, 164
CODE_OFFSETS (Compiler option)	WS 1: 6-27
Colon (default volume)	UG: 118
Color displays, external	GT: 3-4
COLOR program	GT: 5-9, A-18
Color:	
Additional colors	GT: 5-20, 5-24, 5-25
Business	GT: 5-2
CMY Color Cube	GT: 5-13
Dithered colors	GT: 5-21, 5-24
Effective use of	GT: 5-36
Gamuts	GT: 5-40
Graphics	GT: 5-1
Hardcopy	GT: 5-40
HSL Color Cylinder	GT: 5-14
HSL model	GT: 5-5, 5-9
Hue	GT: 5-5
Luminosity	GT: 5-5
Map	GT: 5-25
Mixing	GT: 5-37
Model resolution	GT: 5-29
Models	GT: 5-4, 5-9
Objective use of	GT: 5-38
Primary	GT: 5-2
References	GT: 5-42
RGB Color Cube	GT: 5-12
RGB model	GT: 5-4, 5-9

Saturation	GT:5-5
Seeing	GT:5-36
Spaces	GT:5-11
Subjective use of	GT:5-38
Table	GT:5-2
Vector	GT:5-21
Command Interpreter	WS 2:18-6
Command lines	UG:40, 61
Command reference:	
Debugger	WS 1:9-34
Librarian	WS 1:8-24
Command summary:	
Debugger	WS 1:9-31, WS 2:D-8
Editor	WS 2:D-2
Filer	WS 2:D-4
Librarian	WS 2:D-6
Main Command Level	WS 2:D-1
Commands table (HP-IB)	PL:10-20
Commands:	
eXecute (Main level)	WS 1:2-5
Exiting	UG:220
Initialize (Main Level)	WS 1:2-6
Invoking	UG:219
Main Level	WS 1:2-3, 2-4
Memory volume (Main Level)	WS 1:2-7
New sysvol (Main Level)	WS 1:2-9
Permanent (Main Level)	WS 1:2-10
Run (Main Level)	WS 1:2-11
Stream (Main Level)	WS 1:2-12
Syntax diagram	WS 1:2-4
User restart (Main Level)	WS 1:2-15
Version (Main Level)	WS 1:2-16
What (Main Level)	WS 1:2-18
Compacting volume space	UG:156, 263
Compatibility hardware	WS 2:22-10

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Compatibility (of interfaces)	PL: 2-4
Compile strategy (for modules)	PL: 1-6
Compiler errors	WS 2: A-9
Compiler intrinsics	PL: 1-13
Compiler option:	
ALIAS	WS 1: 6-22
ALLOW_PACKED	WS 1: 6-23
ANSI	WS 1: 6-24
CALLABS	WS 1: 6-25
CODE	WS 1: 6-26
CODE_OFFSETS	WS 1: 6-27
COPYRIGHT	WS 1: 6-28
DEBUG	WS 1: 6-29
DEBUG ON	WS 1: 6-54
DEF	WS 1: 6-30
FLOAT_HDW	WS 1: 6-31
General	WS 1: 6-21
HEAP_DISPOSE	WS 1: 6-32
IF	WS 1: 6-33
INCLUDE	WS 1: 6-34
IOCHECK	WS 1: 6-35
LINENUM	WS 1: 6-36
LINES	WS 1: 6-37
LIST	WS 1: 6-38
OVFLCHECK	WS 1: 6-39
PAGE	WS 1: 6-40
PAGEWIDTH	WS 1: 6-41
PARTIAL_EVAL	WS 1: 6-42
RANGE	WS 1: 6-43
REF	WS 1: 6-44
SAVE_CONST	WS 1: 6-45
SEARCH	WS 1: 6-46
SEARCH_SIZE	WS 1: 6-47
STACKCHECK	WS 1: 6-48
STACKCHECK_ON	WS 1: 6-55
SWITCH_STRPOS	WS 1: 6-49
SYSPROG	WS 1: 6-50, WS 2: 17-1
TABLES	WS 1: 6-51
UCSD	WS 1: 6-52
WARN	WS 1: 6-53

FLOAT_HDW	PL: 1-15
HEAP_DISPOSE	PL: 1-13
RANGE ON	PL: 3-7
SEARCH	PL: 1-6
SYSPROG	PL: 8-2
Compiler:	
Absolute address (of variables)	WS 2: 11-6
Absolute addressing (of variables)	WS 2: 11-6
ANYPTR type	WS 2: 11-6
CALL	WS 2: 12-4
Compiling workfiles	UG: 166, 194
Description of	UG: 114, 161
Entering	UG: 162, 216, 264
Error trapping and simulation	WS 2: 17-1
Errors	WS 1: 6-19
Function calls	WS 1: 6-57
Function results	WS 1: 6-58
Global variables	WS 1: 6-55
INCLUDE files	WS 1: 6-18
Introduction	WS 1: 6-1
Invoking	WS 1: 6-3
IOCHECK	WS 2: 17-3
IORESULT function	WS 2: 17-2
Listing	WS 1: 6-5
Memory requirements	UG: 275
Mixing DISPOSE and RELEASE	WS 2: 16-4
Modules	WS 1: 6-7
Output (CODE) files	UG: 164, 264
Parameter passing	WS 1: 6-57
Printer (program) listings	UG: 163, 264
Procedure calls	WS 1: 6-55
Relaxed typechecking	WS 2: 12-2
Running the program	WS 1: 6-5
SEARCH option	WS 1: 6-14
Separate module compilation	WS 1: 6-13



UG: *Pascal 3.2 User's Guide*
WS 1: *Pascal 3.2 Workstation System, Volume 1*
WS 2: *Pascal 3.2 Workstation System, Volume 2*
PL: *Pascal 3.2 Procedure Library*
GT: *Pascal 3.2 Graphics Techniques*

Compiler: (continued)	
Stack usage	WS 1: 6-54
Static links	WS 1: 6-58
Strategy for compiling modules	WS 1: 8-5
UCSD options	WS 1: 6-52
Using	UG: 163, 194, 197, 200, 203, 264
Variable size	WS 2: 11-5
Workfile	WS 1: 6-6
Compiling a program	UG: 163, 264
Compiling demonstration programs	GT: 1-4
Compiling modules	WS 1: 8-5
Compiling programs	UG: 197
Complementing lines	GT: 2-23, 5-31
Computer (block diagram)	PL: 2-2
Computer resource	PL: 2-1
CONFIG disc	UG: 66
Configuration:	
Example of SRM	WS 2: 18-71
Interfaces	WS 2: 18-16
Modifying the standard	WS 2: 18-26
Multi-disc SRM	WS 2: 18-82
Verifying changes to	WS 2: 18-68
CONSOLE volume	UG: 156
CONT key	UG: 74, 102
CONTINUE key	UG: 90
Continuous degrees of freedom	GT: 4-7
Control blocks (Datacomm)	PL: 11-4, 11-13, 11-18
Control characters (System devices)	PL: 14-28
Control value (DISPLAY_INIT)	GT: 1-7
ControlWord variable	GT: 1-7
Conversion between coordinate systems	GT: 2-8
ConvertVirtualToWorld program	GT: 2-9
ConvertWorldToVirtual program	GT: 2-10
CONVERT_WTODMM procedure	GT: B-11, 1-24
CONVERT_WTOLMM procedure	GT: B-12
Coordinate systems, conversion between	GT: 2-8
Coordinates:	
Cartesian	GT: 1-6
Rectangular	GT: 1-6
Virtual	GT: 1-13
World	GT: 1-13, B-11, B-12

Copy command	UG:134
Copy command (Editor)	WS 1:4-30
Copying discs	WS 1:5-12
Copying files	UG:151, 205, 251, WS 1:5-15
Copying files (to SRM)	WS 2:18-77
Copying Pascal system to hard disc	UG: 172, 236
Copying system files	WS 2:18-34
Copying Volumes	UG:254
COPYRIGHT (Compiler option)	WS 1:6-28
Cpy command	UG:134
Creating a file	UG:129, 244
Creating an HFS directory	WS 1:5-14
Creating an SRM directory	WS 1:5-14
CRT drawing modes	GT:2-23, 5-30
CRT, graphics	GT:1-6
CRT highlight characters	WS 2:C-12
CRT information	PL:14-30
CRT interface (select code 1)	PL:4-1
CrtAddr variable	GT:3-1, 1-7
Crunch command	UG:154, 263
CS80 discs (configuration)	WS 2:18-26
CsizeProg program	GT:A-25
CTABLE program:	
BRSTUFF module	WS 2:18-62
Commentary	WS 2:18-50
Compiling	WS 2:18-68
CTR module	WS 2:18-61
Device address vectors	WS 2:18-53
Editing	WS 2:18-67
Flexible disc units	WS 2:18-52
Local printers	WS 2:18-52
Modifying	WS 2:18-49
Modifying for Bubble cards	WS 2:19-8
OPTIONS module	WS 2:18-51
Running	WS 2:18-68

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

CTABLE program: (continued)	
SCANSTUFF module	WS 2: 18-62
Secondary DAMs	WS 2: 18-51
CTR module (CTABLE)	WS 2: 18-61
CTRL key	UG: 79, 93, 105
Cube, Color	GT: 5-12
Cursor	UG: 70
Cursor control (System devices)	PL: 14-32
Cursor tracking	GT: 4-1
Cursor wheel	WS 1: 4-8, 4-21
Customizing demo programs for your system	GT: 1-6
Cylinder, Color	GT: 5-14

d

DAMs (Directory access methods)	WS 1: 2-7, WS 2: 18-23, 18-51
Data compatibility	PL: 2-4
Data flow, directing	PL: 4-1
Data input:	
Datacomm	PL: 11-4
General	PL: 6-1
GPIO	PL: 13-15
HP-IB	PL: 10-3
Serial	PL: 12-9
Data link connections (Datacomm)	PL: 11-20
Data link options (Datacomm)	PL: 11-17
Data link protocol (Datacomm)	PL: 11-3
Data messages (Datacomm)	PL: 11-6
Data messages (HP-IB)	PL: 10-5
Data output:	
Datacomm	PL: 11-4
General	PL: 5-1
GPIO	PL: 13-15
HP-IB	PL: 10-3
Serial	PL: 12-8
Data representations:	
Bits and bytes	PL: 2-7
Characters	PL: 2-9
GPIO	PL: 13-15
Numbers	PL: 2-8
Real numbers	PL: 2-11
Signed integers	PL: 2-9

Data types:	
ANYPTR	WS 2: 12-3
ANYVAR	WS 2: 12-2
I/O	PL: 3-6, 3-7, 3-8, 3-9, 3-10
Supported for input	PL: 6-1
Supported for output	PL: 5-1
Data-Cartridge tape drives	WS 2: 19-35
Data-driven plotting	GT: 2-39
Datacomm:	
Asynchronous	PL: 11-13
Asynchronous protocol	PL: 11-2
Auto-dialing	PL: 11-20
Auto-poll	PL: 11-25
Baud rate	PL: 11-7, 11-14
Block size	PL: 11-19
Break timing	PL: 11-17
Cable adapter options	PL: 11-27
Character format	PL: 11-17
Character length	PL: 11-7
Connecting to the line	PL: 11-19
Connection procedures	PL: 11-20
Control blocks	PL: 11-4, 11-13, 11-18
Data Communication Basics (98046-90005)	PL: 11-1
Data link connections	PL: 11-20
Data link options	PL: 11-17
Data link protocol	PL: 11-3
Data messages	PL: 11-6
DCE and DTE cable options	PL: 11-27
Defaults	PL: 11-11
Dialing procedures	PL: 11-20
Direct connection links	PL: 11-19
Driver/receiver circuits	PL: 11-28
End-of-line recognition	PL: 11-16
Errors and recovery	PL: 11-22
Establishing the connection	PL: 11-10

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Datacomm: (continued)	
Example terminal emulator	PL: 11-8
Half-duplex	PL: 11-26
Handshake	PL: 11-15, 11-18
Handshake characters	PL: 11-16
Initiating connection	PL: 11-21
Introduction	PL: 11-1
IOSTATUS and IOCONTROL registers	PL: 11-29
Line timeouts	PL: 11-14
Non-data characters	PL: 11-16
Operating parameters	PL: 11-10
Overview of programming	PL: 11-7
Parity	PL: 11-2, 11-7, 11-19
Preventing data loss	PL: 11-24
Private links	PL: 11-19
Programming helps	PL: 11-24
Prompt recognition	PL: 11-16
Protocol	PL: 11-2, 11-12
Reset	PL: 11-12
RS-232C cable signals	PL: 11-27
Secondary channel	PL: 11-26
Start bit	PL: 11-2
Stop bits	PL: 11-2, 11-7
Telephone links	PL: 11-19
Terminal identification	PL: 11-18
Terminal prompt messages	PL: 11-24
Datapoint function	GT: 1-6
DataPoint program	GT: A-26
Date and time (System devices)	PL: 14-11
Date, setting system	UG: 25, 214
DCE and DTE cables (Datacomm)	PL: 11-27
DCE cable (Serial)	PL: 12-24
DEBUG (Compiler option)	WS 1: 6-29
DEBUG ON (Compiler option)	WS 1: 9-2, 6-54
Debugger commands:	
B	WS 1: 9-36
BA	WS 1: 9-36
BC	WS 1: 9-37
BD	WS 1: 9-37
BS	WS 1: 9-38
CALL	WS 1: 9-39

D	WS 1:9-40
DA	WS 1:9-42
DG	WS 1:9-42
EC	WS 1:9-43
ET	WS 1:9-43
ETC	WS 1:9-44
ETN	WS 1:9-44
FB	WS 1:9-45
FH	WS 1:9-45
FI	WS 1:9-45
FO	WS 1:9-45
FU	WS 1:9-45
G	WS 1:9-46
GF	WS 1:9-46
GT	WS 1:9-47
GTF	WS 1:9-47
IF, ELSE, END	WS 1:9-48
OL,OW,OB	WS 1:9-50
PN	WS 1:9-51
PX	WS 1:9-51
Q	WS 1:9-52
QE	WS 1:9-52
QS	WS 1:9-52
Register operations	WS 1:9-53
sb (system boot)	WS 1:9-55
Softkey commands	WS 1:9-54
T	WS 1:9-55
TD	WS 1:9-55
TQ	WS 1:9-56
TT	WS 1:9-56
WD	WS 1:9-57
WR	WS 1:9-57
WS	WS 1:9-57

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Debugger subsystem	UG: 170
Debugger window (System devices)	PL: 14-37
Debugger:	
Breakpoint Table	WS 1: 9-15
Breakpoints	WS 1: 9-13
Changing memory contents	WS 1: 9-22
Clearing Breakpoints	WS 1: 9-14
Code file specification	WS 1: 9-6
Command reference	WS 1: 9-34
Command screen	WS 1: 9-7
Command summary	WS 1: 9-31, WS 2: D-8
DEBUG Compiler option	WS 1: 9-2
Default display formats	WS 1: 9-12
Display formats	WS 1: 9-10
Displaying data	WS 1: 9-9
Errors	WS 2: A-14
Examining consecutive memory	WS 1: 9-20
Examining variables	WS 1: 9-18
Example program	WS 1: 9-2
Exception trapping	WS 1: 9-24
Executing a number of statements	WS 1: 9-16
Expressions	WS 1: 9-34
Formats for structured variables	WS 1: 9-21
Generating Escapes	WS 1: 9-25
Input formats	WS 1: 9-12
Introduction	WS 1: 9-1
Invoking	WS 1: 9-6
Is it installed?	WS 1: 9-5, 9-28
Key notation	WS 1: 9-5
Keyboard	WS 1: 9-27
Loading	WS 1: 9-1, 9-4
Pause function	WS 1: 9-16
Prompt	WS 1: 9-7
Queue	WS 1: 9-9
Sample session	WS 1: 9-2
Screen dumps	WS 1: 9-8
Single-stepping	WS 1: 9-7
Slow program execution	WS 1: 9-7
Stack frame	WS 1: 9-17
Static and dynamic links	WS 1: 9-23
Tracing program flow	WS 1: 9-17

DEF (Compiler option)	WS 1:6-30
DEF table	WS 1:7-7, 8-27
DEF table command (Librarian)	WS 1:8-19
Default display formats (Debugger)	WS 1:9-12
Default values (in prompts)	UG:45, 222
Default volume	UG:120, 155, 183, WS 1:2-18, 3-4, 5-3
Defaults:	
Datacomm	PL:11-11
GPIO	PL:13-3, 13-4
HP-JB	PL:10-2
Serial	PL:12-3, 12-4
Define Source	WS 1:8-28
Defining a viewport	GT:1-13
Degrees of freedom:	
Continuous	GT:4-7
Non-separable	GT:4-7
Number of	GT:4-3
Quality of	GT:4-3
Quantizable	GT:4-8
Separability of	GT:4-7
DEL C key	UG:109
DEL CHR key	UG:99
DEL key	UG:86
DEL L key	UG:108
DEL LN key	UG:99
Delete char key	UG:86
Delete command	UG:131
Delete command (Editor)	WS 1:4-32
Delete line key	UG:86
Deleting a file	UG:153, 256
Deleting files	WS 1:5-19
Demonstration programs	GT:1-4, 1-6
Dependency of modules (table)	PL:1-20
Destination (of I/O operations)	PL:2-2
Device address vectors (CTABLE)	WS 2:18-53

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Device classes (TABLE program)	WS 2: 18-9
Device drivers	WS 2: 18-38
Device priority (while booting)	WS 2: 18-10
Device selector (DISPLAY_INIT)	GT: 1-6
Device selectors:	
General	PL: 4-1, 4-2, 3-6
HP-IB	PL: 10-3
Device-driver modules	WS 2: 18-7
Device-independent Graphics (DGL)	PL: 1-16
DGLPRG disc	GT: 1-1
Dialing procedures (Datacomm)	PL: 11-20
Direct access files	WS 2: 15-27
Direct connection links (Datacomm)	PL: 11-19
Directing data flow	PL: 4-1
Direction, label	GT: 2-16
Direction of labels, setting	GT: 1-17
Directory access methods (DAMs)	WS 1: 2-7, 3-10, WS 2: 18-21
Directory path syntax	WS 1: 3-6
Directory:	
Description of	UG: 35
Listing alphabetically	UG: 149
Listing files in	UG: 148, 261
Disassembly of a module	WS 1: 7-43
Disc drives	WS 1: 3-2
Disc, flexible:	
Formatting	UG: 22, 28
Handling	UG: 10
Initialization	UG: 28, 223
Insertion	UG: 12
Removing	UG: 13
Disc interleave	WS 2: 15-40
Disc performance	WS 2: 18-18
Disc, Winchester (hard):	
Autostart file	UG: 187
Booting from	UG: 177
Copying Pascal system	UG: 172, 236
Formatting	UG: 28, 225
Initialization	UG: 28, 225
Disc:	
Unit number assignments	UG: 46, 229, 230
Write-protection	UG: 15

Discs (general)	WS 1: 3-1
Discs (system)	WS 2: 18-4
Display control characters (System devices)	PL: 14-28
Display design	GT: 5-37
Display formats (Debugger)	WS 1: 9-10
Display limits, setting	GT: 2-1
Display organization	UG: 61
DISPLAY_INIT procedure	GT: B-13
Displaying data (with Debugger)	WS 1: 9-9
DISPLAY_INIT procedure	GT: 1-6, 3-1, 3-4, B-17
Displays, external color	GT: 3-4
Displays (Series 200/300)	WS 2: 22-2
Displays, turning on and off	GT: 2-7
DISPLAY_TERM procedure	GT: B-23
DISPOSE	WS 2: 16-3
DISPOSE (procedure)	PL: 1-13
Dithered colors	GT: 5-24
Dithering	GT: 2-43, 5-20, 5-26
Delete command	UG: 131
DMA card (configuration)	WS 2: 18-2
DMP A key	UG: 74
DMP G key	UG: 74
Document editing environment	UG: 137
Dollar sign wildcard	UG: 152, 175, 206, 251
Dominant lines, drawing	GT: 2-23, 5-31
Drawing lines	GT: 1-7
Drawing modes, CRT	GT: 2-23, 5-30
DrawMdPrg program	GT: 2-24, A-26
Drive numbers	WS 1: 3-3
Driver/receiver circuits (Datacomm)	PL: 11-28
DTE cable (Serial)	PL: 12-23
DUMP ALPHA key	UG: 90, 111
DUMP GRAPHICS key	UG: 90, 111
Dumping raster images	GT: 3-2
Duplicate command (Filer)	WS 1: 5-32

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

e

Echoes	GT: B-5
Echoes:	
Built-in	GT: 4-9
Rubber	GT: 4-12
EDIT key	UG: 89
Editor command:	
Adjust	WS 1: 4-28
Copy	WS 1: 4-30
Delete	WS 1: 4-32
Equals (=)	WS 1: 4-34
Exchange	WS 1: 4-53
Find	WS 1: 4-35
Insert	WS 1: 4-37
Jump	WS 1: 4-40
Margin	WS 1: 4-41
Page	WS 1: 4-42
Quit	WS 1: 4-43
Replace	WS 1: 4-45
Set	WS 1: 4-48
Verify	WS 1: 4-52
Zap	WS 1: 4-55
Editor:	
Anchor	WS 1: 4-21
Backing up your file	WS 1: 4-20
Changing text	WS 1: 4-11
Command summary	WS 2: D-2
Confirming or aborting commands	WS 1: 4-7
Copying text from other files	WS 1: 4-6
Cpy command	UG: 134
Creating a text file	WS 1: 4-3
Creating text	WS 1: 4-4
Cursor	WS 1: 4-21
Deleting text	WS 1: 4-9
Description of	UG: 114, 127
Dlete command	UG: 131
Duplicating text	WS 1: 4-11
Editing characteristics	UG: 136
Entering	UG: 58, 127, 216
Entering the	WS 1: 4-2

Exiting	UG: 59, 140
Exiting the Editor	WS 1: 4-19
File size	WS 1: 4-22
Finding text patterns	WS 1: 4-11
Formatting text	WS 1: 4-16
Insrt command	UG: 129
Introduction	WS 1: 4-1
I/O errors	WS 1: 4-24
Margin command	UG: 137
Margining text	WS 1: 4-16
Memory requirements	UG: 275
Moving text	WS 1: 4-11
Moving the cursor	WS 1: 4-8
Quitting	UG: 59
Recovering deleted text	WS 1: 4-11
Set environment command	UG: 136
Setting the environment	WS 1: 4-19
Storing an edited file	UG: 140, 192
Storing your file	WS 1: 4-5, 4-19
Stream files	WS 1: 4-24
Text file structure	WS 1: 4-23
Using workfiles	WS 1: 4-24
Window	WS 1: 4-21
Xchng command	UG: 133
Electrical compatibility	PL: 2-4
END condition transfers	PL: 9-8
End or Identify (HP-IB)	PL: 10-15
End-of-line recognition (Datacomm)	PL: 11-16
ENTER key	UG: 91, 103
Enter key	UG: 78
Environment, programming	UG: 171
Environments, editing	UG: 137
EPROM card	UG: 46



UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

EPROM memory:	
As the system volume	WS 2: 19-20
Blank check	WS 2: 19-27
Burn failure	WS 2: 19-29
Burn rate	WS 2: 19-25
Check failure	WS 2: 19-29
Configuration changes	WS 2: 19-13
Configuration modifications	WS 2: 19-32
Driver module	WS 2: 19-30
Driver modules	WS 2: 19-13
Empty sockets	WS 2: 19-26
File system access	WS 2: 19-34
Headers	WS 2: 19-20
Introduction	WS 2: 19-1
Memory addresses	WS 2: 19-17
Memory card installation	WS 2: 19-16
Overview of using	WS 2: 19-12
Programmer card installation	WS 2: 19-14
Programmer card select code	WS 2: 19-14, 19-25
Programming utility	WS 2: 19-19
Transfer utility	WS 2: 19-23
Transferring files	WS 2: 19-21
Transferring volumes	WS 2: 19-20, 19-28
Using	WS 2: 19-12, 18-19
Equal sign wildcard	UG: 175, 253
Equals (=) command (Editor)	WS 1: 4-34
Erasing lines	GT: 2-23, 5-31
Errors:	
Assembler	WS 2: A-13
Boot-time	WS 2: A-2
Booting	UG: 20
Compiler	WS 2: A-9
Debugger	WS 2: A-14
Graphics errors	WS 2: A-7
I/O library	WS 2: A-6
I/O system	WS 2: A-4
Loader/Segmenter	WS 2: A-8
Messages	WS 2: A-1
Recovery	WS 1: 7-13
Run-time	UG: 201, WS 2: A-3
Syntax	UG: 199, WS 1: 6-4

Trapping and simulation	WS 2: 17-1
Datacomm	PL: 11-22
General	PL: 8-1
I/O	PL: 8-3
I/O (table)	PL: 8-7
Segmentation	PL: 15-10
Serial (Serial)	PL: 12-9
ESC key	UG: 62, 79
ESCAPE	PL: 8-3
ESCAPECODE	PL: 8-3
Establishing the connection (Datacomm)	PL: 11-10
Events (errors and timeouts)	PL: 8-1
Examining consecutive memory (Debugger)	WS 1: 9-20
Examining variables (Debugger)	WS 1: 9-18
Example modules	PL: 1-3
Example terminal emulator (Datacomm)	PL: 11-8
Exception coding	WS 1: 7-15
Exception trapping (Debugger)	WS 1: 9-24
Exchange command	UG: 133
eXchange command (Editor)	WS 1: 4-53
EXEC key	UG: 104
eXecute command	UG: 28, 42, 115, 266
eXecute Command (Main Level)	WS 1: 2-5
EXECUTE key	UG: 92
Exiting	UG: 4
Exiting commands	UG: 220
Exiting subsystems	UG: 218
Explicit commands (HP-IB)	PL: 10-22
EXPORT	WS 1: 8-29
Expressions (Debugger)	WS 1: 9-34
EXT Table	WS 1: 7-8, 8-28
EXT table command (Librarian)	WS 1: 8-18
Extend char key	UG: 84
Extended character set	UG: 84

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Extended directory command (Filer)	WS 1: 5-7, 5-34
Extensions (to Pascal)	WS 2: 10-10
External color displays	GT: 3-4
External plotter control	GT: 3-5
EXTERNAL procedures	WS 1: 7-16

f

f1 through f8 keys	UG: 71
Failure of TABLE program	WS 2: 18-13
Fast drawing procedures	GT: 2-24
Feedback	GT: 4-1
FGRAPHICS modules	PL: 1-15
File directory	WS 1: 8-2
File specification	WS 1: 3-6
File system	UG: 35
File System (Introduction)	WS 1: 3-1
File types	WS 1: 3-13
File:	
Autostart files	UG: 184, 209
Changing a file name	UG: 152, 259, 260
CODE	UG: 164
Copying into Editor	UG: 134
Creation	UG: 128, 244
Data files	UG: 192
Deleting	UG: 153, 256
Description of	UG: 35
Location of	UG: 42, 227
Name	UG: 35, 42, 227
Printing	UG: 157, 267
Removing	UG: 153, 256
Specifying	UG: 42, 227
Storing	UG: 245, 249
Suffix suppression	UG: 115
Filecopy command	UG: 54, 151, 175, 206, 234, 236, 251
Filecopy command (Filer)	WS 1: 5-12, 5-15, 5-37
Filer:	
Access command	WS 1: 5-26
Bad sector command	WS 1: 5-29
Change command	UG: 152, 258, WS 1: 5-18, 5-30
Command summary	WS 2: D-4

Confirming or aborting commands	WS 1:5-2
Creating a directory (HFS)	WS 1:5-14
Creating a directory (SRM)	WS 1:5-14
Deleting files	WS 1:5-19
Description of	UG:114, 143
Duplicate command	WS 1:5-32
Duplicate_link	WS 2:18-77
Entering	UG:60, 143, 216
Entering the Filer	WS 1:5-2
Exiting	UG:60, 160
Extended directory command	WS 1:5-7, 5-34
Filecopy command	UG:51, 151, 175, 206, 234, 236, 251, WS 1:5-12, 5-15, 5-37
Get command	WS 1:5-40, UG:146
HFS access rights	WS 1:5-8
Hfs command	WS 1:5-41
Introduction	WS 1:5-1
Krunch command	UG: 154, 263, WS 1:5-44
Ldir command	UG: 148, 261
Leaving the Filer	WS 1:5-20
List-directory command	WS 1:5-6, 5-46
Make command	WS 1:5-48
Memory requirements	UG:275
New command	UG:157, WS 1:5-50
Prefix command	WS 1:3-5, 5-51
Prefix-vol command	UG:155, 183
Prompt	WS 1:5-2
Quit command	WS 1:5-53
Quitting	UG:60
Remove command	UG: 153, 256, WS 1:5-54
Removing files	WS 1:5-19
Save command	UG: 147, WS 1:5-56
SRM access rights	WS 1:5-8
Stream command	WS 1:2-12
Translate command	UG: 157, 267, WS 1:3-15, 5-10, 5-57
Unit directory command	WS 1:5-60
Vols (Volumes) command	UG: 46, 48, 156, 262

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Filer: (continued)	
Volume back-up	WS 1: 5-12
Volumes command	WS 1: 3-2, 5-61
What command	WS 1: 5-62
What devices are accessible?	WS 1: 5-3
Wildcards	WS 1: 5-9
Workfile	WS 1: 5-20
Zero command	UG: 33, WS 1: 5-63
Files:	
APPEND	WS 2: 15-23, 15-24, 15-33
Buffer Variable	WS 2: 15-21
CLOSE	WS 2: 15-24
Creating a text file	WS 1: 4-3
Current component	WS 2: 15-21
Debugging	WS 2: 15-39
Declaring a TEXT file	WS 2: 15-29
Deleting	WS 1: 5-19
Disposing of	WS 2: 15-24
F`	WS 2: 15-21
File buffer	WS 2: 15-21
File modes	WS 2: 15-21
File position	WS 2: 15-21
File specification (syntax)	WS 1: 5-24
File variable	WS 2: 15-6
Formatted I/O	WS 2: 15-32
General discussion	WS 1: 3-5
GET	WS 2: 15-26
HFS names	WS 1: 3-12
HFS permissions	WS 2: 15-39
Interchange between BASIC and Pascal	WS 2: B-16
LIF file names	WS 1: 3-10
Lookahead mode	WS 2: 15-22
MAXPOS	WS 2: 15-29
Names to avoid	WS 1: 3-9
Naming conventions	WS 1: 3-6
Object (definition of)	WS 1: 8-2
Object modules	WS 1: 6-1
OPEN	WS 2: 15-23, 15-24, 15-33
Opening existing	WS 2: 15-24
Pascal operations	WS 2: 15-19
POSITION	WS 2: 15-29

Programming with	WS 2: 15-1
PUT	WS 2: 15-26
READ	WS 2: 15-25
Read mode	WS 2: 15-21
REaddir	WS 2: 15-27
Removing	WS 1: 5-19
Renaming	WS 1: 5-18
RESET	WS 2: 15-24, 15-33
REWRITE	WS 2: 15-5, 15-23, 15-25, 15-33
SEEK	WS 2: 15-28
Sequential operations	WS 2: 15-25
Size specification	WS 1: 3-12, WS 2: 15-20
Specification	WS 1: 3-6
SRM concurrent file access	WS 1: 3-24, WS 2: 15-36
SRM names	WS 1: 3-11
Stream files	WS 1: 2-12, 4-24
Structure of text files	WS 1: 4-23
Suffixes	WS 1: 3-13
Suppressing the suffix	WS 1: 3-15
Syntax of name	WS 1: 3-6
Systm	WS 2: 18-3, 18-5
Temporary	WS 2: 15-20
Text file representation	WS 2: 15-30
Textfile I/O	WS 2: 15-29
Translating between data types	WS 1: 3-15
Types	WS 1: 3-10, 3-13, WS 2: 15-4
Wildcards	WS 1: 5-9, 3-16
Workfile	WS 1: 4-24, 5-20, 6-6
WRITE	WS 2: 15-26
Write mode	WS 2: 15-22
WRITEDIR	WS 2: 15-28
WS1.0 file names	WS 1: 3-18
FillGraph program	GT: 2-46, A-30
Filling, polygon	GT: 2-43

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Flexible disc:	
FillProg program	GT: 2-44, A-29
Find command (Editor)	WS 1: 4-35
Flags	WS 1: 8-29
Formatting	UG: 28, 223
Handling	UG: 10
Initialization	UG: 28, 223
Insertion	UG: 12
Removing	UG: 13
Selection	UG: 41
unit number assignments	UG: 46, 229
Write-protection	UG: 15
Flexible discs (CTABLE)	WS 2: 18-52
FLOAT_HDW (Compiler option)	PL: 1-15, WS 1: 6-31
Floating-point math card (HP 98635)	PL: 1-15
Floppy drives (in the Unit Table)	WS 2: 18-10
Force, pen	GT: 3-6
Formats for structured variables (Debugger)	WS 1: 9-21
Formatted input	PL: 6-6
Formatted I/O (files)	WS 2: 15-32
Formatted output	PL: 5-6, 5-7
Formatting option	UG: 30, 224
Formatting:	
Flexible discs	UG: 28, 223
Winchester (hard) discs	UG: 28, 225
Frame buffer	GT: 5-17, 5-24, 5-32
Frame, window	GT: 2-5
Free-field input	PL: 6-2, 6-3, 6-4, 6-5
Free-field output	PL: 5-1, 5-2, 5-3, 5-4, 5-5, 5-6
Freedom, degrees of	GT: 4-4
Full backup	WS 2: 20-3
Full-mode handshakes (GPIO)	PL: 13-5
Function calls	WS 1: 6-58
Function results	WS 1: 6-58

g

Gamuts, color	GT: 5-40
General bus management (HP-IB)	PL: 10-8
GENERAL modules	PL: 3-2, 3-5
General Value or Address Record (GVR)	WS 1: 8-30
Generating Escapes (Debugger)	WS 1: 9-25

Get command	UG: 146
Get command (Filer)	WS 1: 5-40
GET (files)	WS 2: 15-26
GLOAD procedure	GT: 2-36
Global base	WS 1: 6-55
Global space	WS 1: 2-16
Global variables	WS 1: 2-10, 2-15, 6-55, 7-9
Glossary	WS 2: E-1
Glossary (Librarian)	WS 1: 8-27
Go to local (HP-IB)	PL: 10-9
GPIO interface (select code 12)	PL: 4-2, 2-6
GPIO:	
Configuration	PL: 13-3
Data input	PL: 13-15
Data output	PL: 13-15
Data representations	PL: 13-15
Description	PL: 13-2
Examples of I/O	PL: 13-16, 13-17
Full-mode handshakes	PL: 13-5
Handshake lines	PL: 13-4
Handshakes	PL: 13-3
Interface reset	PL: 13-14
Interrupt priority	PL: 13-3
Introduction	PL: 13-1
IOREAD_BYT and IOWRITE_BYT registers	PL: 13-21
IOSTATUS and IOCONTROL registers	PL: 13-20
Logic sense	PL: 13-3
Peripheral status line	PL: 13-4
Pulse-mode handshakes	PL: 13-7
Select code	PL: 13-3
Special purpose lines	PL: 13-18

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

GRAPH key	UG: 74
Graphics display device, selecting	GT: 1-6
Graphics dump	GT: 3-2
Graphics errors	WS 2: A-7
Graphics input and output	WS 2: 18-17
Graphics, interactive	GT: 4-1
GRAPHICS key	GT: 2-7, UG: 89
Graphics key	UG: 111
GRAPHICS Library, using	GT: 1-4
Graphics memory address	GT: 2-37
Graphics memory size	GT: 2-37
GRAPHICS modules	PL: 1-15
Graphics procedure quick reference	GT: B-1
Graphics programming	PL: 1-15
Graphics tablet	GT: 4-13
GRAPHICSError procedure	GT: B-24
GRAPHICS_INIT procedure	GT: 1-9, B-26
GRAPHICS_TERM procedure	GT: 1-9, B-27
GRID procedure	GT: 2-32
Grids	GT: 2-30
GSTORE procedure	GT: 2-36, 3-3
GstorProg program	GT: A-31
GTEXT procedure	GT: 1-15, 1-25, 1-32, 2-18, B-28

h

Half-duplex (Datacomm)	PL: 11-26
Halftoning	GT: 5-20
Handling flexible discs	UG: 10
Handshake characters (Datacomm)	PL: 11-16
Handshake:	
Datacomm	PL: 11-15, 11-18
General	PL: 2-4
GPIO	PL: 13-3
HP-IB	PL: 10-5, 10-14
Serial	PL: 12-4, 12-12
Hard disc:	
Autostart file	UG: 187
Booting from	UG: 177
Copying Pascal system	UG: 172, 236
Formatting	UG: 28, 225
Initialization	UG: 28, 225

Partitioning	WS 2: 18-11, 18-14, 18-54
Unit number assignments	UG: 48, 230
Unit Numbers	WS 2: 18-10
Volumes	WS 2: 18-14, 18-26
Hardcopy, color	GT: 5-40
Hardware	PL: 2-1
Heap Management:	
DISPOSE	WS 2: 16-3
MARK	WS 2: 16-2
RELEASE	WS 2: 16-2
HEAP_DISPOSE (Compiler option)	PL: 1-13
HEAP_DISPOSE (compiler option)	WS 1: 6-32
Hfs command (Filer)	WS 1: 5-41
HFS:	
Access rights	WS 1: 5-8
Creating a directory	WS 1: 5-14
File names	WS 1: 3-18
File permissions	WS 2: 15-39
HFSCK	UG: 326
HFSCK utility	WS 2: 21-10
Initialization	UG: 306
Installing driver modules	WS 2: 18-23
Introduction	WS 1: 3-25
MKHFS	UG: 308
MKHFS utility	WS 2: 21-2
OSINSTALL utility	WS 2: 21-5
Overview	WS 2: 21-1
Setup	WS 2: 21-1
System volume	WS 2: 18-67
Unit number assignments	UG: 233
HFSCK utility (HFS)	WS 2: 21-10
Hierarchical directories (HFS)	WS 1: 3-25
Hierarchical directories (SRM)	WS 1: 3-20
High-speed disc interface (configuration)	WS 2: 18-18
Highlight Characters	WS 2: C-12, C-13

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Highlighting data curves	GT: 2-47
History of the system	WS 2: B-1
HP 98627A RGB interface	GT: 3-4
HP 98635 Floating-point math card	PL: 1-15
HP 98644 differences (Serial)	PL: 12-27
HP-HIL	GT: B-1
HP-HIL absolute locator	GT: B-3, B-30, B-62, B-64, B-68, B-84, B-109
HP-HIL devices	UG: 65
HP-HIL digitizing	GT: 4-1
HP-HIL port	GT: B-1
HP-HIL relative locator	GT: B-2, B-7, B-33, B-63, B-70, B-85, B-111
HP-HIL relative locator	PL: 14-18, 14-22, 14-47, 15-8
HP-IB address	PL: 4-2
HP-IB interface, built-in (select code 7)	PL: 4-1
HP-IB interface description	PL: 2-5
HP-IB interface, optional (select code 8)	PL: 4-2
HP-IB:	
Abort	PL: 10-10
Active controller	PL: 10-4, 10-7
Address of interface	PL: 10-2, 10-7
Addressed to listen state	PL: 10-13
Addressed to talk state	PL: 10-13
Addressing to listen	PL: 10-5, 10-6
Addressing to talk	PL: 10-5
Advanced bus management	PL: 10-18
Attention line	PL: 10-15
Attention message	PL: 10-4
Auxiliary command register	PL: 10-33
Bus line states	PL: 10-16
Clear	PL: 10-10
Commands (table)	PL: 10-20
Control thru Pascal	PL: 10-7
Data messages	PL: 10-5
Device selectors	PL: 10-3
End or Identify	PL: 10-15
Example bus sequences	PL: 10-5
Explicit commands	PL: 10-22
General bus management	PL: 10-8
General I/O operations	PL: 10-3
General rules	PL: 10-3
Go to local	PL: 10-9

Handshake	PL: 10-5
Handshake lines	PL: 10-14
Installation	PL: 10-2
Interface clear	PL: 10-15
Interface conditions	PL: 10-13
Introduction	PL: 10-1
IOCONTROL and IOSTATUS registers	PL: 10-23
IOREAD_BYTE and IOWRITE_BYTE registers	PL: 10-27
Listen and talk messages	PL: 10-5
Local lockout	PL: 10-9
Local lockout state	PL: 10-13
Messages	PL: 10-18
Multiple listeners	PL: 10-6
Non-active controller	PL: 10-6
Pass control	PL: 10-11
Polling	PL: 10-11
Remote enable	PL: 10-15
Remote message	PL: 10-8
Remote state	PL: 10-13
Secondary addresses	PL: 10-8
Send command	PL: 10-22
Service request	PL: 10-16
Service requested state	PL: 10-13
Status	PL: 10-7
Summary of bus sequences	PL: 10-37
System controller	PL: 10-4, 10-7
System controller jumper/switch	PL: 10-2
Triggering	PL: 10-10
Unlisten and untalk messages	PL: 10-7
HP98542 display	GT: 5-18
HP98543 display	GT: 5-18
HP98544 display	GT: 5-18
HP98545 display	GT: 5-18
HP98546A	GT: 1-12

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

HP98547A display	GT:5-18
HP98549 display	GT:5-18
HP98700 display	GT:5-18
HPIB modules	PL:3-2, 3-5
HPM module	PL:1-13
HSL color model	GT:5-5, 5-9, 5-29
Hue	GT:5-5

i

ID PROM	WS 2: 22-7
Identifying flexible disc drives	UG:46
Identifying Winchester (hard) discs	UG:48
IF (Compiler option)	WS 1:6-33
Images, dumping	GT:3-2
Images, storing and retrieving	GT:2-36
IMPLEMENT	WS 1:8-30
IMPORT	WS 1:8-30
IMPORT text	WS 1:7-6
IMPORT text command (Librarian)	WS 1:8-18
INCLUDE (Compiler option)	WS 1:6-34
INCLUDE files	GT: 1-5, 1-7
INCLUDE files (Compiler)	WS 1:6-18
Incremental backup	WS 2:20-4
Indicator:	
status	UG:63
Initialization (I/O)	PL:3-3
Initialization Library file	WS 2:18-4
Initialize Command (Main Level)	WS 1:2-6
Initializing discs	WS 2:18-27, 15-41
Initializing modules	WS 1:7-13
Initializing:	
Winchester (hard) discs	UG: 28, 225, 306
Flexible discs	UG: 28, 223
Initiating connection:	
Datacomm	PL:11-21
Serial	PL:12-6
INITLIB file:	
Adding modules for SRM	WS 2:18-79
adding modules to	WS 2:18-38
Introduction	WS 2:18-4
Library	WS 2:18-7

module descriptions	WS 2: 18-38
renaming	WS 2: 18-35
required order of modules	WS 2: 18-38
INITLIB modules	PL: 1-7
Input (defined)	PL: 2-2
Input device selection	GT: 4-4
Input formats (Debugger)	WS 1: 9-12
Input pixel	GT: B-2
Input:	
Characters	PL: 6-4
Formatted	PL: 6-6
Free-field	PL: 6-2, 6-3, 6-4, 6-5
Real numbers	PL: 6-2
Skipping data	PL: 6-5
Strings	PL: 6-3
Termination	PL: 6-2
Words	PL: 6-4
INPUT_ESC procedure	GT: B-1, B-30
INQ_COLOR_TABLE procedure	GT: B-34
INQ_PGN_TABLE procedure	GT: B-36
INQ_WS procedure	GT: 1-13, 2-2, 2-5, 2-19, B-38
INS C key	UG: 109
INS CHR key	UG: 99
INS L key	UG: 109
INS LN key	UG: 99
Insert char key	UG: 86
Insert command	UG: 129
Insert command (Editor)	WS 1: 4-37
Insert line key	UG: 86
Inserting flexible discs	UG: 12
Inslt command	UG: 129
Integer number range	WS 2: 13-1

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Integers (internal representation of)	PL: 2-9
Interactive graphics	GT: 4-1
Interchange of files	WS 2: B-16
Interface clear (HP-IB)	PL: 10-15
Interface conditions (HP-IB)	PL: 10-13
INTERFACE modules	PL: 1-14
Interface reset:	
Datacomm	PL: 11-12
GPIO	PL: 13-14
HP-IB	PL: 10-23
Serial	PL: 12-6
Interface text	PL: 1-14, WS 1: 7-5, 7-6
Interface:	
Drivers	WS 2: 18-40
HP 98546 Display	WS 2: 22-10
HP 98620 DMA	WS 2: 18-16
HP 98622 GPIO	WS 2: 18-16
HP 98624 HP-IB	WS 2: 18-16
HP 98625 (configuration)	WS 2: 18-2
HP 98625 High-speed disc (HP-IB)	WS 2: 18-16, 18-18
HP 98626 RS-232 serial	WS 2: 18-16
HP 98627 Color output	WS 2: 18-16
HP 98628 Datacomm	WS 2: 18-16
HP 98629 SRM	WS 2: 18-17
HP 98630 Breadboard	WS 2: 18-17
HP 98635 Floating-point math	WS 2: 18-17
HP 98644 RS232 serial	WS 2: 18-17
HP-Human Interface Link (HP-HIL)	WS 2: 18-43
Additional functions	PL: 2-4
Datacomm	PL: 11-1
Functional diagram	PL: 2-3
GPIO	PL: 2-6
Interfaces:	
HP-IB	PL: 2-5, 10-1
Overview	PL: 2-5
Registers	PL: 7-1
Select codes	PL: 3-6, 4-1
Serial	PL: 2-6
Why needed?	PL: 2-3

Interfacing concepts	PL: 2-1
Interleave, discs	WS 2: 15-40
Interleave factor	UG: 30, 224, 226
Interrupt priority (GPIO)	PL: 13-3
Interrupt processing overview (System devices)	PL: 14-5
INT_LINE procedure	GT: 2-24, B-45
INT_MOVE procedure	GT: 2-24, B-47
INT_POLYGON procedure	GT: B-49
INT_POLYGON_DD procedure	GT: B-52
INT_POLYLINE procedure	GT: B-56
Invoking commands	UG: 219
IO data types	PL: 3-6, 3-7, 3-8, 3-9, 3-10
I/O (definition of)	PL: 2-2
I/O error handling	PL: 8-3
I/O errors	PL: 8-1
I/O events (errors and timeouts)	PL: 8-1
IO modules	PL: 1-14
I/O Procedure Library:	
GENERAL modules	PL: 3-2, 3-4
HPIB modules	PL: 3-2, 3-5
Initialization	PL: 3-3
Introduction	PL: 3-1
IODECLARATIONS module	PL: 3-6
Organization	PL: 3-2
SERIAL modules	PL: 3-3, 3-6
I/O terminology	PL: 2-1
I/O timeouts	PL: 8-1, 8-5
I/O:	
Addresses	WS 2: B-18
Library errors	WS 2: A-6
Memory map	WS 2: B-18
System errors	WS 2: A-4

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

IOCHECK (Compiler option)	WS 1: 6-35
IODECLARATIONS modules	PL: 3-6
IOE_ISC	PL: 8-4
IOE_RESULT	PL: 8-3
IOERROR_MESSAGE	PL: 8-4
IOESCAPECODE	PL: 8-3
IOREAD_BYTE and IOWRITE_BYTE registers:	
General	PL: 7-1
GPIO	PL: 13-21
HP-IB	PL: 10-27
Serial	PL: 12-14, 12-19
IORRESULT function	WS 2: 17-2, 17-3
IOSTATUS and IOCONTROL registers:	
Datacomm	PL: 11-29
General	PL: 7-1
GPIO	PL: 13-20
HP-IB	PL: 10-23
Serial	PL: 12-15
ISC_TABLE	PL: 3-7
IsoProg program	GT: 2-28, A-40
Isotropic scaling	GT: 1-10, 2-27

j

JSR instruction (68000)	WS 1: 6-55
Jump command (Editor)	WS 1: 4-40
Justifying labels	GT: 2-18
JustProg program	GT: 2-21, A-46

k

Katakana display characters	WS 2: C-10
Kernel (operating system)	WS 2: 18-4
Key buffer (System devices)	PL: 14-48
Key codes (System devices)	PL: 14-59
Key correspondence table	UG: 2, 7
Key labels	UG: 71
Key notations (Debugger)	WS 1: 9-5, 9-27
Key notations in text	WS 1: 2-2
KEYBOARD file	GT: 4-4
Keyboard interface (select code 2)	PL: 4-1

Keyboard label	UG: 110
Keyboard (System devices)	PL: 14-42
Keyboards	WS 2: 22-6
Keyboards:	
HP 46020A	UG: 2, 70
HP 46021A	UG: 2, 70
HP 98203A	UG: 3, 101
HP 98203B	UG: 3, 88
HP 98203C	UG: 3
Model 226/236	UG: 3, 88
Keypad, numeric	UG: 85, 98
Knob	UG: 96, 107, WS 1: 4-8, 4-26
Knob (System devices)	PL: 14-56
Krunch command	UG: 154, 263
Krunch command (Filer)	WS 1: 5-44

I

Label direction, setting	GT: 2-16
LABELJUSTIFY procedure	GT: 2-18
Labelling a plot	GT: 2-11
Labelling Axes	GT: 1-25
Labels, justifying	GT: 2-18
Labels:	
Bold	GT: 1-19
Centering	GT: 1-17
Direction of	GT: 1-17
Language extensions	WS 2: 10-10
Ldir command	UG: 148, 261
LdirProg program	GT: 2-17, A-50
LEM programs	GT: 2-41, 2-44
Length of strings	WS 2: 14-1
LIBRARIAN file	WS 1: 8-31
Librarian subsystem	UG: 169, 216, 275

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Librarian:

Adding modules to System Library	WS 1:8-10
Command summary	WS 2:D-6
Creating a boot file	WS 1:8-23
Creating libraries	WS 1:8-12
DEF table	WS 1:8-27
DEF table command	WS 1:8-19
Define Source	WS 1:8-28
Detailed file information	WS 1:8-17
EXPORT	WS 1:8-29
EXT table	WS 1:8-28
EXT table command	WS 1:8-18
Flags	WS 1:8-29
General Value or Address Record (GVR)	WS 1:8-30
Glossary	WS 1:8-27
IMPLEMENT	WS 1:8-30
IMPORT	WS 1:8-30
IMPORT text command	WS 1:8-18
Introduction	WS 1:8-1
Invoking	WS 1:8-10
Libraries	WS 1:8-2
Linking object files together	WS 1:8-14
Mass storage requirements	WS 2:18-44
Mass storage setup	WS 1:8-9
Object file	WS 1:8-31
Object module	WS 1:8-31
REF tables	WS 1:8-32
Reference Pointer	WS 1:8-32
Text Record	WS 1:8-33
Unassemble commands	WS 1:8-19, 8-21
What it does	WS 1:8-3
Main prompt	PL:1-9
Purpose of	PL:1-3
Using	PL:1-9

Libraries	WS 2: 18-7
Libraries:	
Creating	PL: 1-8
Overview	PL: 1-3
LIBRARY	PL: 1-6, 1-9
LIBRARY file	WS 1: 8-1, 8-31
LIBRARY modules	PL: 1-12
Library overview	PL: 1-3
Library:	
Definition of	WS 1: 8-31
Overview	WS 1: 8-2
System	WS 1: 8-33
LIF file names	WS 1: 3-10
Limits, display	GT: 2-1
LINE	GT: B-58
Line drawing	GT: 1-7
LINE procedure	GT: 1-8, 1-32
Line Styles, selecting	GT: 2-25
Line timeouts (Datacomm)	PL: 11-14
Line value	GT: 5-24
LINENUM (Compiler option)	WS 1: 6-36
Lines, clipping	GT: 1-23
LINES (Compiler option)	WS 1: 6-37
LINK instruction (68000)	WS 1: 6-55, 7-11
Linking object files	WS 1: 8-14
LIST (Compiler option)	WS 1: 6-38
List-directory command (Filer)	WS 1: 5-6, 5-46
Listen addresses (HP-IB)	PL: 10-5, 10-6
Listing a directory	UG: 148, 261
Listing of files	WS 1: 5-11
Loader/Segmenter errors	WS 2: A-8
Loading a system	WS 2: 18-3

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Loading Pascal system	GT: 1-7
Loading subsystems	UG: 216
Loading the Pascal system	UG: 18
Local lockout (HP-IB)	PL: 10-9
Local lockout state (HP-IB)	PL: 10-13
Local printers (CTABLE)	WS 2: 18-52
Local variables	WS 1: 7-11
Locator	GT: B-1
LOCATOR program	GT: 4-9, A-51
LOCATOR_INIT procedure	GT: B-1, B-59
Locators	GT: B-3, B-7
LOCATOR_TERM procedure	GT: B-1, B-64
LOCKABLE files	WS 2: 15-33
LOCKMODULE	PL: 1-13
Logarithmic plotting	GT: 2-32
Logic sense (GPIO)	PL: 13-3
Logical unit numbers	WS 2: 18-7
Logical units	WS 1: 3-3
Logical volumes (hard discs)	WS 2: 18-11, 18-14
LogPlot program	GT: 2-34, A-54
Loopback (Serial)	PL: 12-13
LT instruction	GT: 2-25
Luminosity	GT: 5-5

m

Main Command Level	WS 1: 2-1, 2-4
Main Command Level:	
Compiler command	UG: 114
Description of	UG: 114
Editor command	UG: 114
eXecute command	UG: 28, 42, 115, 266
Filer command	UG: 114
Memvol command	UG: 123, 180, 195, 239
Newsysvol command	UG: 118, 125, 145, 196
Permanent command	UG: 120, 178, 238
User restart command	UG: 40, 120
Version command	UG: 122
What command	UG: 117, 181, 240
Main Command Prompt	WS 1: 2-1
Main Level Command summary	WS 2: D-1

Main Level commands	WS 1: 2-3, 2-4
Make command (Filer)	WS 1: 5-48
MAKE_PIC_CURRENT procedure	GT: B-65
Manual organization	PL: 1-1
Manual overview	WS 1: 1-1, 1-4
Map, color	GT: 5-25
Margin command	UG: 138
Margin command (Editor)	WS 1: 4-41
MARK and RELEASE	WS 2: 16-2
MARK (procedure)	PL: 1-13
MARKER procedure	GT: 2-47, B-66
MarkrProg program	GT: 2-48, A-56
Mass storage	PL: 1-8
Mass storage:	
Comparison of	WS 2: 19-2
Configuration	WS 2: 18-17
Introduction	WS 1: 3-1
Volumes	WS 1: 3-2
Match character transfers	PL: 9-8
MAXPOS (files)	WS 2: 15-29
MEDIAINIT program	UG: 28, 223, 225, 306, WS 2: 15-41, 18-27
Memory address, graphics	GT: 2-37
Memory map:	
RAM	WS 2: B-17
ROM	WS 2: B-18
Software	WS 2: B-20
Memory requirements, subsystem	UG: 275
Memory size, graphics	GT: 2-37
Memory volume command (Main Level)	WS 1: 2-7
Memory volumes	UG: 123, 180, 195, 239, WS 2: 18-44
Memory-mapped I/O	WS 2: B-18

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Memory:	
Bubble	WS 2: 18-19
Characteristics	WS 1: 3-1
EPROM	WS 2: 18-19
RAM	WS 1: 3-1
Memvol command	UG: 123, 180, 195, 239
Menu key	UG: 71
Menus (System devices)	PL: 14-34
Messages (HP-IB)	PL: 10-18
Micro disc:	
Formatting	UG: 28
Initialization	UG: 28
Insertion	UG: 12
Removing	UG: 13
Write-protection	UG: 15
Mini disc:	
Formatting	UG: 28
Initialization	UG: 28
Insertion	UG: 14
Removing	UG: 14
Write-protection	UG: 17
Mixing DISPOSE and RELEASE	WS 2: 16-4
MKHFS	UG: 308
MKHFS utility	WS 2: 21-2
Models 216 and 217 differences (Serial)	PL: 12-30
Models, color	GT: 5-4, 5-9
Modem handshake (Serial)	PL: 12-7
Modem line control (Serial)	PL: 12-12
Modem status and control (Serial)	PL: 12-3
Modem-line handshakes (Serial)	PL: 12-12
Modes, drawing	GT: 2-23
Module Dependency Table	GT: B-131
Modules:	
Assembler	WS 1: 7-5
Developing and testing	WS 1: 6-10
Device drivers	WS 2: 18-4
Examples of	WS 1: 6-9, 6-10, 7-41, 7-42, 8-3
How the Compiler finds them	WS 1: 8-5
How the loader finds them	WS 1: 8-6
Importing	WS 1: 8-5, 8-6

Initialization	WS 1: 7-13
INITLIB	WS 2: 18-4
INITLIB module descriptions	WS 2: 18-40
LAST (in INITLIB)	WS 2: 18-5
Names used by operating system	WS 2: B-16
Object (definition of)	WS 1: 8-31
Pascal	WS 1: 8-32
PRINTER	WS 2: 18-17
Required order in INITLIB	WS 2: 18-38
Separate compilation	WS 1: 6-13
Strategy for compiling	WS 1: 6-14
Structure of	WS 1: 6-7
Adding to the System Library	PL: 1-9
ALLOCATE	PL: 1-17
Compiling	PL: 1-6
Dependency table	PL: 1-20
Directory	PL: 1-3
Examples (on DOC disc)	PL: 1-3
FGRAPHICS	PL: 1-15
File sizes	PL: 1-8
GENERAL	PL: 3-2, 3-4
GRAPHICS	PL: 1-15
How the Compiler finds them	PL: 1-6
How the loader finds them	PL: 1-7
HPIB	PL: 3-2, 3-5
HPM	PL: 1-13
Importing	PL: 1-4
INTERFACE	PL: 1-14
IO	PL: 1-14, 3-2
IODECLARATIONS	PL: 3-6
LIBRARY	PL: 1-12
LOCKMODULE	PL: 1-13
Making them accessible	PL: 1-6, 1-7, 1-18, 1-19

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Modules: (continued)

Overview	PL: 1-3
RND	PL: 1-12
SEGMENTER	PL: 1-17
SERIAL	PL: 3-3, 3-6
Standard	PL: 1-12
SYSDEVS	PL: 14-3
SYSGLOBALS	PL: 14-3
UIO	PL: 1-13
Monochromatic defaults in color table	GT: 5-3
Mouse	UG: 66, 77, 78, 82
Mouse input device	WS 1: 4-8, 4-26, WS 2: 18-43
MOVE procedure	GT: 1-8, 1-32, B-67
Moving files	WS 1: 5-15
Multi-line objects	GT: 2-40
Multiple listeners (HP-IB)	PL: 10-6
Multiple on-line systems	WS 2: 18-15

n

New command	UG: 157
New command (Filer)	WS 1: 5-50
NEW (procedure)	PL: 1-13
New sysvol Command (Main Level)	WS 1: 2-9
Newsysvol command	UG: 118, 125, 145, 196
No room on volume	UG: 154
Non-active controller (HP-IB)	PL: 10-6
Non-data characters (Datacomm)	PL: 11-16
Non-disc mass storage (introduction)	WS 2: 19-1
Non-separable degrees of freedom	GT: 4-7
Non-square pixels	GT: 5-19
Numbers (internal representation of)	PL: 2-8
Numeric keypad	UG: 85, 98

o

Object file	PL: 1-3, 1-7, WS 1: 8-31
Object module	WS 1: 8-2, 8-31
On-Line devices	WS 1: 2-6
Opcodes (Assembler)	WS 1: 7-19

OPEN (files)	WS 2: 15-5, 15-23, 15-24, 15-33
Operating parameters (Datacomm)	PL: 11-10
Operating system kernel	WS 2: 18-4
OPTIONS module (CTABLE)	WS 2: 18-51
OSINSTALL	UG: 331
OSINSTALL utility (HFS)	WS 2: 21-5
Other manuals	WS 1: 1-1, 1-2
Output:	
Characters	PL: 5-4
Data types supported	PL: 5-1
Definition of	PL: 2-2
Formatted	PL: 5-6, 5-7
Free-field	PL: 5-1, 5-2, 5-3, 5-4, 5-5, 5-6
General	PL: 5-1
Real numbers	PL: 5-2
Strings	PL: 5-3
Words	PL: 5-4
OUTPUT_ESC procedure	GT: 2-7, 2-23, 3-2, 3-5, B-1, B-68
Overlap transfers	PL: 9-6
Overview	WS 1: 1-1
Overview of manual	PL: 1-1
Overwriting files	UG: 148
OVFLCHECK (Compiler option)	WS 1: 6-39

p

P-load (modules)	PL: 1-7
Page command (Editor)	WS 1: 4-42
PAGE (Compiler option)	WS 1: 6-40
PAGewidth (Compiler option)	WS 1: 6-41
Parameter passing	WS 1: 6-57
Parity (Datacomm)	PL: 11-2, 11-7, 11-19
Parity (Serial)	PL: 12-2, 12-4, 12-7
PARTIAL_EVAL (Compiler option)	WS 1: 6-42



UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Partitioning hard discs:

Algorithm	WS 2: 18-11
Designing your own	WS 2: 18-58
Example	WS 2: 18-27
Modifying	WS 2: 18-14, 18-54
Recommendations	WS 2: 18-57
Pascal file system	UG: 35
Pascal Graphics Techniques manual	PL: 1-15
Pascal system backup	UG: 51, 234
Pascal system, loading	GT: 1-7
Pascal:	
1.0 (description)	WS 2: B-1
2.0 (description)	WS 2: B-2
2.1 (description)	WS 2: B-2
3.0 (description)	WS 2: B-5
3.01 (description)	WS 2: B-9
3.1 (description)	WS 2: B-10
3.12 (description)	WS 2: B-14
3.2 (description)	WS 2: B-14
Extensions	WS 2: 10-10
File operations	WS 2: 15-22
Modules	WS 1: 8-32
Program development	WS 1: 6-2
System history	WS 2: B-1
Volumes	WS 1: 3-2
Pass control (HP-IB)	PL: 10-11
Passing parameters	WS 1: 7-8
Passwords (SRM)	WS 1: 3-8
PAUSE key	UG: 90
Pen acceleration, controlling	GT: 3-6
Pen force, controlling	GT: 3-6
Pen speed, controlling	GT: 3-5
Peripheral drivers	WS 2: 18-40
Peripheral status line (GPIO)	PL: 13-4
Peripherals supported (by 3.0 system)	WS 2: B-7
Permanent command	GT: 1-4, UG: 120, 178, 238
Permanent Command (Main Level)	WS 1: 2-10
Permanently loading subsystems	UG: 120, 178, 238
Permissions (HFS)	WS 2: 15-39
Photographing the CRT	GT: 5-41

Physical memory map	WS 2: B-17
Pixel	GT: 1-11, 2-43
Pixel pairs	GT: 5-19
PLineProg program	GT: 2-39, A-57
Plot Labelling	GT: 2-11
Plotter control	GT: 3-5
Plotter, selecting a	GT: 3-1
Plotters	GT: 5-16
Plotting and the CRT	GT: 5-41
Polling (HP-IB)	PL: 10-11
Polygon filling	GT: 2-43
Polygon interiors	GT: 5-24
POLYGON procedure	GT: 2-40, 2-42, B-75
POLYGON_DEV_DEP procedure	GT: 2-42, B-78
Polygons	GT: 5-35
POLYLINE procedure	GT: 2-39, B-82
PolyProg program	GT: 2-41, A-58
Porting software	WS 2: 22-1
POSITION (files)	WS 2: 15-29
Powerfail (System devices)	PL: 14-75
Prefix command (Filer)	WS 1: 3-5, 5-51
Prefix volume	WS 1: 3-4, UG: 155
Prefix-vol command	UG: 155, 183
Preventing data loss (Datacomm)	PL: 11-24
Primary DAMs	WS 2: 18-21
Printer listings	UG: 163, 200, 264
PRINTER volume	UG: 156
Printers:	
Changing the System Printer	WS 2: 18-18
Modules	WS 2: 18-17
Serial devices	WS 2: 18-19

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Printing a file	UG: 157, 267
Private links (Datacomm)	PL: 11-19
Problems:	
Compiler	WS 1: 6-19
Debugging programs that use files	WS 2: 15-39
File names to avoid	WS 1: 3-9
Insufficient global space	WS 1: 6-20
No room on volume	WS 1: 3-19
Not Enough Memory	WS 1: 6-20
Syntax errors	WS 1: 6-4
TABLE program	WS 2: 18-13
Procedure calls (effects on stack)	WS 1: 6-55
Procedure Library	PL: 1-12
Procedures (EXTERNAL)	WS 1: 7-16
Processor boards	WS 2: 22-3
Program development	WS 1: 6-2
Programming helps (Datacomm)	PL: 11-24
Programming system	WS 1: 7-5
Programming techniques	PL: 12-5
Programs:	
Backing up	UG: 207
Creation	UG: 129, 161, 193
Editing environment	UG: 136
Listings	UG: 163, 200, 264
Permanently loading	UG: 120, 238
Running	UG: 119, 166, 201, 203, 266
Prompt recognition (Datacomm)	PL: 11-16
Prompts:	
Value range type	UG: 45
Aborting	UG: 45, 222
Compiler	WS 1: 6-3
Date	WS 1: 2-17
Debugger	WS 1: 9-7
Default values	UG: 45, 222
Editor	WS 1: 4-3
Filer	WS 1: 5-2
Librarian	WS 1: 8-8
Main Level	WS 1: 2-1

Responding to	UG:44, 222
Straight question type	UG:44, 222
Time	WS 1:2-17
Value range type	UG:222
Yes/No type	UG:44, 222
Protocol (Datacomm)	PL:11-2, 11-12
Protocol (Serial)	PL:12-4
PSE key	UG:102
Pulse-mode handshakes (GPIO)	PL:13-7
PUT (files)	WS 2:15-26

q

Quantizable degrees of freedom	GT:4-8
Question mark wildcard	UG:175, 252
Questions (prompts)	UG:44, 222
Queue (Debugger)	WS 1:9-9
Quick reference for graphics procedures	GT:B-1
Quit command	UG:218
Quit command:	
Editor	WS 1:4-43
Filer	WS 1:5-53
Librarian	WS 1:8-8

r

RAM volumes	UG:123, 180, 195, 239
RAM:	
Addresses	WS 2:B-17
Introduction	WS 1:3-1
Memory map	WS 2:B-17
RAND (function)	PL:1-12

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Random access files	WS 2: 15-27
RANDOM (procedure)	PL: 1-12
RANGE (Compiler option)	WS 1: 6-43
Range of addresses	WS 2: B-18
Range of device selectors	PL: 3-7
Range of numbers	WS 2: 13-1
Range of select codes	PL: 3-6
Raster images, dumping	GT: 3-2
Ratio, aspect	GT: 2-2, 2-28, 4-13
RCL key	UG: 105
READ (files)	WS 2: 15-25
REaddir (files)	WS 2: 15-27
Reading buffers	PL: 9-2
Real number range	WS 2: 13-1
Real numbers (internal representation of)	PL: 2-9
RECALL key	UG: 74, 95
RECOVER	PL: 8-2
Rectangular coordinates	GT: 1-6
REF (Compiler option)	WS 1: 6-44
REF tables	WS 1: 8-32
Reference Pointer	WS 1: 8-32
References, color	GT: 5-42
Registers:	
Common definitions	PL: 7-2
Datacomm	PL: 11-29
General	PL: 7-1
GPIO	PL: 13-20
Hardware vs. I/O System	PL: 7-1
HP-IB	PL: 10-23
Serial	PL: 12-15
Relative locator	GT: B-3, B-7, B-33, B-63, B-70, B-85, B-111
Relaxed typechecking (Compiler)	WS 2: 12-2
RELEASE and MARK	WS 2: 16-2
RELEASE (procedure)	PL: 1-13
Remote enable (HP-IB)	PL: 10-15
Remote message (HP-IB)	PL: 10-8
Remote state (HP-IB)	PL: 10-13
Remove command	UG: 153, 256
Remove command (Filer)	WS 1: 5-54

Removing a file	UG: 153, 256
Removing files	WS 1: 5-19
Removing flexible discs	UG: 13
Renaming a file or volume	UG: 152, 259, 260
Renaming:	
Boot files	WS 2: 18-35
Files	WS 1: 5-18
Volumes	WS 1: 5-18
Replace command (Editor)	WS 1: 4-45
RESET (files)	WS 2: 15-5, 15-24, 15-33
RESET key	UG: 93
Reset key	UG: 79
Reset:	
Datacomm	PL: 11-12
GPIO	PL: 13-14
HP-IB	PL: 10-23
Serial	PL: 12-6
Resolution of color models	GT: 5-29
Resource	PL: 4-1
Responding to prompts	UG: 44, 222
Restore (BACKUP)	WS 2: 20-5
Retrieving and storing images	GT: 2-36
Return key	UG: 77
REWRITE (files)	WS 2: 15-5, 15-23, 15-25, 15-33
RGB color model	GT: 5-4, 5-9, 5-29
RGB interface	GT: 3-4
RND module	PL: 1-12
ROM memory map	WS 2: B-18
ROM:	
Boot ROM	WS 2: 18-3
Roman 8 character set	UG: 84
Rotation, label	GT: 2-16

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Rotation of labels	GT: 1-17
RS-232 Serial:	
98626 interface	PL: 12-1
98644 interface	PL: 12-1, 12-27
Built-in (Models 216 and 217)	PL: 12-30
Introduction	PL: 12-1
UART	PL: 12-1
RS-232C cable signals (Datacomm)	PL: 11-27
RST key	UG: 105
Rubber echoes	GT: 4-12
Run command	UG: 266
Run Command (Main Level)	WS 1: 2-11
RUN key	UG: 90, 102
Run light (System devices)	PL: 14-36
Run-time errors	UG: 203, WS 2: A-3
Running demonstration programs	GT: 1-4
Running programs	UG: 203, 205
Running stored programs	UG: 119, 166, 266

S

SAMPLE_LOCATOR procedure	GT: B-1, B-84
Saturation	GT: 5-5
Save command	UG: 147
Save Command (Filer)	WS 1: 5-56
SAVE_CONST (Compiler option)	WS 1: 6-45
Scaling	GT: 1-9
Scaling, isotropic	GT: 2-27
SCANSTUFF module (CTABLE)	WS 2: 18-62
Screen dump	GT: 3-2
Screen dumps (Debugger)	WS 1: 9-8
Screen organization	UG: 61
SEARCH Compiler option	PL: 1-6
SEARCH (Compiler option)	WS 1: 6-46
SEARCH_SIZE (Compiler option)	WS 1: 6-47
Secondary addresses (HP-IB)	PL: 10-8
Secondary channel (Datacomm)	PL: 11-26
Secondary DAMs	WS 2: 18-21
SEEK (files)	WS 2: 15-28

Segmentation:

Calling a procedure	PL: 15-5
Calling a program	PL: 15-3
Checking a procedure variable	PL: 15-6
Errors	PL: 15-10
Free space	PL: 15-3
Initialization	PL: 15-3
Introduction	PL: 15-1
Searching for a procedure name	PL: 15-6
Unloading segments	PL: 15-9
Using the explicit code area	PL: 15-7
Using the heap	PL: 15-8
Using the stack	PL: 15-3
WARNING - You're on your own	PL: 15-3
SEGMENTER module	PL: 1-17
Select codes	PL: 3-6, 4-1
Select key	UG: 62, 78
Selecting graphics display device	GT: 1-6
Self test (during boot)	WS 2: 18-3
Self-test (Serial)	PL: 12-13
Send command (HP-IB)	PL: 10-22
Separability (degrees of freedom)	GT: 4-7
Separable degrees of freedom	GT: 4-7
Serial interfaces	PL: 2-6, 4-2
SERIAL modules	PL: 3-3, 3-6
Serial printer	UG: 46
Serial printers	WS 2: 18-19
Serial transfers	PL: 9-4
Serial:	
98626 interface	PL: 12-1
98644 interface	PL: 12-1, 12-27
Baud rate	PL: 12-3, 12-6
Break messages	PL: 12-11
Built-in (Models 216 and 217)	PL: 12-30
Cable options	PL: 12-23

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Serial: (continued)

Character format	PL: 12-2, 12-4, 12-7
Data input	PL: 12-9
Data output	PL: 12-8
DCE cable	PL: 12-24
DTE cable	PL: 12-23
Error handling	PL: 12-9
Handshake	PL: 12-4, 12-12
HP 98644 differences	PL: 12-27
Initializing the connection	PL: 12-6
Interface reset	PL: 12-6
Introduction	PL: 12-1
IOREAD_BYTE and IOWRITE_BYTE registers	PL: 12-14, 12-19
IOSTATUS and IOCONTROL registers	PL: 12-15
Loopback	PL: 12-13
Models 216 and 217 differences	PL: 12-30
Modem handshake	PL: 12-7
Modem line control	PL: 12-12
Modem status and control	PL: 12-3
Modem-line handshakes	PL: 12-12
Parity	PL: 12-4, 12-7
Parity bit	PL: 12-2
Programming techniques	PL: 12-5
Self-test	PL: 12-13
Signal functions	PL: 12-23
Software handshake	PL: 12-4, 12-7, 12-11
Special applications	PL: 12-11
Special characters	PL: 12-11
Start bit	PL: 12-2
Status-Line Disconnect switches	PL: 12-3
Stop bits	PL: 12-2
Transferring data	PL: 12-8
Service request (HP-IB)	PL: 10-16
Service requested state (HP-IB)	PL: 10-13
Set command (Editor)	WS1: 4-48
Set environment command	UG: 136
SET_ASPECT procedure	GT: 1-11, 1-14, 2-1, B-86
SET_CHAR_SIZE procedure	GT: 1-16, 2-12, 2-14, 2-18, B-88
SET_COLOR procedure	GT: 5-1, 5-16, B-89
SET_COLOR_MODEL procedure	GT: 5-3, B-92
SET_COLOR_TABLE procedure	GT: 2-23, 5-3, 5-16, B-94

SET_DISPLAY_LIM procedure	GT: 1-24, 2-1, B-98
SET_ECHO procedure	GT: 4-13
SET_ECHO_POS procedure	GT: B-102
SET_LINE_STYLE procedure	GT: 2-25, B-104
SET_LINE_WIDTH procedure	GT: B-108
SET_LOCATOR_LIM procedure	GT: 4-13, B-1, B-109
SET_PGN_COLOR procedure	GT: 5-1, 5-16, B-113
SET_PGN_LS procedure	GT: B-116
SET_PGN_STYLE procedure	GT: 2-43, B-120
SET_PGN_TABLE procedure	GT: B-121
SET_TEXT_ROT procedure	GT: 1-17, 2-16, B-124
SET_TIMING procedure	GT: B-125
Setting system, setting	UG: 25
SET_VIEWPORT procedure	GT: 1-14, 2-2, 2-5, B-127
SET_WINDOW procedure	GT: 1-9, 1-14, 2-2, 2-3, 2-15, 2-27, B-129
Shading graphs	GT: 2-46
SHIFT key	UG: 97, 108
Shift key	UG: 83
Signal functions:	
Datacomm	PL: 11-27
Serial	PL: 12-23
SinAspect program	GT: 1-12, A-59
SinAxes1 program	GT: 1-22, A-60
SinAxes2 program	GT: 1-26, A-64
SinClip program	GT: 1-24, A-69
Single stepping a program	WS 1: 9-7
SinLabel1 program	GT: 1-15, A-73
SinLabel2 program	GT: 1-16, 1-18, A-74
SinLabel3 program	GT: 1-19, A-75
SinLine program	GT: 1-8, A-76
SinViewpt program	GT: A-76
SinWindow program	GT: 1-10, A-77
Skipping data (during input)	PL: 6-5
Slow program execution	WS 1: 9-7

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Software	PL: 2-1
Software handshake:	
Datacomm	PL: 11-15
Serial	PL: 12-4, 12-7, 12-11
Software memory map	WS 2: B-20
Software porting	WS 2: 22-1
Solution vector	GT: 5-21
Source file	PL: 1-3
Source (of I/O operations)	PL: 2-2
Source program	WS 1: 6-2
Source text	PL: 1-6
Special configurations:	
Definition of	WS 2: 18-1
Example changes	WS 2: 18-1
Examples of	WS 2: 18-14
Special purpose lines (GPIO)	PL: 13-18
Special transfers	PL: 9-8
Specification:	
file	UG: 42, 227
Specifying files	UG: 42, 227
Speed, pen	GT: 3-6
SRM:	
Access Rights	UG: 286
Access rights	WS 1: 3-8, WS 2: 15-38
Concurrent file access	WS 1: 3-24, WS 2: 15-36
Configuration requirements	WS 2: 18-21
Creating a directory	WS 1: 5-14
Current working volume	WS 1: 3-22
Default volume	WS 1: 3-22
Directory configuration	WS 2: 18-74
Directory structure	WS 1: 3-20
Example configuration	WS 2: 18-71
File names	WS 1: 3-18
File notation	WS 1: 3-21
Hardware setup	WS 2: 18-72
Installing driver modules	WS 2: 18-73
LOCKABLE files	WS 2: 15-33
Multi-disc	WS 2: 18-82
Multiple unit numbers	WS 2: 18-64
Overview of installation	WS 2: 18-72

Passwords	UG: 298, WS 1: 3-8
Unit number assignments	UG: 232
Unit numbers	WS 1: 3-22
Volumes	WS 1: 3-22
Stack frame (Debugger)	WS 1: 9-17
Stack (How Pascal uses it)	WS 1: 6-54
STACKCHECK (Compiler option)	WS 1: 6-48
STACKCHECK_ON (Compiler option)	WS 1: 6-55
Standard configurations (definition of)	WS 2: 18-1
Standard modules	PL: 1-12
Standard partitioning, hard discs	WS 2: 18-56
Start bit:	
Datacomm	PL: 11-2
Serial	PL: 12-2
STARTUP file	WS 2: 18-6
STARTUP file, renaming	WS 2: 18-35
Static and dynamic links (Debugger)	WS 1: 9-23
Static links	WS 1: 6-58
Status (HP-IB)	PL: 10-7
Status indicator	UG: 63
Status-Line Disconnect switches (Serial)	PL: 12-3
STEP key	UG: 74, 91, 103
Stop bits:	
Datacomm	PL: 11-7
Serial	PL: 12-2
STOP key	UG: 94, 106
Stop key	UG: 4, 61, 80
Stopping	UG: 4
Storage-order directory listing	UG: 149
Storing a workfile	UG: 147
Storing and retrieving images	GT: 2-36
Straight question prompts	UG: 44, 222

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Stream Command (Main Level)	WS 1: 2-12
Stream files	WS 1: 4-24, WS 2: 18-6, 18-37
String length	WS 2: 14-1
Strings and textfiles	WS 2: 15-33
STRLEN procedure	GT: 1-17
STRWRITE procedure	GT: 1-25
Subsystems	WS 1: 2-1
Subsystems:	
Definition	UG: 57
Exiting	UG: 218
Loading	UG: 216
Permanently loading	UG: 120, 178, 238
Suffix Suppression	WS 1: 3-15
Suffix suppression	UG: 115
Suffixes	WS 1: 3-13
Summary of bus sequences (HP-IB)	PL: 10-37
Summary:	
Debugger commands	WS 1: 9-31
Editor commands	WS 1: 4-25
Filer Commands	WS 1: 5-21
Librarian commands	WS 1: 8-24
Supported features (System devices)	PL: 14-2
Suppressing file suffixes	UG: 115
SWITCH_STRPOS (Compiler option)	WS 1: 6-49
Symbols (Assembler)	WS 1: 7-22
Syntax diagrams (introduction)	WS 1: 2-4
Syntax errors	UG: 199
SYSGLOBALS	PL: 14-3
SYSPROG (Compiler option)	PL: 8-2, WS 1: 6-50, WS 2: 17-1
System addresses	WS 2: B-20
System Boot file (SYSTEM_P)	WS 2: 18-4
System Boot files (naming)	WS 2: 18-15
System Boot files (renaming)	WS 2: 18-35
System controller (HP-IB)	PL: 10-2, 10-7
System date, setting	UG: 214
System devices:	
Battery commands	PL: 14-78
Battery features	PL: 14-75
Beeper	PL: 14-9
Bit-mapped display parameters	PL: 14-31

Changing display parameters	PL: 14-31
Clock	PL: 14-11
Cursor control	PL: 14-32
Date and time	PL: 14-11
Debugger window	PL: 14-37
Direct clock access	PL: 14-16
Display	PL: 14-28
Display control characters	PL: 14-28
Display parameters	PL: 14-30
Display status area	PL: 14-35
Display types	PL: 14-28
Dumping the display	PL: 14-32
Example programs	PL: 14-3
Hooks	PL: 14-5
Interrupt masks	PL: 14-7
Interrupt processing overview	PL: 14-5
Interrupts (enabling)	PL: 14-7
Introduction	PL: 14-1
ISR	PL: 14-6
Key actions	PL: 14-62
Key buffer	PL: 14-48
Key buffer I/O hooks	PL: 14-49
Key codes	PL: 14-59
Key translation hook	PL: 14-51
Keyboard	PL: 14-42
Keyboard ISR hook	PL: 14-45
Keyboard poll hook	PL: 14-46
Keyboard request hook	PL: 14-43
Keyboard types	PL: 14-42
Keyboards	PL: 14-58
Knob	PL: 14-56
Language table	PL: 14-54
Language types	PL: 14-42
Last line of display	PL: 14-32

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

System devices: (continued)	
Menus	PL: 14-34
Missed timer interrupts	PL: 14-22
Module	PL: 14-3
Periodic timer	PL: 14-24
Powerfail	PL: 14-75
Run light	PL: 14-36
Simplified debugger window	PL: 14-41
Supported features	PL: 14-2
SYSDEVS source listing	PL: 14-81
System timer example	PL: 14-26
Timer ISR	PL: 14-21
Timer operations	PL: 14-19
Timers	PL: 14-18
Toggle alpha/graphics	PL: 14-29
Tone generator	PL: 14-9
Typing aids program	PL: 14-66
WARNING-You're on your own	PL: 14-1
System discs	WS 2: 18-4
System files:	
Copying	WS 2: 18-34
New sysvol command	WS 1: 2-9
What command	WS 1: 2-18
System history	WS 2: B-1
System key	UG: 71
System Library	WS 1: 1-4, 2-5, 2-9, 2-10, 2-18, 8-1
System Library:	
Adding modules to it	PL: 1-9
Building your own	PL: 1-18
Defined	PL: 1-6
Volume size considerations	PL: 1-8, 1-18
When used by Compiler	PL: 1-6
When used by loader	PL: 1-7
System programming (extensions)	WS 2: 17-1
System time, setting	UG: 26, 214
System version	WS 1: 2-16
System volume	UG: 118, 125, 145, 181, 196, 240
System volume:	
Bubble cards as	WS 2: 19-8
Definition	WS 1: 3-4

EPROMs as	WS 2: 19-20
New sysvol command	WS 1: 2-9
Search algorithm	WS 2: 18-60
SRM	WS 2: 18-79
TABLE selection	WS 2: 18-13
Volume listing	WS 1: 5-3
What command	WS 1: 2-18
SYSTEM_P file	WS 2: 18-4, 18-35
systems:	
Memory requirements	UG: 275
SYSTERM volume	UG: 156
Systm files	WS 2: 18-3

t

TAB key	UG: 97, 108
Tab key	UG: 83
TABLE program:	
Auto-configuration	WS 2: 18-6
CTABLE source file	WS 2: 18-50
Failures	WS 2: 18-13
Initialize command	WS 1: 2-6
Modifying (CTABLE)	WS 2: 18-49
Renaming	WS 2: 18-35
Table-of-contents (BACKUP)	WS 2: 20-7
TABLES (Compiler option)	WS 1: 6-51
Tablets	GT: B-1
Talk addresses (HP-IB)	PL: 10-5
Tape backup utility	WS 2: 20-1, 20-9
Tape drives:	
Access methods	WS 2: 19-35
Backup utility	WS 2: 20-1
Certify	WS 2: 20-13
File System access	WS 2: 20-13
Introduction	WS 2: 19-35

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Tape drives: (continued)	
List of supported devices	WS 2: 19-35
Media-copy	WS 2: 20-11
Selective backup	WS 2: 20-15
Terminology	WS 2: 20-9
Verify	WS 2: 20-12
Volume backup	WS 2: 20-15
Target vector	GT: 5-21
Technical Reference	WS 2: B-1
Telephone links (Datacomm)	PL: 11-19
Terminal identification (Datacomm)	PL: 11-18
Terminal prompt messages (Datacomm)	PL: 11-24
Terminating transfers	PL: 9-6
Terminology	PL: 2-1
Test program	GT: 4-4, 4-9
Text	GT: 5-35
Text files:	
Creating	WS 1: 4-3, 4-4
Declaration	WS 2: 15-29
I/O	WS 2: 15-29
Representation	WS 2: 15-30
Strings	WS 2: 15-33
Structure of	WS 1: 4-23
Text Record	WS 1: 8-33
Text, writing on graphics screen	GT: 1-15
Tick marks	GT: 1-20, 2-30
Time, setting system	UG: 26, 214
Time zone	UG: 23
time zone	UG: 186
Timeouts	PL: 8-1, 8-5
Timeouts (Datacomm)	PL: 11-14
Timers (System devices)	PL: 14-18
Timing compatibility	PL: 2-4
Tone generator (System devices)	PL: 14-9
Total available memory	UG: 122
Touchscreen	GT: B-1, B-2
Tracking the stylus	GT: 4-1
Transfers:	
END condition	PL: 9-8
Introduction	PL: 9-1
Match character	PL: 9-8

Overlap	PL: 9-6
Serial	PL: 9-4
Special	PL: 9-8
Termination of	PL: 9-6
Word	PL: 9-8
Translate command	UG: 157, 267
Translate command (Filer)	WS 1: 3-15, 5-10, 5-57
TRAP instruction (68000)	WS 1: 6-55, 7-11
Triggering (HP-IB)	PL: 10-10
TRY	PL: 8-2
TRY/RECOVER	WS 2: 17-1
TRY/RECOVER blocks	PL: 8-1, 8-2, 8-3
Type-ahead buffer	UG: 63, 87, 100, 112
Typing aids program (System devices)	PL: 14-66

U

UART (RS-232 interface)	PL: 12-1
UCSD (Compiler option)	WS 1: 6-52
UCSD Unit I/O operations	PL: 1-13
UIO module	PL: 1-13
Unassemble commands (Librarian)	WS 1: 8-19, 8-21
Unblocked devices	WS 2: 18-9
Unit directory command (Filer)	WS 1: 5-60
Unit I/O operations	PL: 1-13
Unit number assignments	UG: 46, 229
Unit numbers:	
How assigned	WS 2: 18-8
Initialize command	WS 1: 2-6
Logical units	WS 1: 3-3
Memory volume command	WS 1: 2-7
New sysvol command	WS 1: 2-9
Standard assignments	WS 2: 18-8
Unit table	WS 2: 18-7

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Unit Table	WS 1: 2-6, 2-9, 3-7
Unit:	
Default unit number	UG: 155
Description of	UG: 36
Flexible disc drives	UG: 46
Prefixing to a unit number	UG: 155
Relationship to Volumes	UG: 36
Unit Number	UG: 42, 227
Unit number	UG: 36, 46
Winchester (hard) discs	UG: 48
UNITBUSY (function)	PL: 1-13
UNITCLEAR (procedure)	PL: 1-13
UNITREAD (procedure)	PL: 1-13
Units, Blocked and Unblocked	WS 1: 3-3
UNITWAIT (procedure)	PL: 1-13
UNITWRITE (procedure)	PL: 1-13
Unlisten and untalk messages (HP-IB)	PL: 10-7
UNLK instruction (68000)	WS 1: 6-56
U.S. ASCII characters	WS 2: C-2
User key	UG: 71
User restart command	UG: 40, 120
User restart Command (Main Level)	WS 1: 2-15
User-defined keys	UG: 76
U.S./European display characters	WS 2: C-4
Using the stack	WS 1: 7-15

V

Value range prompts	UG: 45, 222
Variables, (size of)	WS 2: 11-5
Variables:	
Global	WS 1: 2-10, 2-15, 2-17
Zeroing	WS 1: 2-10, 2-15
Vector, color	GT: 5-21
Verification (BACKUP)	WS 2: 20-10
Verify command (Editor)	WS 1: 4-52
Version command	UG: 122
Version Command (Main Level)	WS 1: 2-16
Video compatibility hardware	WS 2: 22-10
Viewport, Defining	GT: 1-13

Viewport, defining	GT: 2-2
Virtual coordinates	GT: 1-13
Vision, color	GT: 5-36
Vols command	UG: 46, 48, 156, 262
Volume ID	UG: 36, WS 1:3-7
Volume:	
Changing a volume name	UG: 152, 259, 260
Compacting free space	UG: 154, 263
CONSOLE	UG: 156
Contents of system volumes	UG: 276
Copying Entire	UG: 254
Default volume	UG: 118, 155, 183, 241
Description of	UG: 35
Directory	UG: 35
Listing on-line volumes	UG: 156, 262
Memory	UG: 123, 180, 239
On-line	UG: 156, 262
Prefix volume	UG: 155
PRINTER	UG: 156
RAM	UG: 123, 180, 239
Relationship to Units	UG: 36
Removable	UG: 36
System volume	UG: 118, 125, 145, 181, 240
SYSTERM	UG: 156
Volume ID	UG: 35, 42, 46, 227
Zeroing	UG: 33
Volumes	PL: 1-8
Volumes command	UG: 46, 48, 156, 262
Volumes command (Filer)	WS 1:3-2, 5-3, 5-61
Volumes on-line, listing	UG: 156, 262

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

Volumes:

Auto-configuration	WS 2: 18-7
Backing up	WS 1: 5-12
Default volume	WS 1: 3-4
General	WS 1: 3-2
Pascal	WS 1: 3-2
Prefix volume	WS 1: 3-4
PRINTER	WS 2: 18-18
Renaming	WS 1: 5-18
Specification (syntax)	WS 1: 5-25
Syntax of identifier	WS 1: 3-7
System volume	WS 1: 3-4

W

WARN (Compiler option)	WS 1: 6-53
What command	GT: 1-4, PL: 1-6, 1-9, UG: 117, 181, 240
What command (Filer)	WS 1: 5-62
What command (Main Level)	WS 1: 2-18
Wildcards	UG: 152, 175, 206, 251, 257, WS 1: 3-16, 5-9
Winchester disc:	
Autostart file	UG: 187
Booting from	UG: 177
Copying Pascal system	UG: 172, 236
Formatting	UG: 28, 225
Initialization	UG: 28, 225
Unit number assignments	UG: 48, 230
Window frame, drawing	GT: 2-5
Window limits, calculating	GT: 2-3
Word	PL: 2-7
Word transfers	PL: 9-8
Words	PL: 5-4
Workfile	WS 1: 4-24, 5-20, 6-6
Workfile:	
Clearing	UG: 157, 250
Compiling	UG: 166, 194, 200, 203
Creation	UG: 140, 147, 247, 248
Decision to use	UG: 192, 193
Deleting	UG: 157
Description of	UG: 144

Running a program	UG: 119, 201, 203
Saving	UG: 147, 193, 204, 245, 249
Updating in Editor	UG: 140
World coordinates	GT: 1-13, B-11, B-12
WRITE (files)	WS 2: 15-26
Write-protection (flexible discs)	UG: 15
WRITEDIR (files)	WS 2: 15-28
WRITELN procedure	GT: 1-25
Writing data	PL: 5-1
Writing modes	GT: 5-30
Writing text on graphics screen	GT: 1-15
Writing to buffers	PL: 9-3
WS1.0 file names	WS 1: 3-18

X

Xchng command	UG: 133
---------------------	---------

Y

Yes/No prompts	UG: 44, 222
----------------------	-------------

Z

Zap command (Editor)	WS 1: 4-55
Zero command	UG: 33
Zero command (Filer)	WS 1: 5-63
Zeroing a volume	UG: 33

UG: *Pascal 3.2 User's Guide*

WS 1: *Pascal 3.2 Workstation System, Volume 1*

WS 2: *Pascal 3.2 Workstation System, Volume 2*

PL: *Pascal 3.2 Procedure Library*

GT: *Pascal 3.2 Graphics Techniques*

